

80%Wool, 20%Nylon Axminster Broadloom carpet

by Carpets International Thailand Public Company Limited

HPD UNIQUE IDENTIFIER: 27117217

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 09 68 00 Carpeting

PRODUCT TYPE: Carpet Flooring

PRODUCT DESCRIPTION: Axminster is made up of a fiber blend of 80% Wool and 20% nylon. Backings for axminster carpets consist of yarns called stuffers that are interwoven with the face yarn during the construction process. Since the yarns are interlocked components of the carpet, a secondary backing is not require. This HPD cover all styles and colors of 80%Wool and 20% Nylon Axminster Carpet manufactured in Carpets International Thailand Public Company Limited.

SCREENING DATE: 2026-07-30

PUBLISHED DATE: 2026-07-30

EXPIRY DATE: 2029-07-30

PREPARER: Self-Prepared

Health Product Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role. Yes
Threshold Level		Screened
→ 100 ppm		Provided screening results using HPDC-approved methods. Yes
		Identified
		Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

80%WOOL, 20%NYLON AXMINSTER BROADLOOM CARPET [SHEEPS WOOL NoGS POLYPROPYLENE LT-UNK NYLON 6,6 (WITH STAIN RESISTANCE) LT-UNK LIMESTONE; CALCIUM CARBONATE BM-3dg POLYETHYLENE TEREPHTHALATE (PET) LT-UNK STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

As include in the finished product, none of materials identified with "Hazard Type"

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: CRI Green Label Plus - Carpets
Material Ingredients: ILFI Declare - LBC Red List Free - Third Party Verified
Multi-attribute: Australian Carpet Environmental Certification Scheme (ECS) Level 4

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

80%WOOL, 20%NYLON AXMINSTER BROADLOOM CARPET

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: As included in the finished product, none of materials identified with "Hazard type"

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

SHEEPS WOOL

ID: Not registered

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-30 19:12:58		
%: 39.5000 - 51.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: natural fiber					

POLYPROPYLENE

ID: 9003-07-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-30 19:12:58		
%: 15.0000 - 24.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: primary backing					

NYLON 6,6 (WITH STAIN RESISTANCE)

ID: 32131-17-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-30 19:12:59	
%: 9.5000 - 13.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: face fiber to blend with wool fiber				

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-07-30 19:12:59		
%: 6.3000 - 11.2000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Filler in adhesive coating				

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-30 19:12:59	
%: 7.1000 - 8.9000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Textile component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Bisphenols and Phthalates	
SUBSTANCE NOTES: primary backing				

STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-30 19:12:58	
%: 4.3000 - 7.6000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Adhesive				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: CRI - The Carpet and Rug Institute COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Pre-dyed Wool with SBR Backing COMPLIANCE URL: https://carpet-rug.org/wp-content/uploads/glp/certificates/carpet/GLP5114_2026-04-17_17-53-07.pdf COMPLIANCE NOTES: Range Of Total VOCs: 0.5 mg/m³ or less	ISSUE DATE: 2014-10-16	EXPIRY DATE: 2027-03-31
MATERIAL INGREDIENTS	ILFI Declare - LBC Red List Free - Third Party Verified	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: ILFI COMPLIANCE DETAILS: Living Product Challenge (LPC)- Health and Happiness Petal, Red List COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: 80%Wool, 20%Nylon Axminster Broadloom carpet COMPLIANCE URL: https://declare.living-future.org/products/80-20-axminster-carpet COMPLIANCE NOTES: All style of 80%Wool, 20%Nylon Axminster Broadloom carpet contains zero harmful chemicals or materials from the International Living Future Institute (ILFI) Red List.	ISSUE DATE: 2025-11-01	EXPIRY DATE: 2026-11-01
MULTI-ATTRIBUTE	Australian Carpet Environmental Certification Scheme (ECS) Level 4	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: ACCS COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: 80%Wool, 20%Nylon Axminster Broadloom carpet COMPLIANCE URL: https://carpetinstitute.com.au/membership/wp-content/uploads/2026/01/carpet-ecs-certificates-25305-1768965946693.pdf COMPLIANCE NOTES: Having an environmental certificate for a flooring product adds significant value. It showcases the product's compliance with stringent sustainability standards, instills consumer confidence, and demonstrates a commitment to environmental responsibility, setting it apart in a competitive market.	ISSUE DATE: 2026-01-21	EXPIRY DATE: 2029-01-21

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

As included in the finished product, none of materials identified with "Hazard type"

MANUFACTURER INFORMATION

MANUFACTURER: **Carpets International Thailand Public Company Limited**
ADDRESS: **80 Moo.1 Pathum-Bangbuatong Rd.**
Tambol Bangkoowat
Muang, Pathumthani 12000
COUNTRY: **THAILAND**

WEBSITE: **www.royalthai.com**
CONTACT NAME: **Narupat Kuptiyanuwat**
TITLE: **Asst. R&D Manager**
PHONE: **+ 66(0)2976-0123**
EMAIL: **narupat@carpetsinter.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

