

HPD UNIQUE IDENTIFIER: 28172

CLASSIFICATION: 12 36 61.19 Quartz Agglomerate Countertops

PRODUCT DESCRIPTION: Caesarstone Ltd. manufactures premium quartz surfaces, which are used in both residential and commercial projects as countertops, vanities, wall cladding, floors and other interior surfaces. Caesarstone combines beauty with outstanding performance, enabling you to bring your design imagination to life. This HPD covers Caesarstone Surfaces in all available models and colors.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☐ Nested Materials Method ☒ Basic Method	Threshold Level ☐ 100 ppm ☒ 1,000 ppm ☐ Per GHS SDS ☐ Other	Residuals/Impurities ☐ Considered ☒ Partially Considered ☐ Not Considered Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	<i>All Substances Above the Threshold Indicated Are:</i> Characterized ☒ Yes Ex/SC ☐ Yes ☐ No <i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i> Screened ☐ Yes Ex/SC ☐ Yes ☒ No <i>One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.</i> Identified ☐ Yes Ex/SC ☐ Yes ☒ No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
Threshold Disclosed Per ☐ Material ☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CAESARSTONE SURFACES | QUARTZ (QUARTZ/SILICA) LT-1 | CAN
UNDISCLOSED NoGS UNDISCLOSED Not Screened UNDISCLOSED
LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | RES
| MUL | REP | GEN UNDISCLOSED Not Screened CRISTOBALITE LT-1 |
CAN SC: BASALT GRAVEL Not Screened IRON MANGANESE
TRIOXIDE NoGS IRON OXIDE LT-UNK | CAN SILICIC ACID,
ALUMINUM SODIUM SALT, SULFURIZED LT-UNK | RES
ULTRAMARINE (PIGMENT) LT-UNK FERRIC OXIDE BM-2 | CAN
KAOLIN, CALCINED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END
CARBON BLACK LT-1 | CAN FERRIC OXIDE YELLOW LT-UNK
SC: MIXED RECYCLED GLASS/MIRROR Not Screened FELDSPAR LT-
UNK | RES]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial, MixedRecycledContent

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Substances not identified by name and CAS number are held as proprietary by the manufacturer. All substances include percent by weight and role in product, and have been screened for hazards.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Other: ANSI/NSF 51 - Food Equipment Materials

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CAESARSTONE SURFACES

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Emerging Best Practices for considering residuals and impurities were followed. To the best of our knowledge, no residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS that are not otherwise disclosed as intentionally added ingredients (e.g. Quartz/Silica). This review was based on information provided via product testing and from our suppliers. Pharos CML was referenced when information on residuals and impurities was otherwise not available.

OTHER PRODUCT NOTES: Percent by weight of substances given as ranges to account for the wide variety of aggregates and colors available. A lower value of 0% indicates that a substance is not always used in every surface formulation.

QUARTZ (QUARTZ/SILICA) ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:02			
%: 20.0000 - 92.0000		GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man		
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	New Zealand - GHS		6.7A - Known or presumed human carcinogens		
CAN	Japan - GHS		Carcinogenicity - Category 1A		
CAN	Australia - GHS		H350i - May cause cancer by inhalation		
CAN	IARC		Group 1 - Agent is Carcinogenic to humans		

SUBSTANCE NOTES: Silicate aggregate. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product. May also include the following CASRNs: 60676-86-0 [LT-1 | CAN]; 14464-46-1 [LT-1 | CAN]. May represent possible impurity present in other raw materials.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:03			
%: 7.0000 - 14.0000		GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Substance identity to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Other CASRN that may apply to this substance include [Proprietary CASRN; NoGS NO]; [Proprietary CASRN; LT-UNK NO]; [Proprietary CASRN; NoGS NO].		

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 0.2000 - 0.4000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:06		
%: 0.1400 - 0.3000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SUBSTANCE NOTES: Substance identity to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:04		
%: 0.0800 - 0.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Substance identity to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:04		
%: 0.0140 - 0.0300	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	Australia - GHS	H350i - May cause cancer by inhalation
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	Australia - GHS	H360Fd - May damage fertility. Suspected of damaging the unborn child
GEN	MAK	Germ Cell Mutagen 3a

SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
#: 0.0000 - 4.5000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				

SUBSTANCE NOTES: Substance to remain proprietary to manufacturer. Substance has not been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.

CRISTOBALITE

ID: **14464-46-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-22 9:14:09		
#: 0.0000 - 55.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
SUBSTANCE NOTES:		

SC: BASALT GRAVEL

ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 0.0000 - 8.3000	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES: Version: SCGeoMats/2019-06-20 Origin: Israel Typical Composition: 46.6% SiO2; 14.5% Al2O3; 12.5% FeO3; 10.4% CaO; 3.4% MgO; 3.7% Na2O; 1.0% K2O Potential presence of toxic metals: None reported Presence of Radioactive Elements: None reported Basalt gravel not used in every surface formulation.				

IRON MANGANESE TRIOXIDE

ID: 12062-81-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:12		
%: 0.0000 - 1.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: C.I. Pigment Black 33.				

IRON OXIDE

ID: 1317-61-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:11		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
SUBSTANCE NOTES: Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.		

SILICIC ACID, ALUMINUM SODIUM SALT, SULFURIZED

ID: 101357-30-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:10		
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.				

ULTRAMARINE (PIGMENT)

ID: 57455-37-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:10		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:09		
%: 0.0000 - 1.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.				

KAOLIN, CALCINED

ID: 92704-41-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-02 1:36:09		
%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-05-02 1:36:08

%: 0.0000 - 4.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-05-02 1:36:08

%: 0.0000 - 1.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.

FERRIC OXIDE YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-05-02 1:36:06

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **0.0000 - 42.0000** GS: **Not Screened** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCMixedRC/2018-02-23

Is regular, analytical testing performed on the substance?: No

Information provided by supplier.

BatchVariation: See Substance Notes

SourceofOrigin: Spain

Why is there limited information?: See Substance Notes

This disclosure does not provide information on the potential presence of hazardous substances which may be found in certain mixed recycled materials. From supplier: All glass waste we receive is sorted, cleaned and treated with the best available technologies for glass recycling process. In the first phase of the treatment, all the impurities are extracted from the input flow, such as plastic packaging, lids, corks, stones, ceramic components, paper, etc. The metal elements are automatically extracted using permanent magnets and Foucault based machines. Then the glass is sieved according to its grain size using various sieve machines (screenings). Several optical system sensors automatically sort and remove the foreign objects such as ceramic elements and stones from the glass flow. Because the technology of the glass sorting machines is constantly progressing, we actively cooperate with the leading companies of artificial vision devices, adapting our machinery to use the best techniques available at all times. The fine glass is free from contaminants and is of the highest quality in all aspects: purity, size distribution, color and clarity.

FELDSPAR

ID: 68476-25-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-05-02 1:36:05**%: **0.0000 - 70.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Pharos CML lists the following as "Known or Potential Residuals" for Feldspar; however, as these substances are all "Integral/Frequent Components" of Feldspar, they are listed here instead of as individual substance entries: Aluminum Oxide (1344-28-1; BM-2; Unknown %); Barium Oxide, Anhydrous (1304-28-5; LT-UNK; Unknown %); Calcium Oxide (1305-78-8; LT-P1; 0.70-1.40%); Dipotassium Oxide (12136-45-7; LT-UNK; 0.10-0.70%); Ferrous Oxide (1345-25-1; LT-UNK; 0.10%); Magnesium Oxide (1309-48-4; LT-UNK; Unknown %); Silica, Amorphous (7631-86-9; LT-P1; 60.7-68.3%); Silica, Vitreous (11126-22-0; LT-UNK; Unknown %); Sodium Oxide (1313-59-3; LT-UNK; 3.0-9.8%); Strontium Oxide (1314-11-0; LT-UNK; Unknown %). Substance is encapsulated in a polymer matrix, and thus form-specific hazards are not expected to apply to the finished and installed product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Sdot-Yam, ISRAEL; Bar-Lev, ISRAEL; Richmond Hill, GA, USA CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx?id=5464&t=cs	ISSUE DATE: 2008-08-05	EXPIRY DATE: 2019-08-05	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number 5464-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.			
OTHER	ANSI/NSF 51 - Food Equipment Materials		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Richmond Hill, GA, USA; Misgav, ISRAEL; M.P. Menashe, ISRAEL CERTIFICATE URL: https://www.caesarstoneus.com/about-us/environmental-commitment/food-safety/	ISSUE DATE: 2016-06-10	EXPIRY DATE:	CERTIFIER OR LAB: NSF International
CERTIFICATION AND COMPLIANCE NOTES: Establishes minimum public health and sanitation requirements for materials used in the construction of commercial food equipment. The requirements are based on U.S. FDA regulations.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

100% SILICONE ADHESIVE	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: To attach countertop to kitchen units; to seal space between countertop and wall.	
POLYESTER RESIN ADHESIVE	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: To seal seams. Epoxy-Modified Acrylic Adhesive can also be used.	

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Caesarstone**
 ADDRESS: **1401 W. Morehead**
Charlotte NC 28208, USA
 WEBSITE: **www.caesarstoneus.com**

CONTACT NAME: **Caroline Newman**
 TITLE: **Marketing**
 PHONE: **+972-4-610-9368**
 EMAIL: **Caroline.Newman@caesarstone.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.