

AUTEM™ Baffles & Clouds  
by FabriTRAK Systems, inc.

SCREENING DATE: 2026-02-04  
PUBLISHED DATE: 2026-02-04  
EXPIRY DATE: 2029-02-04  
PREPARER: Self-Prepared

Health Product  
Declaration v3.0  
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 173921742848  
HPD UNIQUE PRODUCT ID: Not provided.  
CLASSIFICATION: 09 06 80 Schedules for Acoustical Treatment  
PRODUCT TYPE: Acoustical Ceiling Treatment, Wool Felt  
PRODUCT DESCRIPTION: Autem™ Baffles and Clouds are specialty acoustic ceiling panels hung from ceilings either vertically as baffles or horizontally as clouds. Each Autem™ Baffle and Cloud is assembled in the USA and covered entirely in FabriFELT™ - 100% pure wool felt that is also Declare Certified. Colors: Standard range of over 20 heathered and solid colors; custom colors available. Thickness: 2" standard and available in 1". Fire Testing: ASTM E84 Class A and high NRC ratings.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

|                                                         |                                                                  |                                                                            |
|---------------------------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------------------|
| Inventory Reporting Format<br>→ Nested Materials Method | Residuals/Impurities Evaluation<br>Completed in 2 of 2 Materials | For all contents above the threshold, the manufacturer has:                |
| Threshold Disclosed Per<br>→ Product                    | Explanation(s) provided for Residuals/Impurities?<br>Yes         | Characterized<br>Provided weight and role.<br>Yes                          |
| Threshold Level<br>→ 1,000 ppm                          |                                                                  | Screened<br>Provided screening results using HPDC-approved methods.<br>Yes |
|                                                         |                                                                  | Identified<br>Provided name and CAS RN or other identifier.<br>No          |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE  
UNDISCLOSED [ GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) ] LT-UNK [ WOOL [ SHEEPS WOOL NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None  
Nanomaterial ... Yes  
INVENTORY AND SCREENING NOTES:

Autem™ Baffles and Clouds are specialty acoustic ceiling panels hung from ceilings either vertically as baffles or horizontally as clouds. Each Autem™ Baffle and Cloud is assembled in the USA and covered entirely in FabriFELT™ - 100% pure wool felt that is also Declare Certified. Colors: Standard range of over 20 heathered and solid colors; custom colors available. Thickness: 2" standard and available in 1". Fire Testing: ASTM E84 Class A and high NRC ratings.  
PFAS DETAILS:  
PFAS Attestation states "Unknown if product contains PFAS"  
Attestation:

Bill Meise

2026-02-04

VOLATILE ORGANIC COMPOUND (VOC) CONTENT  
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.  
VOC emissions: MAS Certified Green - VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS  
No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: [www.hpd-collaborative.org/hpd-3-0-standard](http://www.hpd-collaborative.org/hpd-3-0-standard)

UNDISCLOSED

%: 90.0000 - 90.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Notes to add

OTHER MATERIAL NOTES:

GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-02-04 9:58:02

%: 90.0000 - 90.0000

GreenScreen: LT-UNK

RC: PostC

NANO: No

SUBSTANCE ROLE: Insulator

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|------------------------------------------------|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                         | NOTIFICATION                                                                             |
|---------------------|----------------------------------------------|------------------------------------------------------------------------------------------|
| EXEMPT              | European Union / European Commission (EU EC) | EU - REACH Exemptions<br><br>Exempted from REACH Annex V listing due to intrinsic safety |

SUBSTANCE NOTES: At Least 50%post consumer recycled glass.

WOOL

%: 10.0000 - 10.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Animal-Based Material

RESIDUALS AND IMPURITIES NOTES: All substances in this material are below the reportable threshold.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-02-04 9:58:08**

%: **10.0000 - 10.0000**

GreenScreen: **NoGS**

RC: **PreC**

NANO: **Yes**

SUBSTANCE ROLE: **Textile component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: 100% Wool fabric made without the use of harmful chemicals.

### Section 3: Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                                                                                                                                                                                                                                                                       | MAS Certified Green - VOC Emissions |                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------|
| COMPLIANCE TYPE: Third Party<br>CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: MAS<br>COMPLIANCE DETAILS:<br>COMPLIANCE SCOPE:<br>APPLICABLE FACILITIES: ALL<br>COMPLIANCE URL: <a href="https://mascertifiedgreen.com/wp-content/uploads/2025/08/2026-08_FabriTrak_FabriTrak-and-GeoTrak-System_2500487.pdf">https://mascertifiedgreen.com/wp-content/uploads/2025/08/2026-08_FabriTrak_FabriTrak-and-GeoTrak-System_2500487.pdf</a><br>COMPLIANCE NOTES: | ISSUE DATE: 2025-07-01              | EXPIRY DATE: 2026-07-31 |

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

Autem™ Baffles and Clouds are specialty acoustic ceiling panels hung from ceilings either vertically as baffles or horizontally as clouds. Each Autem™ Baffle and Cloud is assembled in the USA and covered entirely in FabriFELT™ - 100% pure wool felt that is also Declare Certified. Colors: Standard range of over 20 heathered and solid colors; custom colors available. Thickness: 2" standard and available in 1". Fire Testing: ASTM E84 Class A and high NRC ratings.

## MANUFACTURER INFORMATION

MANUFACTURER: **FabriTRAK Systems, inc.**  
ADDRESS: **111 West Park Drive**  
**Mt. Laurel, New Jersey 08054**  
COUNTRY: **United States**

WEBSITE: **<https://www.fabritrak.com/>**  
CONTACT NAME: **Bill Meise**  
TITLE: **Office**  
PHONE: **609-409-6700**  
EMAIL: **[info@fabritrak.com](mailto:info@fabritrak.com)**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                           |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> | Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b>  | Substances listed within each material per threshold indicated per product  |
| <b>Basic Method / Product Threshold</b>   | Substances listed individually per threshold indicated per product          |

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Nano</b>                  | Composed of nano scale particles or nanotechnology         |
| <b>Third Party Verified</b>  | Verification by independent certifier approved by HPDC     |
| <b>Preparer</b>              | Third party preparer, if not self-prepared by manufacturer |
| <b>Applicable facilities</b> | Manufacturing sites to which testing applies               |

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*