

HPD UNIQUE IDENTIFIER: 31186

CLASSIFICATION: 07 26 00 Vapor Retarders

PRODUCT DESCRIPTION: StegoCrawl Term Bar is a semi-flexible plastic termination bar used for mechanically securing StegoCrawl Wrap or other materials to concrete, masonry, or wood.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☒ Per GHS SDS	☒ Not Completed	Screened ☐ Yes ☒ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
STEGO TERM BAR | POLYVINYL CHLORIDE (PVC) LT-P1 | MAM
ADDITIVE Not Screened]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*** Manufacturer has opted for the basic inventory display – chemical substances are listed by weight in the entire product instead of grouped by material. *** Substances that have not been screened by the Priority Hazards List have been researched by the supplier for potential health hazards. *** We have worked closely with our suppliers to ensure the least toxic ingredients are chosen while maintaining required performance characteristics.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2023-01-27
☐ Yes	VERIFIER:	PUBLISHED DATE: 2023-01-27
☒ No	VERIFICATION #:	EXPIRY DATE: 2026-01-27

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

STEGO TERM BAR

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.

OTHER PRODUCT NOTES: Variation in processing necessitates that a range of values be reported for this substance.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-01-27 11:17:51		
%: 99.0000 - 100.0000	GreenScreen: LT-P1	RC: PreC	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List		
		Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Core Restrictions		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2022		
		Red List substances to avoid in Living Building Challenge V4.0 projects		
SUBSTANCE NOTES: Post-industrial recycled PVC. Variation in processing necessitates that a range of values be reported for this substance.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
?: 0.0000 - 1.0000	GreenScreen: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	Hazard Screening not performed			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
	Additional Hazard Screening not performed			
SUBSTANCE NOTES: The supplier has only identified this substance as a pigment due to the fact that it is a proprietary component of the product and it represents a Trade Secret. Variation in processing necessitates that a range of values be reported for this substance.				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-07-26	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: VOC content is based upon analysis of the ingredients/substances utilized.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

*** Stego Industries ("Stego") officially embarked on its Footprint Project in June of 2014 to eliminate the carbon emissions of its business operations and help brand a culture of sustainability Stego has incorporated into its business model from the beginning. Our Stego Green Team, which includes every corporate department, is using life cycle thinking to review the impacts of our products and our operations. These ongoing efforts' ultimate goal is to create a comprehensive corporate sustainability report to demonstrate our commitment to the environment and improve our performance in key areas. We hope you will hold us accountable for the good of our planet so we can prove yellow is green. - See more at: http://www.stegoindustries.com/sustainability/stego_carbon_footprint_project.php#sthash.SFvID8k4.dpuf

*** Before Stego codified its sustainability efforts under its Footprint project, we already led our industry in green initiatives - both on the projects we supplied our products to and in how we conducted our business operations. Stego proudly converted its corporate headquarters in sunny San Clemente, Calif. to a 100 percent solar powered facility in 2010. Each year, Stego's solar panels: produce approximately 55.7 megawatts of electricity, offset the equivalent of approximately three acres of trees, could power approximately 1,150 homes for one day. We also provide a number of offsets and incentives to our employees: we began offsetting carbon emissions from all business air travel in 2013 and we offer a vehicle purchase incentive for employees to upgrade their work-use vehicles to more fuel-efficient choices.

*** Stego served as a Pilot Manufacturer in the Health Product Declaration Collaborative (HPDC), which was a step taken to help lead the charge towards standardized transparency of building products. Stego has continued HPDC support as a Member and participant on the Manufacturer Advisory Panel (MAP). In addition, Stego is also a member of the United States Green Building Council (USGBC) and Sponsor of Mindful Materials, the leading collaborative hub for transformative improvement on reducing the impact in the built environment. - See more at: http://www.stegoindustries.com/sustainability/footprint_project_achievements.php#sthash.hjwdNMFw.dpuf

*** All designated trademarks are the intellectual property of Stego Industries, LLC. Installation, Warranty, and State Approval Information: stegoindustries.com/legal. ©2022 Stego Industries, LLC. All rights reserved.

MANUFACTURER INFORMATION

MANUFACTURER: Stego Industries, LLC
ADDRESS: 216 Avenida Fabricante
 Suite 101
 San Clemente CA 92672, USA
WEBSITE: <https://www.stegoindustries.com/products/stego-crawl-term-bar>

CONTACT NAME: Tom Marks CSI CDT LEED Green Associate
TITLE: Sustainability Manager
PHONE: (877) 464-7834
EMAIL: tommarks@stegoindustries.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

