

HPD UNIQUE IDENTIFIER: 27137

CLASSIFICATION: 07 84 43 Joint Firestopping

PRODUCT DESCRIPTION: Provides a 2-hour or 3-hour fire rating in accordance with UL-2079 Floor to Floor or Wall to Wall Floor to Wall or Wall to Corner 990 System +- 25% movement rating 995 System +- 50% movement rating

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☒ Nested Materials Method ☐ Basic Method	Threshold Level ☒ 100 ppm ☐ 1,000 ppm ☐ Per GHS SDS ☐ Other	Residuals/Impurities Considered in 1 of 1 Materials Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	<i>All Substances Above the Threshold Indicated Are:</i> Characterized ☐ Yes Ex/SC ☒ Yes ☐ No <i>% weight and role provided for all substances.</i> Screened ☐ Yes Ex/SC ☒ Yes ☐ No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified ☐ Yes Ex/SC ☐ Yes ☒ No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
---	---	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FIRE RATED FOAM [**UNDISCLOSED** **LT-UNK** **UNDISCLOSED** **BM-2** **UNDISCLOSED** **BM-3** **UNDISCLOSED** **NoGS** **UNDISCLOSED** **LT-UNK** | **CAN** **UNDISCLOSED** **BM-1** | **CAN** **UNDISCLOSED** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD covers both 990 and 995 Fire Rated Foam systems

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions Unknown

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2021-04-20 PUBLISHED DATE: 2022-01-19 EXPIRY DATE: 2024-04-20
---	---	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

FIRE RATED FOAM

#: 100.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered in this material

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-01 9:04:56

#: 20.0000 - 72.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary according to supplier request

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-01 9:04:56

#: 10.0000 - 60.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary according to supplier request

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-01 9:04:57

#: 5.0000 - 45.0000

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary according to supplier request

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-09-01 9:04:57

%: 5.0000 - 45.0000		GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Proprietary according to supplier request					

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 9:04:58			
%: 5.0000 - 40.0000		GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
SUBSTANCE NOTES: Proprietary according to supplier request					

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 9:04:58			
%: 5.0000 - 20.0000		GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
SUBSTANCE NOTES: Proprietary according to supplier request					

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-01 9:04:59	
%: 5.0000 - 20.0000		GS: LT-UNK	
		RC: None	NANO: No
		SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS
None found			No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Proprietary according to supplier request			

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions Unknown		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-01-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: All	19		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: This product has not been tested for VOC emissions and therefore remains unknown			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COLOR MATCHED SILICONE SEALANT	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Sealant is used to fill in gaps while maintaining outward appearance	
EPOXY RESIN	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Epoxy resin is used to secure foam in place and is used during installation	
SIL®-300	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: SIL®-300 is UL-rated silicone firestop sealant	

Section 5: General Notes

990 and 995 systems do not rely on the silicone face for their rating; the foam is impregnated with fire retardant material, meaning the rating is not compromised due to vandalism or damage to the silicone face. Fire foam seals are water tight and also have sound attenuation qualities. This system is coated on both sides so either face can be exposed. Seal material is UV stable, resistant to solvents, and capable of handling vertical and horizontal joint movement. Open cell foam is constantly self-expanding, allowing system to maintain a watertight seal while undergoing rapid joint movement. 990 and 995 foam seals come pre-compressed for installation ease

MANUFACTURER INFORMATION

MANUFACTURER: Inpro
ADDRESS: S80 W18766 Apollo Dr
Muskego Wisconsin 53150, United States
WEBSITE: www.inprocorp.com

CONTACT NAME: Jess Jenkins
TITLE: Environmental and Technical Project Specialist
PHONE: 2626799010
EMAIL: jjenkins@inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.