

HPD UNIQUE IDENTIFIER: 170983265280

CLASSIFICATION: 12 36 61.19 Quartz Agglomerate Countertops

PRODUCT DESCRIPTION: Technological Quartz is a product of exceptional resistance and stunning beauty. With the appearance and feel of natural quartz but with a better performance thanks to its high resistance. And it comes in an extensive range of colours, designs, sizes, thicknesses and ornamentations. It is the ideal product for kitchen worktops, floors, walls and all kinds of indoor surfaces that have to withstand intensive use.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☒ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☒ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COMPAC TECHNOLOGICAL QUARTZ [QUARTZ BM-1] CAN | MAM | GEN **CRISTOBALITE LT-1** CAN | MAM | GEN **SILICON DIOXIDE BM-1** | CAN | MAM **POLYESTER NoGS** **FERRIC OXIDE (PRIMARY CASRN IS 1309-37-1) BM-1** CAN | MAM **TITANIUM DIOXIDE BM-1** CAN | END | MAM **QUARTZ BM-1** CAN | MAM | GEN **POLYETHYLENE TEREPHTHALATE (PET) LT-P1** **TRIMETHOXYSILYLPROPYL METHACRYLATE LT-UNK** SKI | EYE **TERT-BUTYL PEROXYBENZOATE LT-P1** MUL | EYE | AQU | MAM | PHY **ISOBUTYL ALCOHOL BM-2** SKI | EYE | MAM **STYRENE BM-1** END | CAN | MUL | REP | SKI | EYE | MAM | DEV | GEN | AQU **COBALT BIS(2-ETHYLHEXANOATE) LT-1** CAN | RES | MUL | GEN | REP | EYE | MAM | AQU | SKI **BIS(HYDROGENATED TALLOW ALKYL)DIMETHYLAMMONIUM BENTONITE BM-3** RES **RECYCLED GLASS SODIUM FELDSPAR**]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MixedRecycledContent]

Special Conditions applied: [GeologicalMaterial]

This HPD was prepared considering Material Safety Data Sheets of all raw material suppliers

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: GreenGuard - Indoor Air Quality Certified

VOC emissions: UL/GreenGuard Gold Certified

Food Contact: ANSI/NSF 51-2012 Food equipment materials

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-02-20
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-02-20
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-02-20

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

COMPAC TECHNOLOGICAL QUARTZ

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Partially

RESIDUALS AND IMPURITIES NOTES: The product meets Greenguard and NSF certifications; and test to identify raw material and final product are controlled by the Silicalia technical team.

OTHER PRODUCT NOTES: This HPD include a group of products and that is the reason why there is an important range between minimum and maximum for each substance.

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 7:15:51	
%: 0.0000 - 73.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)	
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources	
CAN	IARC		Group 1 - Agent is Carcinogenic to humans	
CAN	US NIH - Report on Carcinogens		Known to be a human Carcinogen	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
CAN	GHS - New Zealand		Carcinogenicity category 1	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Quarts is one of the main input materials of the product

RECYCLED GLASS

ID: **Mixed Recycled Content**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **0.0000 - 70.0000**
GreenScreen: **Not Required**
RC: **Both**
NANO: **No**
MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

INGREDIENT DESCRIPTION: Pre- and post- consumer recycled glass

ANALYTICAL TESTING: Stable identified material source

BATCH VARIATION: No, There is no variation as the product is tested and speciedied every time to maintain formulation

COUNTRY OF ORIGIN: Spain

MATERIAL CONTENT NOTES: Glass with 100% from pre- and post- consumer content

NA
This disclosure does not provide information on the potential presence of hazardous substances which may be found in certain mixed recycled materials.

CRISTOBALITE

ID: 14464-46-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-02-20 7:15:52

%: 0.0000 - 63.0000

GreenScreen: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Cristobalite is one of the main input materials that is present in the final product

SODIUM FELDSPAR

ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		
INGREDIENT DESCRIPTION AND COMPOSITION: Feldespar		
COUNTRY OF ORIGIN: Turkey		
RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.		
POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.		
MATERIAL CONTENT NOTES: Feldespar (68476-25-5) There is no potential presence of toxic heavy metals or radioactivity as this is tested to ensur product helthyness		

SILICON DIOXIDE

ID: 7631-86-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 7:28:10	
%: 0.0000 - 31.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	
SUBSTANCE NOTES: Glass				

POLYESTER

ID: 113669-95-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 7:15:52		
%: 0.1000 - 16.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

FERRIC OXIDE (PRIMARY CASRN IS 1309-37-1)

ID: 1430053-95-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 7:15:52		
%: 0.1000 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 7:15:51		
%: 0.1000 - 3.0000		GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 7:15:52	
%: 0.1000 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

POLYETHYLENE TEREPHTHALATE (PET)				ID: 25038-59-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 7:15:52		
%: 0.0000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

TRIMETHOXYSILYLPROPYL METHACRYLATE

ID: 2530-85-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-20 7:15:52

%: 0.0600 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

TERT-BUTYL PEROXYBENZOATE

ID: 614-45-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-02-20 7:15:53

%: 0.0500 - 0.3000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
EYE	GHS - New Zealand	Eye irritation category 2		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
PHY	GHS - New Zealand	Organic peroxide type C		
PHY	GHS - Japan	H242 - Heating may cause a fire [Organic peroxides - Type C]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: This is the main substance of the Catalyst agent

ISOBUTYL ALCOHOL

ID: 78-83-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 7:15:51	
%: 0.0000 - 0.3000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Humectant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		

SUBSTANCE NOTES: This is the main substance of the Catalyst agent

STYRENE

ID: 100-42-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-02-20 7:15:52	
%: 0.0000 - 0.2500	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

END	ChemSec - SIN List	Endocrine Disruption
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
SUBSTANCE NOTES:		

COBALT BIS(2-ETHYLHEXANOATE)

ID: 136-52-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-02-20 7:15:52		
%: 0.0100 - 0.1000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
GEN	MAK	Germ Cell Mutagen 3a
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Category 1(1B)]
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - Korea	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
REP	GHS - Australia	H360Fd - May damage fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 1A or 1B]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: This is the main substance of the Catalyst agent

**BIS(HYDROGENATED TALLO ALKYL)DIMETHYLAMMONIUM
BENTONITE**

ID: 68953-58-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-02-20 7:15:52

%: 0.0000 - 0.1000

GreenScreen: **BM-3**RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Indoor Air Quality Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2007-07-07 00:00:00	CERTIFIER OR LAB: Greenguard
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: https://spot.ul.com/main-app/products/catalog/?keywords=silicalia		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2007-07-07 00:00:00	CERTIFIER OR LAB: Greenguard
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: https://spot.ul.com/main-app/products/catalog/?keywords=silicalia		
CERTIFICATION AND COMPLIANCE NOTES:		

FOOD CONTACT	ANSI/NSF 51-2012 Food equipment materials	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2007-07-01 00:00:00	CERTIFIER OR LAB: NSF
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL: https://info.nsf.org/Certified/Food/Listings.asp?Company=3H240&Standard=051		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Technological quartz is a surface available in different models and colours.
<http://www.compac.es/cuarzo/>

MANUFACTURER INFORMATION

MANUFACTURER: **Silicalia SL**
ADDRESS: **Travessera de Albaida 1**
Real de Gandia, Valencia 46727
COUNTRY: **Spain**

WEBSITE: **www.compac.es**
CONTACT NAME: **Erik Schoneveld**
TITLE: **Global Quality Manager**
PHONE: **+34 962 954 053**
EMAIL: **eschoneveld@compac.es**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

