

HPD UNIQUE IDENTIFIER: 24010

CLASSIFICATION: 08 81 00 Glass Glazing

PRODUCT DESCRIPTION: STADIP® is Saint-Gobain's range of laminated glass. All of the products in the range are the result of a lamination process in which an interlayer (PVB, EVA, Ionomere...) is placed in between two glasses in order to enhance the performance of the glazing (safety, acoustic...). This declaration concerns the substances contained in STADIP® 66.2 produced in European sites consisting of two 6mm flat glass with two PVB layers inbetween (without any additional transformation or accessories).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
☐ Nested Materials Method	☒ 100 ppm	☒ Considered	Characterized ☐ Yes Ex/SC ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Considered	% weight and role provided for all substances.
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Considered	Screened ☐ Yes Ex/SC ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided for Residuals/Impurities?	All substances screened using Priority Hazard Lists with results disclosed.
☒ Product		☒ Yes ☐ No	Identified ☐ Yes Ex/SC ☒ Yes ☐ No
			All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SAINT-GOBAIN - EUROPEAN STADIP® 66.2 [SODA-LIME SILICATE GLASS NoGS ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL LT-UNK TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The references used for this declaration are the most commonly used in STADIP® products for façade: Classical PVB. The composition below is meant to be a representative example of the STADIP® 66.2 put on the market. The data provided are based on our current best knowledge of the substances used in the production of our products and their possible interactions. No compulsory accessories or additional transformation are required for these products. If any accessories are sold with the products, they are not included in this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source

Other: REACH Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2020-10-12 PUBLISHED DATE: 2021-03-04 EXPIRY DATE: 2023-10-12
---	---	---

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SAINT-GOBAIN - EUROPEAN STADIP® 66.2

PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES CONSIDERED: Yes	
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted when the concentration is above the disclosure threshold			
OTHER PRODUCT NOTES:			
SODA-LIME SILICATE GLASS		ID: 2446523-50-6	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-12	
%: 95.0000 - 99.0000	GS: NoGS	RC: Both	NANO: No SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Internal cullet 20 % Pre-consumer cullet 11 % Post-consumer cullet <1 %			

ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL				ID: 27360-07-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-12		
%: 1.8600 - 1.9300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)				ID: 94-28-0
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-12		
%: 0.6900 - 0.7200	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		Inherently non-emitting source	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-07-	EXPIRY DATE:	CERTIFIER OR LAB: Self
APPLICABLE FACILITIES: All Saint-Gobain facilities	01		declaration
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: The LEED 4.1 rating system recognizes glass as an inherently non-emitting volatile organic compound (VOC) material, which means that no testing report is required provided that the products do not include integral, organic-based surface coatings, binders or sealants.			
OTHER		REACH Declaration	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-07-	EXPIRY DATE:	CERTIFIER OR LAB: Self
APPLICABLE FACILITIES: All Saint-Gobain facilities	01		declaration
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: In reference to the Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals ("REACH"), we declare that these products do not contain any substances included in the Authorization list (Annex XIV), the Restriction list (Annex XVII) and the Candidate list of "Substances of Very High Concern" (SVHC) for authorization in a concentration above 0.1% by weight.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This declaration concerns the substances contained in STADIP® 66.2 produced in European sites (without any additional transformation or accessories).

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain
ADDRESS: Saint-Gobain Glass
 12 place de l'Iris
 La Défense cedex Hauts-de-Seine 92096, France
WEBSITE: www.saint-gobain-glass.com

CONTACT NAME: Fabrice Desmons
TITLE: International Product Strategy Director Building Glass
PHONE: +33664062800
EMAIL: Fabrice.FD.Desmons@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.