

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY			
Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
☐ Nested Materials Method	☐ 100 ppm	☐ Considered	Characterized ☒ Yes Ex/SC ☐ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☒ Partially Considered	<i>% weight and role provided for all substances except</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Considered	<i>SC substances characterized according to SC</i>
☐ Material	☐ Other	Explanation(s) provided	<i>guidance.</i>
☒ Product		for Residuals/Impurities?	Screened ☒ Yes Ex/SC ☐ Yes ☐ No
		☒ Yes ☐ No	<i>All substances screened using Priority Hazard Lists with</i>
			<i>results disclosed except SC substances screened</i>
			<i>according to SC guidance.</i>
			Identified ☒ Yes Ex/SC ☐ Yes ☐ No
			<i>All substances disclosed by Name (Specific or Generic)</i>
			<i>and Identifier except SC substances identified</i>
			<i>according to SC guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY	
Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.	
MATERIAL SUBSTANCE RESIDUAL OR IMPURITY	Number of Greenscreen BM-4/BM3 contents ... 1
GREENSCREEN SCORE HAZARD TYPE	Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
ARCHITECTURAL CAST STONE - WET [SC:SC: UNDISCLOSED Not Screened SC:SC: SAND Not Screened PORTLAND CEMENT LT-P1 CAN END WATER BM-4]	Nanomaterial ... No
	INVENTORY AND SCREENING NOTES:
	Special conditions applied: GeologicalMaterial
	[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.
	Special conditions applied: [GeologicMaterial].
	[LEED v4] "Yes ex/SC " result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT	CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC Content data is not applicable for this product category.	VOC emissions: Inherently non-emitting source per LEED
	CONSISTENCY WITH OTHER PROGRAMS
	Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-03-29
☐ Yes	VERIFIER:	PUBLISHED DATE: 2021-03-29
☒ No	VERIFICATION #:	EXPIRY DATE: 2024-03-29

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ARCHITECTURAL CAST STONE - WET

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered based on process chemistry via Quartz Project Database using information provided for concrete masonry units. Architectural cast stone is composed of essentially the same ingredients as concrete masonry units. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen Score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: This product may also contain pigments and admixtures in quantities below the Content Inventory Threshold and are only noted here for completeness in disclosure.

SC:SC: UNDISCLOSED ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 30.0000 - 50.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:
Version: SCGeoMats/2019-06-20
Origin: USA, North Carolina
Typical Composition: This disclosure does not provide typical composition.
Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.
Presence of Radioactive Elements: unknown The specific type of aggregate may vary depending upon supplier availability, and is not disclosed to protect proprietary mix design.

SC:SC: SAND ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 20.0000 - 40.0000 GS: Not Screened RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:
Version: SCGeoMats/2019-06-20
Origin: USA, North Carolina
Typical Composition: This disclosure does not provide typical composition.
Potential presence of toxic metals: This disclosure does not provide information on the potential presence of toxic metals.
Presence of Radioactive Elements: This disclosure does not provide radioactive elements which may be found in certain geological materials. Percent of substance varies based on specifications for the project. Exact percentage is withheld to protect proprietary mix design.

PORTLAND CEMENT ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-03-29 11:55:27		
%: 10.0000 - 30.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: Percent of substance varies based on specifications for the project. Exact percentage is withheld to protect proprietary mix design.				

WATER					ID: 7732-18-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-03-29 11:55:28		
%: 5.0000 - 15.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Activator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Percent of substance varies based on specifications for the project. Exact percentage is withheld to protect proprietary mix design.					

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-03-	EXPIRY DATE:	CERTIFIER OR LAB: inherently
APPLICABLE FACILITIES: all	10		non-emitting source per LEED
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MASONRY MORTAR	HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/116_Bulk_Mortar_Type_N.pdf
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Architectural cast stone - Wet units may sometimes be set in masonry mortar. The listed masonry mortar HPD is an EXAMPLE of one type of masonry mortar that MAY be used in conjunction with Architectural Cast Stone - Wet. The reference to this masonry mortar is not an endorsement of this product and may not be appropriate for use with Architectural Cast Stone - Wet.	

Section 5: General Notes

The percentages of substances listed in this HPD vary based on specifications for the project. Exact percentages are withheld to protect proprietary mix design.

MANUFACTURER INFORMATION

MANUFACTURER: Cast Stone Systems Inc
ADDRESS: 532 N Main Street
Warrenton NC 27589, USA
WEBSITE: www.caststonesystems.com

CONTACT NAME: Ted Echols
TITLE: Sales Director
PHONE: 252-257-1599
EMAIL: tedechols@caststonesystems.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.