

HPD UNIQUE IDENTIFIER: 24248

CLASSIFICATION: 09 65 19 Resilient Tile Flooring

PRODUCT DESCRIPTION: Resilient Tile Flooring. Xpression Tiles and Planks for heavy commercial use. Does not contain any PVC and plastizisers.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
☐ Nested Materials Method	☐ 100 ppm	☒ Considered	Characterized ☐ Yes Ex/SC ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Considered	% weight and role provided for all substances.
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Considered	Screened ☐ Yes Ex/SC ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes Ex/SC ☒ Yes ☐ No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
XPRESSON [CALCIUM CARBONATE BM-3
ETHYLENE/METHACRYLIC ACID COPOLYMER, ZINC SALT (EMAA-
XZN) LT-UNK THERMOPLASTIC ELASTOMER NoGS ETHYLENE
VINYL ACETATE POLYMER (EVA) LT-UNK POLYETHYLENE
TEREPHTHALATE GLYCOL (PETG) NoGS ACRYLIC POLYMERS NoGS
TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK BM-1 | CAN
IRON HYDROXIDE (Fe(OH)3) LT-UNK BUTANAMIDE, 2,2'-[1,2-
ETHANEDIYLBIS(OXY- 2,1-PHENYLENEAZO)]BIS[N-(2,3-DIHYDRO-2-
OXO-1H-BENZIMIDAZOL -5-YL)-3-OXO- LT-UNK C.I. PIGMENT BLUE
15 BM-3 2-NAPHTHALENECARBOXAMIDE, N-(2,3-DIHYDRO-2-OXO-
1H-BENZIMIDAZOL -5-YL)-3-HYDROXY-4-[[2-METHOXY-5-METHYL -4-
[[METHYLAMINO)SULFONYL]PHENYL]AZO]- LT-P1 IRON OXIDE
BLACK LT-UNK FERRIC OXIDE YELLOW LT-UNK FERRIC OXIDE BM-1
| CAN]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
This HPD was Created with Basic Inventory. The component CAS# was used to identify associated hazards of components above threshold limit.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: RFCI FloorScore
VOC emissions: Emission Classification of Building Materials - M1
VOC emissions: Blue Angel

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-04-01
☐ Yes	VERIFIER:	PUBLISHED DATE: 2021-04-01
☒ No	VERIFICATION #:	EXPIRY DATE: 2024-04-01

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: 24937-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-01 5:59:30

%: 5.5000 - 7.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyethylene based polyolefin is used as a soft binder. By using naturally soft polymer no plastiziser is needed.

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: 25640-14-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-01 5:59:31

%: 2.8000 - 3.6000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Printed PETG film. Possible other compounds like printing inks will be far below the threshold level.

ACRYLIC POLYMERS

ID: 903501-20-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-01 5:59:31

%: 0.5000 - 1.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Cured acrylate polymers. UV cured in highly controlled conditions. Amount of possible residuals will be low because very small amount of material used with highly controlled curing process.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-01 5:59:32

%: Impurity/Residual GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SUBSTANCE NOTES: This material is most common white colorant used everywhere white color is needed. Amount used varies according color of the product, and some colors may not have this at all.		

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:32		
%: 0.0000 - 0.5000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
SUBSTANCE NOTES: C.I. Pigment Black 7. This material is widely used most common black colorant. Amount used varies according color of the product. Therefore some colors do not have this at all. As this is very effective color pigments it is always used at very small quantities.				

IRON HYDROXIDE (FE(OH)3)

ID: 1309-33-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:33		
%: Impurity/Residual		GS: LT-UNK		RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: This is presenting group of iron hydroxide pigments. Amount used varies according color of the product. Therefore some colors may not have this at all.				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:33		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: C.I. Pigment Yellow 180. Used very small amounts where bright yellow colors are needed.				

C.I. PIGMENT BLUE 15

ID: 147-14-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:33		
%: Impurity/Residual	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: C.I. Pigment Blue 15:1. Used very small quantities in colors where cyan blue colors are needed.				

2-NAPHTHALENECARBOXAMIDE, N-(2,3-DIHYDRO-2-OXO-1H-BENZIMIDAZOL- 5-YL)-3-HYDROXY-4-[[2-METHOXY-5-METHYL -4-[(METHYLAMINO)SULFONYL]PHENYL]AZO]-

ID: 51920-12-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:34		
%: Impurity/Residual	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Pigment Red. Used small amount where bright red color is needed.				

IRON OXIDE BLACK

ID: 12227-89-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:34		
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Pigment black. Used in where black color is needed.				

FERRIC OXIDE YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:35		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: C.I. Pigment Yellow 42		

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-04-01 5:59:35	
%: Impurity/Residual	GS: BM-1	RC: None	NANO: No
SUBSTANCE ROLE: Impurity/Residual			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SUBSTANCE NOTES: C.I. Pigment Red 101. Iron oxide pigment.			

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Upofloor production site, Ikaalinen, Finland CERTIFICATE URL: https://www.scsglobalservices.com/certified-green-products-guide CERTIFICATION AND COMPLIANCE NOTES: SCS-FS-02256	ISSUE DATE: 2017-12-01	EXPIRY DATE: 2018-11-30	CERTIFIER OR LAB: SCS Global Services

VOC EMISSIONS	Emission Classification of Building Materials - M1		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Upofloor Oy Ikaalinen, Finland CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: The Building Information Foundation RTS sr	ISSUE DATE: 2017-09-24	EXPIRY DATE: 2020-09-24	CERTIFIER OR LAB: The Building Information Foundation RTS sr

VOC EMISSIONS	Blue Angel		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Upofloor, Ikaalinen, Finland CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-01-29	EXPIRY DATE:	CERTIFIER OR LAB: RAL gGmbH

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All information with health warnings has been made using automated tool.

MANUFACTURER INFORMATION

MANUFACTURER: **Kährs Oy**
 ADDRESS: **Kahrs Oy**
Myllyhaantie 6 D
Pirkkala Pirkanmaa 33960, Finland
 WEBSITE: **www.upofloor.com**

CONTACT NAME: **Tomi Tehomaa**
 TITLE: **Technical Product Manager**
 PHONE: **+358207409676**
 EMAIL: **tomi.tehomaa@kahrs.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.