



HPD UNIQUE IDENTIFIER: 605258752
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring
PRODUCT DESCRIPTION: This HPD Covers the Ilshin LVT (Luxury Vinyl Tile) model lines of Loose Lay LVT, Click LVT, and Dryback. Ilshin LVT model lines of Loose Lay LVT, Click LVT and Dryback LVT are Phthalate free with recycled raw material compositions for commercial & residential use. Easy to maintain and excellent durability.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 1,000 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ACEFLOOR LVT | POLYVINYL CHLORIDE | LT-P1 | CAN | MAM
LIMESTONE; CALCIUM CARBONATE (CALCIUM CARBONATE, NATURAL) | BM-3dg | POLYVINYL CHLORIDE | LT-P1 | CAN | MAM
BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE) | BM-3dg | BARIUM DISTEARATE (CALCIUM DISTEARATE) | LT-UNK | SKI | EYE | MAM
ZINC STEARATE (ZINC STEARATE) | LT-UNK | AQU
CALCIUM STEARATE (CALCIUM STEARATE) | LT-UNK | 2-(ACRYLOYLOXY)ETHANOL (2-(ACRYLOYLOXY)ETHANOL) | LT-P1 | SKI | MUL | AQU | MAM | EYE
PARAFFIN (PARAFFIN) | LT-UNK | MAM
TRIPROPYLENE GLYCOL DIACRYLATE (TRIPROPYLENE GLYCOL DIACRYLATE) | LT-P1 | SKI | MUL | EYE | AQU |

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Polymers]

Ilshin worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. ToxServices worked with Ilshin suppliers to verify full disclosure on residual/impurities that may be present in the final formulation at 1,000 ppm or >. Per the supplier disclosure, ToxServices determined that no residuals or impurities are present in the final Ilshin formulation at > 1,000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore
LCA: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

ACEFLOOR LVT

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Ilshin worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. ToxServices worked with Ilshin suppliers to verify full disclosure on residual/impurities that may be present in the final formulation at 1,000 ppm or >. Per the supplier disclosure, ToxServices determined that no residuals or impurities are present in the final Ilshin formulation at > 1,000 ppm.

OTHER PRODUCT NOTES: This current HPD covers the following multiple Ilshin product models: Loose Lay LVT; Click LVT, and Dryback.

POLYVINYL CHLORIDE ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-04-02 17:41:10

%: 41.9600 - 61.5200 GreenScreen: LT-P1 RC: Both NANO: No POLYMER ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers with disclosed CAS numbers.

ADDITIONAL NOTES: PVC scrap powder is sourced from reclaimed luxury vinyl tiles from demolished buildings and is considered post-consumer material. Each shipment received at the factory is tested for specific gravity and heavy metal content in accordance with ASTM F963.

PVC scrap chips are generated internally during the production of luxury vinyl tiles and are classified as pre-consumer material. The wide range is due to varying concentrations across the three models.

LIMESTONE; CALCIUM CARBONATE (CALCIUM CARBONATE, NATURAL)

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-03-06 21:50:34

%: 40.7284 - 40.7284

GreenScreen: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-02 17:42:36

%: 8.3300 - 17.2300

GreenScreen: LT-P1

RC: None

NANO: No

POLYMER ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern
POLYMER TYPE: Thermoplastic		
AVERAGE MOLECULAR WEIGHT : >10,000 Da		
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown		
ADDITIONAL SUBSTANCES CONSIDERED: Yes		
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.		
ADDITIONAL NOTES:		
BIS(2-ETHYLHEXYL) TEREPHTHALATE (BIS(2-ETHYLHEXYL) TEREPHTHALATE)		ID: 6422-86-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-06 21:50:35

%: 3.1750 - 5.4237 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Plasticizer		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
SUBSTANCE NOTES:		

BARIUM DISTEARATE (CALCIUM DISTEARATE)ID: 6865-35-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-06 21:50:34		
%: 0.0980 - 0.3960	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - New Zealand		Skin irritation category 2		
EYE	GHS - New Zealand		Eye irritation category 2		
MAM	GHS - New Zealand		Acute oral toxicity category 3		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

ZINC STEARATE (ZINC STEARATE)ID: 557-05-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-06 21:50:34		
%: 0.0875 - 0.2304		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

CALCIUM STEARATE (CALCIUM STEARATE)ID: 1592-23-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-06 21:50:35		
%: 0.0000 - 0.2160		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

2-(ACRYLOYLOXY)ETHANOL (2-(ACRYLOYLOXY)ETHANOL)

ID: 818-61-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-06 21:50:35		
?: 0.0774 - 0.1204	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H310 - Fatal in contact with skin [Acute Toxicity (dermal) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PARAFFIN (PARAFFIN)

ID: 8002-74-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-03-06 21:50:35

%: 0.0000 - 0.1080

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

TRIPROPYLENE GLYCOL DIACRYLATE (TRIPROPYLENE GLYCOL DIACRYLATE)

ID: 42978-66-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-03-06 21:50:36

%: 0.0645 - 0.1075

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: 223-14 Cheonui-ri, Jeongmo-myeon Dangjin-si Chungchengnam-do, Republic of Korea COMPLIANCE URL: https://cdn.scs-certified.com/products/cert_pdfs/IlshinChemical_2025_SCS-FS-03603_s.pdf COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0. Registration # SCS-FS-03603 Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017) Registration # SCS-FS-03603	ISSUE DATE: 2025-05-01	EXPIRY DATE: 2026-04-30

LCA	Environmental Product Declaration (EPD) by SCS	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Ilshin Chemical Co. 133 Sanggusil-ro, Jeongmi-myeon, Dangjin-si, Chungcheongnam-do, Korea, 31800 COMPLIANCE URL: https://cdn.scs-certified.com/products/cert_pdfs/SCS-EPD-08314_Ilshin_AceFloor_101422.pdf COMPLIANCE NOTES: SCS-EPD-08314. PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and report Requirements: Version 3.2 UL Environment. December 2018.	ISSUE DATE: 2022-10-14	EXPIRY DATE: 2027-10-13

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Ilshin worked with the Third Party Preparer, ToxServices, to confirm that all residuals and impurities have been considered under this HPD. This current HPD covers the following multiple Ilshin product models: Loose Lay LVT; Click LVT, and Dryback.

MANUFACTURER INFORMATION

MANUFACTURER: **ILSHIN CHEMICAL INC.**
 ADDRESS: **133 Sanggusil-ro, Jeongmi-myeon**
Dangjin-si, Chungcheongnam-do 31800
 COUNTRY: **Korea**

WEBSITE: **www.acefloor.co.kr**
 CONTACT NAME: **Young C. Yang**
 TITLE: **Managing Director**
 PHONE: **+82-2-714-7100**
 EMAIL: **young@acefloor.co.kr**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.