

HPD UNIQUE IDENTIFIER: 687432519680

CLASSIFICATION: 07 13 52 Modified Bituminous Sheet Waterproofing

PRODUCT DESCRIPTION: 650 LT Liquid Adhesive is an integral part of the Polyguard Waterproofing System and sufficient liquid adhesive must be used on dry surfaces to condition them to be dust-free so the substrate is suitable for the application of Polyguard Waterproofing Membranes. Used to prime all structural concrete, masonry, or wood surfaces on which Polyguard Membranes will be applied. Used on all concrete block and approved brick wall conditions.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

650 LT LIQUID ADHESIVE [TOLUENE BM-1 | END | DEV | MUL | REP | SKI | PHY | MAM | EYE | AQU N-HEXANE BM-1 | END | MUL | REP | SKI | PHY | AQU | MAM | EYE BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE LT-UNK | BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE LT-UNK | STYRENE BUTADIENE RUBBER (SBR) LT-UNK | AMINES, C10-14-BRANCHED AND LINEAR ALKYL, BIS[2,4-DIHYDRO-4-[(2-HYDROXY- 4-NITROPHENYL)AZO]-5-METHYL-2-PHENYL-3H-PYRAZOL -3-ONATO(2-)]CHROMATE(1-) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Reviewed the SDS for all raw materials used in the production of this product. Performed calculations to determine the percentage of each component including the residuals and impurities. Only reported residuals or impurities that were above the 1000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 517 Regulatory (g/l): 517

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-08-26
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-08-26
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-08-26

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

650 LT LIQUID ADHESIVE

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: Residuals that exist in this raw material are less than 1000 ppm.	
OTHER PRODUCT NOTES: None	

TOLUENE

ID: 108-88-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-08-26 14:15:09
---	--

%: 30.0000 - 36.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
----------------------	-------------------	----------	----------	-------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
DEV	CA EPA - Prop 65	Developmental toxicity
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	GHS - Korea	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
DEV	GHS - Malaysia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
DEV	GHS - Japan	H362 - May cause harm to breast-fed children [Developmental Toxicity - May cause harm to breast-fed children]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Malaysia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
SUBSTANCE NOTES: Only residuals and impurities that exceed the 1000 ppm were reported.		

N-HEXANE

ID: 110-54-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-08-26 14:15:09	
%: 29.0000 - 33.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	CA EPA - Prop 65	Reproductive Toxicity - Male		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
AQU	GHS - Malaysia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
REP	GHS - Australia	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]
REP	GHS - Malaysia	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Malaysia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: Only residuals or impurities that are above the 1000 ppm threshold were reported.

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: 25038-32-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-08-26 14:15:10		
#: 9.0000 - 13.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: No residuals or impurities were reported on the supplier's SDS.					

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: 25038-32-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-08-26 14:15:10		
#: 9.0000 - 13.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: No residuals or impurities were reported on the supplier's SDS.					

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-08-26 14:15:10	
#: 0.5000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: No residuals or impurities were listed on the supplier's SDS.

AMINES, C10-14-BRANCHED AND LINEAR ALKYL, BIS[2,4-DIHYDRO-4-[(2-HYDROXY- 4-NITROPHENYL)AZO]-5-METHYL-2-PHENYL-3H-PYRAZOL -3-ONATO(2-)]CHROMATE(1-)

ID: 85029-57-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-08-26 14:15:09

%: 0.0100 - 0.0300 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Only residuals or impurities that are above the 1000 ppm threshold were reported.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-11-11 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-11-11 00:00:00	CERTIFIER OR LAB: none
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: **Polyguard Products**
ADDRESS: **3801 South I-45**
Ennis, Texas 75119
COUNTRY: **US**

WEBSITE: **www.Polyguardproducts.com**
CONTACT NAME: **Chris Rogalski**
TITLE: **Quality Manager**
PHONE: **214-515-5000**
EMAIL: **Chris@Polyguard.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

