

HPD UNIQUE IDENTIFIER: 25371

CLASSIFICATION: 09 65 16 Resilient Sheet Flooring

PRODUCT DESCRIPTION: High performance heterogeneous resilient sheet flooring with durable and practical design options. Embedded with SOUNDPROTEC acoustics performance technology, NOX LVS provides sound reduction with comfort underfoot. For flat, level surfaces in any area of the house even high-traffic, moisture-prone areas. NOX LVS offers durable flooring with looks that closely resemble natural materials. This HPD covers the ECOROL+ model (2mm-5mm), which has both color and design variations dependent on the print layer.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	
☐ Nested Materials Method	☒ 100 ppm	☒ Considered	<i>All Substances Above the Threshold Indicated Are:</i>
☒ Basic Method	☐ 1,000 ppm	☐ Partially Considered	Characterized ☐ Yes Ex/SC ☒ Yes ☐ No
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Considered	% weight and role provided for all substances.
☐ Material	☐ Other	Explanation(s) provided for Residuals/Impurities?	Screened ☐ Yes Ex/SC ☒ Yes ☐ No
☒ Product		☒ Yes ☐ No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
			Identified ☐ Yes Ex/SC ☐ Yes ☒ No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
NOX ECOROL+ (2MM-5MM) [POLYVINYL CHLORIDE (PVC) LT-P1 |
RES LIMESTONE, CALCIUM CARBONATE LT-UNK BIS(2-
ETHYLHEXYL) TEREPHTHALATE BM-3dg CONTINUOUS FILAMENT
GLASS FIBER, NON-RESPIRABLE LT-UNK UNDISCLOSED LT-UNK
MAGNESIUM ALUMINUM HYDROXIDE CARBONATE LT-UNK ZINC
DIOLEATE LT-P1 | MUL CALCIUM STEARATE LT-UNK 1,3,5-TRIS(2-
HYDROXYETHYL) ISOCYANURATE LT-UNK POLY(OXY-1,2-
ETHANEDIYL), ALPHA-(1-OXO-2-PROPEN1-YL)-OMEGA-((1-OXO-2-
PROPEN-1-YL)OXY)- LT-UNK HEXANEDIOIC ACID, POLYMER WITH
1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-
TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED NoGS
1,2(OR 3)-PROPANEDIOL,1-ACRYLATE LT-UNK | SKI | MAM
PENTAERYTHRITOL TRIACRYLATE LT-UNK | SKI | EYE DIPROPYLENE
GLYCOL DIACRYLATE LT-UNK 2-(ACRYLOYLOXY)ETHANOL LT-P1 |
AQU | SKI | MUL | MAM WATER BM-4 1-PROPANONE, 2-HYDROXY-2-
METHYL-1-PHENYL- LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

NOX Corporation worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold. Due to the proprietary nature of the information, the name and CAS numbers for certain chemicals have been redacted from this substance entry.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RfCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified? ☒ Yes	PREPARER: ToxServices LLC VERIFIER: SCS Global Services VERIFICATION #: qGE-9436	SCREENING DATE: 2020-05-13 PUBLISHED DATE: 2021-07-09 EXPIRY DATE: 2023-05-13
---	--	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

NOX ECOROL+ (2MM-5MM)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: NOX Corporation worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.

OTHER PRODUCT NOTES: This HPD covers the ECOROL+ (2mm-5mm) model, which has both color and design variations dependent on the print layer.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:12

?: 41.0100 - 55.5900

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:13

?: 18.7500 - 24.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:13

?: 16.9700 - 23.7600

GS: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:13		
%: 4.0000 - 8.6000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:13		
%: 0.7000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: This chemical has been identified and screened by the preparer. Due to its proprietary nature, this chemical and its CAS# were not able to be disclosed on this HPD				

MAGNESIUM ALUMINUM HYDROXIDE CARBONATE

ID: **11097-59-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:14		
%: 0.4500 - 0.5400	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:				

ZINC DIOLEATE

ID: **557-07-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:14		
%: 0.1800 - 0.2700	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SUBSTANCE NOTES:				

CALCIUM STEARATE

ID: **1592-23-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:14		
%: 0.0500 - 0.1400	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:				

1,3,5-TRIS(2-HYDROXYETHYL) ISOCYANURATE

ID: 839-90-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:14

%: 0.0300 - 0.1200

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLY(OXY-1,2-ETHANEDIYL), ALPHA-(1-OXO-2-PROPEN1-YL)-OMEGA-((1-OXO-2-PROPEN-1-YL)OXY)-

ID: 26570-48-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:15

%: 0.0200 - 0.1000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Coating

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED

ID: 141686-56-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:15

%: 0.0200 - 0.1500

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Coating

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

1,2(OR 3)-PROPANEDIOL,1-ACRYLATE

ID: 25584-83-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-13 21:04:16

%: 0.0100 - 0.1000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Coating

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKI

MAK

Sensitizing Substance Sh - Danger of skin sensitization

MAM

EU - GHS (H-Statements)

H301 - Toxic if swallowed

MAM

EU - GHS (H-Statements)

H311 - Toxic in contact with skin

SKI

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

MAM

EU - GHS (H-Statements)

H331 - Toxic if inhaled

SKI

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:16		
?: 0.0100 - 0.0500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:16		
%: 0.0100 - 0.0500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:15		
%: 0.0100 - 0.1000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin		
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
SUBSTANCE NOTES:				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:17		
?: 0.0000 - 0.1700	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

1-PROPANONE, 2-HYDROXY-2-METHYL-1-PHENYL-

ID: 7473-98-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-05-13 21:04:16		
%: 0.0000 - 0.0300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB: SCS
APPLICABLE FACILITIES: All Facilities	2019-10-23	2021-09-30	Global Services
CERTIFICATE URL: https://www.scscertified.com/products/cert_pdfs/NoxCorporation_2020_SCS-FS-05753_s.pdf			
CERTIFICATION AND COMPLIANCE NOTES: FloorScore® Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Registration # SCS-FS-05753			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

NOX Corporation worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 100 ppm threshold.

MANUFACTURER INFORMATION

MANUFACTURER: NOX CORPORATION
ADDRESS: KD Center, 355, Hyoryeong-ro
 Seocho-gu, Seoul 06643, Korea
WEBSITE: <https://www.noxglobal.com/eng/w/page/main/main.php>

CONTACT NAME: John Kim
TITLE: Product Manager of NOX Corporation
PHONE: +82-2-520-7690
EMAIL: johnkim@noxglobal.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY
Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.