

HPD UNIQUE IDENTIFIER: 1553947648
CLASSIFICATION: 09 25 26 Natural Clay Plastering
PRODUCT TYPE: Natural Clay (Plaster)
PRODUCT DESCRIPTION: Armourcoat Clime Plaster P100 / P110 is a natural clay lime plaster that is supplied in a powdered form and is mixed on site with clean water. Clime is designed to create an elegant natural plaster surface with low embodied carbon and a long lasting durable finish. Clime has been thoughtfully formulated to minimize impact on the environment and offer a truly ecological decorative alternative to paint or other wallcoverings. Naturally sustainable, these Armourcoat finishes incorporate natural materials such as unfired clay, natural hydraulic lime, limestone or recycled marble powder and natural pozzolanic additives

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☒ Nested Materials Method	☒ 100 ppm	Completed in 6 of 6 Materials	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Basic Method	☐ 1,000 ppm		Characterized ☒ Yes ☐ No
Threshold Disclosed Per		Explanation(s) provided for Residuals/Impurities?	
☐ Material	☐ Per GHS SDS		<i>Provided weight and role.</i>
☒ Product	☐ Other	☒ Yes ☐ No	Screened ☒ Yes ☐ No
			<i>Provided screening results using HPDC-approved methods.</i>
			Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE
CRUSHED MARBLE POWDER [**CALCIUM CARBONATE** **BM-3** | EYE]
CLAY [**KAOLIN CLAY (PRIMARY CASRN IS 1332-58-7)** **LT-UNK** | CAN]
HYDRAULIC LIME [**LIME (CHEMICAL), HYDRAULIC** **NoGS** | **CALCIUM HYDROXIDE** **LT-P1** | SKI | MAM | EYE] **UNDISCLOSED** [**UNDISCLOSED** **LT-UNK**] **UNDISCLOSED** [**UNDISCLOSED** **LT-UNK**] **UNDISCLOSED** [**UNDISCLOSED** **NoGS**]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials.

This Health Product declaration (HPD) was completed in accordance with the HPD Standard Version 2.3 and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product along with the role and percentage weight therefore Therefore, this HPD qualifies for the LEED v4.1 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*
VOC emissions: Eurofins Indoor Air Comfort GOLD - certified product
VOC emissions: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments
VOC content: Eurofins Confirmation LEEDv4 EQ - Low emitting products - wet applied - DiBt/AgBB/SCAQMD

CONSISTENCY WITH OTHER PROGRAMS
Pre-checked for LEED v4.1 Option 1.

☐ Yes
☒ No

VERIFIER:
VERIFICATION #:

PUBLISHED DATE: 2025-08-08
EXPIRY DATE: 2028-01-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CRUSHED MARBLE POWDER %: 70.0000 - 80.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
----------------------------	--	--

RESIDUALS AND IMPURITIES NOTES: Crushed marble with high purity (99 % CaCO₃). May also be represented by CASRN 471-34-1 (BM-3 | NO). Supplier has confirmed that MgCO₃ , Fe₂O₃ and SiO₂ are all present at less than 1000 ppm

OTHER MATERIAL NOTES: Marble is predominately Calcium Carbonate but small impurities of Magnesium carbonate (dolomite) may occur along with trace amounts of iron oxide and clay.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2025-01-02 5:16:37
---	---

%: 99.0000 - 100.0000	GreenScreen: BM-3	RC: PreC	NANO: No	SUBSTANCE ROLE: Filler
-----------------------	-------------------	----------	----------	------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

EYE	GHS - New Zealand	Eye irritation category 2
-----	-------------------	---------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found	No listings found on Additional Hazard Lists
------------	--

SUBSTANCE NOTES: Crushed marble powder is made from the marble waste from the slab industry which is crushed and graded for use in Terazzo and other mineral plaster products

CLAY %: 8.0000 - 16.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
----------------------------	--	--

RESIDUALS AND IMPURITIES NOTES: Clay is a naturally mined mineral that is primarily composed of SiO₂ and AL₂O₃ but also contains small amounts of K₂O and NaO .

OTHER MATERIAL NOTES: White Kaolin Clay

KAOLIN CLAY (PRIMARY CASRN IS 1332-58-7)				ID: 12198-85-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-02 5:16:38		
%: 100.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

HYDRAULIC LIME

%: 5.0000 - 15.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NOTES: Hydraulic lime is made from naturally occuring silica rich limestone deposits. Hydraulic lime is a mixture of calcium hydroxide combined with calcium silicates and calcium aluminates. May contain minute quantities of ferric oxide.		
OTHER MATERIAL NOTES:		

LIME (CHEMICAL), HYDRAULIC				ID: 85117-09-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-02 5:16:38		
%: 80.0000 - 90.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Hydraulic lime is made by firing naturally occuring calcium carbonate that contains deposits of clay					

CALCIUM HYDROXIDE					ID: 1305-62-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-02 5:16:39		
%: 10.0000 - 20.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: Hydraulic lime will generally contain between 10-20% of calcium hydroxide in it makeup.

UNDISCLOSED %: 0.5000 - 1.5000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-02 5:16:39		
%: 99.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement ; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder					

UNDISCLOSED %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Biological material
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).		
OTHER MATERIAL NOTES: Natural plant based material for controlling workability		

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-01-02 5:16:39		
%: 99.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern)					

UNDISCLOSED %: 0.0400 - 0.1000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Plant based additive
----------------------------	--	--

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Natural plant based material for improving workability

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-01-02 5:16:39

%: 99.0000 - 100.0000

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern)

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Eurofins Indoor Air Comfort GOLD - certified product	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-08-12 00:00:00	CERTIFIER OR LAB: Eurofins
APPLICABLE FACILITIES: Eurofins Product Testing A/S	EXPIRY DATE: 2026-08-12 00:00:00	Product Testing A/S
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC EMISSIONS	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-06-29 00:00:00	CERTIFIER OR LAB: Eurofins
APPLICABLE FACILITIES: Eurofins Product Testing Denmark A/S Smedeskovvej 38 8464 Galten Denmark	EXPIRY DATE: 2028-06-29 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC CONTENT	Eurofins Confirmation LEEDv4 EQ - Low emitting products - wet applied - DiBt/AgBB/SCAQMD	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-06-29 00:00:00	CERTIFIER OR LAB: Eurofins
APPLICABLE FACILITIES: Eurofins Product Testing Denmark A/S Smedeskovvej 38 8464 Galten Denmark	EXPIRY DATE: 2028-06-29 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ARMOURCOAT SOAP SEALER
MANUFACTURER (OR GENERIC): Armourcoat Ltd
HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Natural olive oil based soap sealer solution . Used for the protection and Cleaning of Clime plaster and other Armourcoat polished plaster products

K40 PRIMER
MANUFACTURER (OR GENERIC): Armourcoat Ltd
HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Zero VOC aggregated primer used for preparing absorbant ,dusty or friable surfaces prior to the application of Clime plaster

Section 5: General Notes

Independent tests were carried out in the UK for classification of reaction to fire performance in accordance with EN13501-1: 2018. A1 / A1fl / A1L.

Clime is a powdered product and when mixed with clean water will have zero VOCS and no off gas. Clime Plaster achieved Eurofins Indoor Air Comfort Gold.

- natural breathable finish
- absorbs toxins from the air
- helps to regulate humidity
- UV resistant
- seamless and durable
- low embodied carbon
- low embodied energy
- resistant to mold and mildew
- wide range of finishes achievable
- completely non combustible (A1 reaction to fire classification, according to EN 13501-1: 2018)
- promotes good health and well being for occupants
- can be recycled

MANUFACTURER INFORMATION

MANUFACTURER: **Armourcoat Ltd**
ADDRESS: **Armourcoat Ltd**
Unit 2& 3 Morewood Close
Sevenoaks, Kent TN132HU
COUNTRY: **UK**

WEBSITE: **www.armourcoat.co.uk**
CONTACT NAME: **Duncan Mackellar**
TITLE: **Mr**
PHONE: **+44 1732460668**
EMAIL: **technical@armourcoat.co.uk**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

