

HPD UNIQUE IDENTIFIER: 98321472512

CLASSIFICATION: 08 11 00 Metal Doors and Frames

PRODUCT TYPE: Accessories (Metal Framing)

PRODUCT DESCRIPTION: This HPD covers knockdown steel frames manufactured by Métalec. The frames are made of 16-gauge galvanized steel, with product dimensions of 36" x 84" x 5¾". Métalec steel frames comply with the following standards: ASTM A653/A653M, CAN/ULC-S104-M80, UBC 7-2(1994), UL 10(b), NFPA 252, NFPA 80, CSDMA, NAAMM, HMMA, and ASTM E152.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☒ Nested Materials Method	☐ 100 ppm	Completed in 4 of 4 Materials	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Basic Method	☒ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	Characterized ☒ Yes ☐ No
Threshold Disclosed Per	☐ Per GHS SDS		<i>Provided weight and role.</i>
☐ Material	☐ Other	☒ Yes ☐ No	Screened ☒ Yes ☐ No
☒ Product			<i>Provided screening results using HPDC-approved methods.</i>
			Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

GALVANNEALED STEEL (STEEL FRAME) [**IRON, ELEMENTAL** **LT-P1**]
| END **UNS Z35531 ZINC ALLOY** **LT-P1** | END | MUL | AQU | PHY
MANGANESE **LT-P1** | END | MUL | REP | MAM | AQU **CHROMIUM** **LT-P1** | END | SKI | MAM | REP | RES **NICKEL** **LT-1** | CAN | MUL | RES | MAM | SKI | AQU] **FASTENERS** [**IRON, ELEMENTAL** **LT-P1**] | END **UNS Z35531 ZINC ALLOY** **LT-P1** | END | MUL | AQU | PHY]
GALVANNEALED STEEL (REINFORCEMENTS) [**IRON, ELEMENTAL** **LT-P1**] | END **UNS Z35531 ZINC ALLOY** **LT-P1** | END | MUL | AQU | PHY] **GALVANNEALED STEEL (STRIKE REINFORCEMENT)** [**IRON, ELEMENTAL** **LT-P1**] | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

Special Conditions materials are present in the product: metal alloy materials. The guidelines for reporting metal alloys (SCMetalAlloy/2023-07-20) have been followed, and the full metal alloy composition is provided.

PFAS DETAILS:

PFAS Attestation states “Unknown if product contains PFAS”

Attestation:

DJB

2025-03-26

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

☐ Yes

☒ No

PREPARER: **Vertima**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2025-05-01

PUBLISHED DATE: 2025-05-01

EXPIRY DATE: 2028-05-01

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GALVANNEALED STEEL (STEEL FRAME) %: 93.2000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, the passivation surface treatment is performed using a trivalent chromium phosphate/nitrate solution, leaving a protective coating with a total chromium residual of 20 to 45 mg/m² per side.

OTHER MATERIAL NOTES: 18 Ga galvanized carbon steel sheets with a passivation surface treatment.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-01 8:24:15	
%: 86.6000 - 91.1000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: According to the information provided by the supplier, the 16-gauge satin-finish steel is made from galvanized steel, which contains 24.4% pre-consumer recycled content and 33% post-consumer recycled content. Since iron is the primary element in steel, this recycled content is attributed to iron. The percentage weight range is used to account for product variability and/or to maintain the confidentiality of the material composition in the manufacturing process.

UNS Z35531 ZINC ALLOY

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-01 8:24:16		
%: 0.0000 - 8.8000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Galvanizing	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: According to the manufacturer, the annealed Zn-Fe coating can account for up to 10% of the total steel weight, with zinc representing 88% of the coating. The weight percentage range is used to account for product variability and/or to protect the confidentiality of the material composition in the manufacturing process.

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-01 8:24:17	
%: 0.0000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products

SUBSTANCE NOTES: According to the information provided by the supplier, this substance (manganese) contains no recycled content. The percentage weight range is used to account for product variability and to maintain the confidentiality of the amount of manganese used in the manufacturing process.

CHROMIUM				ID: 7440-47-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-05-01 8:24:18		
%: 0.0000 - 0.5900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: According to the information provided by the supplier, this substance (chromium) contains no recycled content. The percentage weight range is used to account for product variability and to preserve the confidentiality of the chromium content in the manufacturing process.

NICKEL					ID: 7440-02-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-01 8:24:19		
%: 0.0000 - 0.2300	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: According to the information provided by the supplier, this substance (nickel) contains no recycled content. The percentage weight range is used to account for product variability and to preserve the confidentiality of the nickel content in the manufacturing process.

FASTENERS

%: 3.4400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, the passivation surface treatment is performed using a trivalent chromium phosphate/nitrate solution, leaving a protective coating with a total chromium residual of 20 to 45 mg/m² per side.

OTHER MATERIAL NOTES: These fasteners are made of galvanized steel.

IRON, ELEMENTAL					ID: 7439-89-6	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2025-05-01 8:24:17		
%: 86.6000 - 91.1000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: According to the information provided by the supplier, the fasteners steel are made from galvanized steel, which contains 22% pre-consumer recycled content and 34% post-consumer recycled content. Since iron is the primary element in steel, this recycled content is attributed to iron. The percentage weight range is used to account for product variability and/or to maintain the confidentiality of the material composition in the manufacturing process.		

UNS Z35531 ZINC ALLOY

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-01 8:24:18	
%: 0.0000 - 8.8000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Galvanizing
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - Australia		H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU	GHS - Japan		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]	
AQU	GHS - Japan		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
AQU	GHS - Australia		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, the passivation surface treatment is performed using a trivalent chromium phosphate/nitrate solution, leaving a protective coating with a total chromium residual of 20 to 45 mg/m² per side.

OTHER MATERIAL NOTES: The hinge reinforcements are made of galvanized steel.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-05-01 8:24:19**

%: **86.6000 - 91.1000** GreenScreen: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: According to the information provided by the supplier, the hinge reinforcements are made from galvanized steel, which contains 22% pre-consumer recycled content and 34% post-consumer recycled content. Since iron is the primary element in steel, this recycled content is attributed to iron. The percentage weight range is used to account for product variability and to maintain the confidentiality of the material composition in the manufacturing process.

UNS Z35531 ZINC ALLOY

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-05-01 8:24:19**

%: **0.0000 - 8.8000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Galvanizing**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: According to the manufacturer, the annealed Zn-Fe coating can account for up to 10% of the total steel weight, with zinc representing 88% of the coating. The weight percentage range is used to account for product variability and/or to protect the confidentiality of the material composition in the manufacturing process.

GALVANNEALED STEEL (STRIKE REINFORCEMENT)

%: 0.4800

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, the passivation surface treatment is performed using a trivalent chromium phosphate/nitrate solution, leaving a protective coating with a total chromium residual of 20 to 45 mg/m² per side.

OTHER MATERIAL NOTES: The strike reinforcement is also made of galvanized steel, with the galvanneal coating estimated to represent up to 10 wt% of the total steel sheet weight.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-05-01 8:24:20**

%: **99.5300**

GreenScreen: **LT-P1**

RC: **Both**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: According to the information provided by the supplier, the strike plate reinforcements are made from galvanized steel, which contains 22% pre-consumer recycled content and 34% post-consumer recycled content. Since iron is the primary element in steel, this recycled content is attributed to iron. The percentage weight range is used to account for product variability and/or to maintain the confidentiality of the material composition in the manufacturing process.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2025-03-11 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD does not cover steel frames with thermal breakage.

MANUFACTURER INFORMATION

MANUFACTURER: **MÉTALEC**
ADDRESS: **2150, rue Léon-Harmel**
Quebec City, Quebec G1N 4L2
COUNTRY: **Canada**

WEBSITE: **www.metalec.com**
CONTACT NAME: **Claude Harton**
TITLE: **General Manager**
PHONE: **1-877-683-2431**
EMAIL: **charton@metalec.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

