

HPD UNIQUE IDENTIFIER: 294765665280

CLASSIFICATION: 09 78 26 Plastic Interior Wall Paneling

PRODUCT DESCRIPTION: FRL® Fiber Reinforced Laminate is the ideal wall surfacing solution for high traffic environments that need to be aesthetically pleasing and stay looking sharp. A patented product from Panolam® Surface Systems, this Class A solid construction with fiberglass reinforcement gives FRL® panels their unique qualities. These include ease of application, job-site workability, long-lasting style and durability year-after-year. FRL® panels are high-impact resistant, easy to clean and come in a wide range of colors and finishes.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☒ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

PANOLAM FRL (FIBER REINFORCED LAMINATE) [**CELLULOSE, MICROCRYSTALLINE** **LT-UNK** | RES **PHENOL FORMALDEHYDE** **LT-P1** | RES **ALUMINA TRIHYDRATE** **BM-2** | SKI | EYE **MELAMINE FORMALDEHYDE** **LT-UNK** | **SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) (GLASS / MINERAL FIBER)** **LT-UNK** | CAN **ALUMINUM OXIDE** **BM-2** | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials.

Greenguard Gold certification

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Certified

VOC emissions: UL/GreenGuard Gold Certified

Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-10-31
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-10-31
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-10-31

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PANOLAM FRL (FIBER REINFORCED LAMINATE)

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: Product is tested on a quarterly basis for it's UL Greenguard Gold certification	
OTHER PRODUCT NOTES: UL Environment is an organization that oversees the GREENGUARD certification program for indoor air quality. The goal of the program is to improve public health and quality of life by helping manufacturers build better and safer products. Panolam Surface Systems® is proud to be recognized by this organization with GREENGUARD and GREENGUARD GOLD certification on many of our products.	

CELLULOSE, MICROCRYSTALLINE					ID: 9004-34-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-31 12:03:45		
%: 35.0000 - 60.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Primary component of FRL is paper					

PHENOL FORMALDEHYDE				ID: 9003-35-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-31 12:03:46		
%: 10.0000 - 35.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024		
		Red List substances to avoid in Living Building Challenge V4.0 projects		

SUBSTANCE NOTES: Used to bind kraft paper core. The resin reacts during the manufacturing process to form the cured polymer.

ALUMINA TRIHYDRATE

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-31 12:03:46

%: 10.0000 - 30.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products

SUBSTANCE NOTES: Fire retardant agent in paper used to make laminate

MELAMINE FORMALDEHYDE

ID: 9003-08-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-31 12:03:47

%: 5.0000 - 20.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products

SUBSTANCE NOTES: Resin used to bind decorative paper to kraft core. The resin is reacted in the manufacturing process to form the cured polymer

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)
(GLASS / MINERAL FIBER)

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-31 12:03:47	
%: 5.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - GHS (H-Statements)		H351 - Suspected of causing cancer	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex V listing due to intrinsic safety	

SUBSTANCE NOTES:

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-31 12:03:45		
%: 0.5000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
		Biological and Environmentally Released Materials			
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
		Children's Products			
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024			
		Children's Toy Products			

SUBSTANCE NOTES: Combined with resin or in decorative paper to improve scratch resistance of product

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2005-08-02 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: Auburn Maine Manufacturing plant and all Distribution centers	EXPIRY DATE: 2025-04-06 00:00:00	
CERTIFICATE URL: https://panolam.com/wp-content/uploads/2024/07/GREENGUARD-Certification-FRL-2024-2025.pdf		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2008-04-09 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: Auburn Maine manufacturing plant and all Distribution Centers	EXPIRY DATE: 2025-04-06 00:00:00	
CERTIFICATE URL: https://panolam.com/wp-content/uploads/2024/07/GREENGUARD-Gold-Certification-FRL-2024-2025.pdf		
CERTIFICATION AND COMPLIANCE NOTES:		

SUSTAINABLE FORESTRY	FSC Certification - Chain of Custody (COC)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-04-28 00:00:00	CERTIFIER OR LAB: NEPCON
APPLICABLE FACILITIES: Auburn Maine manufacturing plant and all Distribution Centers	EXPIRY DATE: 2029-04-27 00:00:00	
CERTIFICATE URL: https://panolam.com/wp-content/uploads/2024/04/FSC-Certificate-2024-2029.pdf		
CERTIFICATION AND COMPLIANCE NOTES: FSC product available upon request		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

UL Environment is an organization that oversees the GREENGUARD certification program for indoor air quality. The goal of the program is to improve public health and quality of life by helping manufacturers build better and safer products. Panolam Surface Systems® is proud to be recognized by this organization with GREENGUARD and GREENGUARD GOLD certification on many of our products.

MANUFACTURER INFORMATION

MANUFACTURER: **Panolam Industries International Inc**
ADDRESS: **2 Corporate Drive - Suite 946**
Shelton, CT 06484
COUNTRY: **USA**
LATITUDE: **44.0683000**
LONGITUDE: **-70.2584000**

WEBSITE: **www.panolam.com**
CONTACT NAME: **Jeffrey O'Hearn**
TITLE: **Sr. Director of Environmental and Safety**
PHONE: **203-225-0029**
EMAIL: **jeffrey_ohearn@panolam.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

