

HPD UNIQUE IDENTIFIER: 28647

CLASSIFICATION: 22 60 00 Gas and Vacuum Systems for Laboratory and Healthcare Facilities

PRODUCT DESCRIPTION: Copper tube for medical gas systems, as manufactured by a Copper Development Association member, per ASTM B819. ASTM B819 establishes the requirements for two wall thickness schedules of specially cleaned, straight lengths of seamless copper tube, identified as Types K and L, suitable for medical gas systems. These materials may be used as finished products or as part of larger products or systems. In the latter case, the materials do not experience any chemical changes; rather, they are physically altered to meet the application requirements. Additional Classifications can be found in Section 5: General Notes.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities	
☒ Nested Materials Method	☐ 100 ppm	Considered in 1 of 1 Materials	<i>All Substances Above the Threshold Indicated Are:</i>
☐ Basic Method	☐ 1,000 ppm		Characterized ☐ Yes Ex/SC ☒ Yes ☐ No
Threshold Disclosed Per	☐ Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	<i>% weight and role provided for all substances.</i>
☐ Material	☒ Other	☒ Yes ☐ No	Screened ☐ Yes Ex/SC ☒ Yes ☐ No
☒ Product			<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
			Identified ☐ Yes Ex/SC ☒ Yes ☐ No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

UNS C12200 COPPER ALLOY [COPPER LT-UNK PHOSPHORUS BM-2 | MAM | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MetalAlloy]. The product formulation was created using the ASTM standard to identify acceptable copper alloys. The formulation of each of these alloys was generated from the UNS designation, as found at www.uncopperalloys.org, duplicated in the Toxnot Shared Materials library. The specific material formulation should be obtained directly from the manufacturer of the product chosen. Metal alloys have different intrinsic characteristics than their alloying elements encapsulated therein, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements. All GreenScreen BenchMark scores are supplied by the Pharos database.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-10-26
☒ Yes	VERIFIER: WAP Sustainability Consulting	PUBLISHED DATE: 2022-06-08
☐ No	VERIFICATION #: zPr-13729	EXPIRY DATE: 2024-10-26

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

UNS C12200 COPPER ALLOY		%: 100.0000 - 100.0000	
PRODUCT THRESHOLD: Other		RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Defined by UNS per Metal Alloy special condition			
OTHER MATERIAL NOTES: This formulation was generated based on the UNS designation for the alloy as found at www.unscopperalloys.org , duplicated in the Toxnot Shared Materials library. Metal alloys have different intrinsic characteristics than their alloying elements, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements. This alloy is registered with the U.S. EPA as antimicrobial. This includes O-free Cu which contains P in an amount agreed upon.			

COPPER			ID: 7440-50-8			
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-10-26 13:01:23			
%: 99.9000 - 100.0000		GS: LT-UNK		RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE		AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: This value includes Ag, though it is not intentionally added and may only be present as a residual of the process by which raw material (i.e., Cu ore) is refined. However, due to the high value of Ag, refining operations prioritize its removal to the highest extent practical. Recycled content is expected to be utilized in the production of the product. However, please contact the manufacturer for specific utilization rates. Source of Pre Consumer Recycled Content Products: Recyclable copper materials generated during production which is recycled within the plant where it originates, or bought back from customers or scrap dealers (i.e. punchings from stamping operations, clippings, gates/risers from castings). Source of Post Consumer Recycled Content Products: Scrap copper wires, cables, tubes, busbar, and strip, plate, and sheet products (e.g., roofing, cladding, gutters, flashing).						

PHOSPHORUS				ID: 7723-14-0
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-26 13:01:24		
%: 0.0150 - 0.0400		GS: BM-2	RC: UNK	NANO: No
SUBSTANCE ROLE: Alloy element				
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MAM	US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances	
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H228 - Flammable solid [Flammable solids - Category 1 or 2]	
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-10-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: All	26		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Substance ranges within the HPD are due to the variability in the UNS formulations. This HPD is meant to provide likely formulations of copper medical gas tubes based on the ASTM B819 standard and lists the copper alloy(s) referenced in that standard. Manufacturers should be contacted to obtain a true disclosure for the product in question. A list of Copper Development Association members can be found at <https://www.copper.org/about/cda-members.html>. Please see <https://www.copper.org/applications/plumbing/cth/> for more information available in the Copper Tube Handbook, a comprehensive resource for engineers, plumbers, HVAC technicians and contractors to obtain information about copper tube, piping and fittings, as well as different joining methods and applications. Related Construction Specifications Institute MasterFormat designations include the following. These are provided as a general guideline; others sections may apply: 22 06 10 Schedules for Plumbing Piping and Pumps, 22 61 13 Compressed Air Piping for Laboratory and Healthcare Facilities, 22 62 13 Vacuum Piping for Laboratory and Healthcare Facilities, 22 63 13 Gas Piping for Laboratory and Healthcare Facilities.

MANUFACTURER INFORMATION

MANUFACTURER: Copper Development Association
ADDRESS: 7918 Jones Branch Dr. #300
McLean VA 22102, USA
WEBSITE: copper.org

CONTACT NAME: Erin Smith
TITLE: Project Manager, Material Stewardship (US)
PHONE: 212-251-7247
EMAIL: sustainability@copperalliance.us

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY
Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.