

HPD UNIQUE IDENTIFIER: 32707773
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 12 36 40 Stone Countertops
PRODUCT TYPE: Natural Stone Wall Tiles
PRODUCT DESCRIPTION: Cambria is a leading, family-owned, American-made producer of natural stone. Cambria offers the most diverse palette of sophisticated designs for residential and commercial applications including countertops, vanities, wall cladding, flooring, and wet bars. As a stain resistant, nonporous natural stone surface, Cambria is strong, safe, maintenance-free and easy to care for, and each design carries a Full Lifetime Warranty against manufacturing defects. With innovative design, American craftsmanship, and superior performance, Cambria provides a lifetime of beauty and peace of mind for any interior space.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Not Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
CAMBRIA NATURAL STONE [QUARTZ BM-1 * | CAN | MAM | GEN
STYRENE BM-1 | END | CAN | MUL | REP | SKI | EYE | MAM | DEV |
GEN | AQU TITANIUM DIOXIDE BM-1 * | CAN | END | MAM PIGMENT
NoGS |

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

Substances not identified by name or CAS number are held as proprietary by the manufacturer. All substances include weight by percent and its role in the product. This HPD qualifies for the LEED v4 MR Credit Product Disclosure and Optimization: Material ingredient reporting Option1)

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

PFAS DETAILS:
This product does not contain intentionally added PFAS and materials and substances from suppliers are verified to not contain PFAS.
Attestation:

Nick Ehlers

2026-07-08

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: GreenGuard - Gold (previously Children & Schools) -

Provisional

VOC emissions: GreenGuard - Indoor Air Quality Certified

VOC emissions: ANSI/NSF 51-2012 Food equipment materials

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

CAMBRIA NATURAL STONE

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No residuals and impurities have been considered for this product.

OTHER PRODUCT NOTES:

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-07-17 12:43:55		
%: 87.1400 - 93.2200	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen**	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**	
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)**	
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man**	
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**	
CAN	IARC		Group 1 - Agent is Carcinogenic to humans**	
CAN	US NIH - Report on Carcinogens		Known to be a human Carcinogen**	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]**	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**	
CAN	GHS - New Zealand		Carcinogenicity category 1**	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1**	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Percentage depends on the Cambria Design

****Form-Specific Hazard:** This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

STYRENE

ID: **100-42-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-17 12:43:56**

#: 6.7100 - 12.7300	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
END	ChemSec - SIN List	Endocrine Disruption		
CAN	CA EPA - Prop 65	Carcinogen		
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen		
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CAN	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels		
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		

EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)
SUBSTANCE NOTES:		

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-17 12:43:56	
%: 0.0000 - 2.4700	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemical Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT

ID: 12216-93-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-17 12:43:57	
%: 0.0000 - 0.4300 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Pigment				
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools) - Provisional	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Environmental COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Cambria Processing Facility - Le Sueur, MN COMPLIANCE URL: https://spot.ul.com COMPLIANCE NOTES: All Cambria Designs have achieved Greenguard Gold certification(previously Children and Schools). Greenguard Gold certificated products are certified to Greenguard standards for low chemical emmissions into indoor air during product usage. For more information visit https://spot.ul.com	ISSUE DATE: 2007-07-08	EXPIRY DATE: 2026-10-11
VOC EMISSIONS	GreenGuard - Indoor Air Quality Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Environmental COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Cambria Processing Facility - Le Sueur, MN COMPLIANCE URL: https://spot.ul.com COMPLIANCE NOTES: All Cambria products have achieved GreenGuard Indoor Air Quality Certification. Indoor Air Quality certified products are certified to Greeguard standards for low chemical emmissions into indoor air during product usage. For more information visit https://spot.ul.com	ISSUE DATE: 2006-10-11	EXPIRY DATE: 2026-10-11
VOC EMISSIONS	ANSI/NSF 51-2012 Food equipment materials	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: NSF International COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Cambria Processing Facility - Le Sueur, MN COMPLIANCE URL: https://www.nsf.org/certified-products-systems COMPLIANCE NOTES: All Cambria products are certified to ANSI/NSF 51 ensuring the composition and surface finish of food contact materials will not adulterate food and that materials are not difficult to clean and sanitize	ISSUE DATE: 2014-03-10	EXPIRY DATE: 2027-01-01

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

Cambria is a natural stone surface product comprised of quartz, binder and pigments resulting in a quartz slab. Since our designs are made of natural stone, they have both an incredibly luxurious look and feature superior performance in strength and durability.

Any hazards associated with Cambria are a result of the raw ingredients as listed in the SDS. Specific to the cancer hazard listed, this is the result of the processing, cutting and grinding of the product(dry) absent of water which can lead to silicosis. Once the slab is produced and fabricated these concerns are no longer present in the finished product as the material is inert. It should b noted that all stone products (granite, marble, concrete etc.) have these concerns during the production and /or fabrication (cutting and polishing) of the material.

MANUFACTURER INFORMATION

MANUFACTURER: **Cambria**
ADDRESS: **31496 Cambria Avenue**
Le Sueur, Minnesota 56058
COUNTRY: **United States**

WEBSITE: **www.CambriaUSA.com**
CONTACT NAME: **Arthur Hartman**
TITLE: **VP of Business Partner Services**
PHONE: **952-873-3060**
EMAIL: **Arthur.Hartman@cambriausa.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.