

HPD UNIQUE IDENTIFIER: 27956

CLASSIFICATION: 14 20 00 Elevators

PRODUCT DESCRIPTION: Elevators also called as lifts are permanently serving buildings and constructions designed for the transportation of persons, goods, and materials in a vertical manner. Elevator systems consist of subsystems and components. The HPD includes the content inventory above the threshold limit specified for the whole product as delivered to the job site. The declaration covers the standard KONE MonoSpace®700DX elevators range manufactured at KONE owned operated sites in different parts of the world or purchased from KONE suppliers.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☐ Nested Materials Method ☒ Basic Method	Threshold Level ☐ 100 ppm ☒ 1,000 ppm ☐ Per GHS SDS ☐ Other	Residuals/Impurities ☐ Considered ☐ Partially Considered ☒ Not Considered Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	<i>All Substances Above the Threshold Indicated Are:</i> Characterized ☐ Yes Ex/SC ☒ Yes ☐ No <i>% weight and role provided for all substances.</i> Screened ☐ Yes Ex/SC ☒ Yes ☐ No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified ☐ Yes Ex/SC ☐ Yes ☒ No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
---	---	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MONOSPACE® 700 DX [STEEL NoGS IRON OXIDE LT-UNK SLAGS, CAST IRON-MANUFACTURING - SUBSTANCE FORMED DURING THE PRODUCTION OF CAST IRON. CONSISTS PRIMARILY OF FUSED SILICATES OF ALUMINUM, CALCIUM AND IRON. NoGS STAINLESS STEEL NoGS PORTLAND CEMENT LT-P1 | CAN | END WATER (PRIMARY CASRN IS 7732-18-5) BM-4 SOLID / PLATE GLASS (USE SODA-LIME SILICATE GLASS [2446523-50-6] INSTEAD) LT-UNK COPPER LT-UNK ALUMINIUM NoGS CALCIUM CARBONATE (PRIMARY CASRN IS 471-34-1) BM-3 POLYVINYL CHLORIDE (PRIMARY CASRN IS 9002-86-2) LT-P1 | RES ZINC (POWDER) LT-P1 | END | MUL | PHY | AQU WOOD NoGS BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg SILICON, ELEMENTAL LT-UNK NYLON RESINS PA 6-3-T NoGS]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As no registered CAS number exist for wood, it is the sole substance used in the product whose identification was not possible in the builder tool. However, screening results showed no existing hazard warnings were found for the substance.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

MONOSPACE® 700 DX

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: As no hazard warnings were found for the steel, which makes up the major part of the elevator, no residuals and impurities were considered for the product.

OTHER PRODUCT NOTES:

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-03-08 1:50:32

?: 58.0800 - 63.8900

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers

IRON OXIDE

ID: 1332-37-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-03-08 2:01:25

?: 21.3000 - 23.4500

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers.

Iron oxide is a constituent of concrete.

SLAGS, CAST IRON-MANUFACTURING - SUBSTANCE FORMED DURING THE PRODUCTION OF CAST IRON. CONSISTS PRIMARILY OF FUSED SILICATES OF ALUMINUM, CALCIUM AND IRON.

ID: 94551-83-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-03-08 3:07:34

?: 7.8000 - 8.6000

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers

STAINLESS STEEL					ID: 12597-68-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2022-03-08 2:08:40		
%: 5.2300 - 5.7500		GS: NoGS	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers					

PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 3:09:28		
%: 2.0700 - 2.2800	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers.				
Portland cement is a constituent of concrete.				

WATER (PRIMARY CASRN IS 7732-18-5)					ID: 558440-22-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2022-03-08 3:14:44		
%: 0.8500 - 0.9400		GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers.					
Water is used in making concrete.					

SOLID / PLATE GLASS (USE SODA-LIME SILICATE GLASS [2446523-50-6] INSTEAD)					ID: 65997-17-3
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2022-03-08 3:20:37		
%: 0.8300 - 0.9100		GS: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers					

COPPER				ID: 7440-50-8
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 21:11:08		

%: 0.5600 - 0.6200 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Electronic component		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers		

ALUMINIUM

ID: 15629-83-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 21:13:41		
%: 0.4000 - 0.4400	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers				

CALCIUM CARBONATE (PRIMARY CASRN IS 471-34-1)

ID: 1641572-50-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 23:15:40		
%: 0.3700 - 0.4100	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers				

POLYVINYL CHLORIDE (PRIMARY CASRN IS 9002-86-2)

ID: 2137864-40-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 21:09:37		
%: 0.3200 - 0.3500		GS: LT-P1		RC: None NANO: No SUBSTANCE ROLE: Electronic component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced	
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers				

ZINC (POWDER)

ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 3:29:43		
%: 0.2000 - 0.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers. Since zinc is applied as the coating in some of the steels, it is inert in the final product and highly unlikely to leach from the steel to the environment. The risk of direct exposure to zinc is negligible and the hazards can be considered irrelevant to the downstream users.		

WOOD

ID: **Not registered**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-13 23:01:07		
%: 0.2000 - 0.2200	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Biological material
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers. As no registered CAS number is available for the wood it is the sole substance used in the product whose identification was not possible in the builder tool.				

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: **6422-86-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-13 23:13:24		
#: 0.1400 - 0.1500	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers.				

SILICON, ELEMENTAL

ID: **7440-21-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 23:24:28		
#: 0.1200 - 0.1300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Electronic component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers		

NYLON RESINS PA 6-3-T

ID: 26246-77-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-03-08 22:44:38		
%: 0.0900 - 0.1000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Substance range is provided to safeguard the proprietary information of KONE and its suppliers				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-03-	EXPIRY DATE:	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	23		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-03-	EXPIRY DATE:	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	23		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACRYLIC SEALANT	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used for jointing and sealing the different parts. VOC content < 20.0 g/l The installation chemicals in the HPD are representative of Monospace700 DX installed in Sweden.	

Section 5: General Notes

The KONE MonoSpace® 700 DX is a flexible, high-performance elevator solution with built-in connectivity for improved people flow and a new and inspiring user experience for low to mid-rise buildings. KONE MonoSpace® 700 DX adds value to commercial and residential buildings that have demanding people flow and ride comfort requirements. It features interior options, superb ride comfort and excellent eco-efficiency.

MANUFACTURER INFORMATION

MANUFACTURER: **KONE Corporation**
 ADDRESS: **Keilasatama 3**
Espoo - 02150, Finland
 WEBSITE: **www.kone.com**

CONTACT NAME: **Hanna Uusitalo**
 TITLE: **Environmental Director**
 PHONE: **+358204751**
 EMAIL: **hanna.uusitalo@kone.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.