

HPD UNIQUE IDENTIFIER: 1357704192

CLASSIFICATION: 07 21 16 Blanket Insulation

PRODUCT DESCRIPTION: Thermafiber® SAFB™ (Sound Attenuation Fire Blankets) are mineral wool batts designed to provide acoustical control and fire protection in many UL® fire-rated wall and floor-ceiling assemblies. These products are non-combustible, moisture-resistant, non-corrosive, non-deteriorating, mildew-resistant, and vermin-resistant. SAFB™ can add points to STC for walls and floor-ceiling assemblies. SAFB™ can be installed in both steel stud and wood-framed construction.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☒ Nested Materials Method ☐ Basic Method	☐ 100 ppm ☒ 1,000 ppm ☐ Per GHS SDS ☐ Other	Completed in 1 of 1 Materials Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	For all contents above the threshold, the manufacturer has: Characterized ☒ Yes ☐ No Provided weight and role. Screened ☒ Yes ☐ No Provided screening results using HPDC-approved methods. Identified ☒ Yes ☐ No Provided name and CAS RN or other identifier.
Threshold Disclosed Per			
☐ Material ☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

THERMAFIBER® SAFB™ MINERAL WOOL INSULATION - UNFACED | MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT LT-UNK UREA PHENOL FORMALDEHYDE LT-UNK RESIDUAL OILS, PETROLEUM, HYDROTREATED LT-1 CAN | PBT | MUL | SKI | DEV AMMONIUM SULFATE LT-P1 END SILANOLS LT-UNK PHY POLIGNATE SODIUM LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

Substances representing 100% of the product weight and above the 1000 ppm disclosure limit were considered and disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

Recycled content: ICC-ES VAR Environmental Report™

Multi-attribute: Environmental Product Declaration (EPD) by UL - Product Specific

Reduced carbon emissions - made with renewable electricity.: Reduced carbon emissions

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-04-07
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-04-15
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-04-07

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

THERMAFIBER® SAFB™ MINERAL WOOL INSULATION - UNFACED		%: 94.0000 - 100.0000	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NOTES: To the best of our knowledge, all residual and impurities are considered above the 1000 ppm disclosure limit.			
OTHER MATERIAL NOTES: Thermafiber® SAFB™ Mineral Wool Insulation products are available in different thickness and densities; therefore, a range is required to represent the entire product line.			

MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT				ID: 65997-17-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-07 19:04:57		
%: 90.0000 - 98.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Insulator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety		
SUBSTANCE NOTES: Owens Corning instituted internal systems to assure continuous production of acceptable glasses based on state-of-the-art understanding of biosolubility. As a result of those steps, all the fiberglass and mineral wool insulations we sell, anywhere in the world, are continuously evaluated to assure that they are biosoluble, fulfilling the Note Q condition of the European Commission Directive 97/69/EC, and therefore do not present a health risk.					
Blast furnace slag provides the recycle content for Thermafiber products.					

UREA PHENOL FORMALDEHYDE				ID: 25104-55-6	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-07 19:04:57		
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025
		Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES: The cured binder is the main component of the binder that holds mineral fiber together and protects the surface of fiber.		

RESIDUAL OILS, PETROLEUM, HYDROTREATED

ID: 64742-57-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-07 19:04:58	
?: 0.0000 - 0.5000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Dedusting
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products
SUBSTANCE NOTES: This component is used to reduce the dust during product installation.		

AMMONIUM SULFATE				ID: 7783-20-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-07 19:04:58	
%: 0.0100 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024	
			All Products	
SUBSTANCE NOTES: Used as a catalyst to speed up the rate of a chemical reaction.				

SILANOLS				ID: 1066-40-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-07 19:04:59		

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is a component of the binder.		

POLIGNATE SODIUM

ID: 8061-51-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-07 19:04:57	
%: 0.0000 - 0.0050	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Dedusting
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is used to minimize dust during installation.				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Joplin, Mo, USA CERTIFICATE URL:	ISSUE DATE: 2014-06-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: NA
CERTIFICATION AND COMPLIANCE NOTES: Thermafiber products manufactured with urea-phenol-formaldehyde binder are not included in Owens Corning's products which have GREENGUARD or GREENGUARD Gold certification. However, Owens Corning has done testing at a third-party laboratory to understand product emissions for a number of these Thermafiber products. The SAFB Formaldehyde Free product line does have both GREENGUARD and GREENGUARD Gold Certifications, as well as a Declare label.		
RECYCLED CONTENT	ICC-ES VAR Environmental Report™	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Joplin, Mo, USA CERTIFICATE URL: https://icc-es.org/reportlisting/var-1025/	ISSUE DATE: 2018-10-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: ICC EVALUATION SERVICE, ICCES
CERTIFICATION AND COMPLIANCE NOTES: See ICC-ES certificate VAR-1025.		
MULTI-ATTRIBUTE	Environmental Product Declaration (EPD) by UL - Product Specific	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Joplin, MO. Note that this EPD includes plant-specific information per the California Buy Clean requirement. The phenol-urea-formaldehyde binder as well as the formaldehyde free binder options are also detailed. EPD includes factors which can be applied to the other Thermafiber product lines besides SAFB. CERTIFICATE URL: https://spot.ul.com/	ISSUE DATE: 2021-10-01 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Third party verified by UL Environment.		
REDUCED CARBON EMISSIONS - MADE WITH RENEWABLE ELECTRICITY.	Reduced carbon emissions	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Joplin, MO CERTIFICATE URL: https://www.scsglobalservices.com/certified-green-products-guide	ISSUE DATE: 2017-10-03 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: SCS Global Services verifies this claim twice a year.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Pharos Chemical and Materials Library (through HPD Builder) was used to screen all chemicals used in making the product.

Thermafiber® SAFB™ Mineral Wool Insulation is available in different thickness densities, therefore, a range is required to represent the entire product line.

The SAFB Formaldehyde Free product line and other Thermafiber Formaldehyde Free products have Declare labels, as well as both GREENGUARD and GREENGUARD Gold certifications.

MANUFACTURER INFORMATION

MANUFACTURER: **Owens Corning**
ADDRESS: **Owens Corning**
One Owens Corning Parkway
Toledo, Ohio 43659
COUNTRY: **United States**

WEBSITE: **www.owenscorning.com**
CONTACT NAME: **Nick Haukom**
TITLE: **Environmental Sustainability Lead**
PHONE: **800-GET-PINK**
EMAIL: **nick.haukom@owenscorning.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

