

HPD UNIQUE IDENTIFIER: 28197

CLASSIFICATION: 09 61 00 Flooring Treatment

PRODUCT DESCRIPTION: ECO2 MMS™ (MOISTURE MANAGEMENT SYSTEM) is a two-component, solvent-free, 100% solids epoxy-based moisture management one-coat system sealer designed to: (1) Protect finish flooring systems up to 100% RH as per ASTM F-2170; (2) Reduce moisture vapor emission rate of a concrete substrate up to 25 lbs/1,000 sq. ft. per 24 hours down to less than 3 lbs/1,000 sq. ft. per 24 hours per ASTM F-1869; and (3) Resist pH levels up to 14 as per ASTM F-710.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities	
☒ Nested Materials Method	☐ 100 ppm	Considered in 2 of 2 Materials	<i>All Substances Above the Threshold Indicated Are:</i>
☐ Basic Method	☒ 1,000 ppm		Characterized ☐ Yes Ex/SC ☒ Yes ☐ No
Threshold Disclosed Per	☐ Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	<i>% weight and role provided for all substances.</i>
☐ Material	☐ Other	☒ Yes ☐ No	Screened ☐ Yes Ex/SC ☒ Yes ☐ No
☒ Product			<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
			Identified ☐ Yes Ex/SC ☒ Yes ☐ No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EPOXY - PART A [BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | MUL | SKI | EYE | AQU 1,3-BIS(2,3-EPOXYPROPOXY)-2,2-DIMETHYLPROPANE LT-UNK | SKI XYLENES BM-1 | END | MUL | REP | SKI | TOLUENE BM-1 | END | DEV | MUL | REP | SKI | PHY | MAM ETHYLBENZENE BM-1 | END | SKI | CAN | REP | PHY | MAM PHENOXYETHANOL BM-2 | EYE] EPOXY - PART B [FATTY ACIDS, TALL-OIL, REACTION PRODUCTS WITH TETRAETHYLENEPENTAMINE LT-P1 | MUL BENZYL ALCOHOL BM-2 4-NONYLPHENOL (BRANCHED) LT-1 | END | MUL | REP | AQU | DEV | PBT | SKI 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL LT-UNK | SKI | EYE PHENOL LT-P1 | CAN | END | MUL | MAM | GEN | REP | SKI 7-NONENE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in ECO2 MMS™, as well as known residuals and impurities, have been disclosed at 1,000 ppm. The HPD includes unreacted part A and part B of the two-component epoxy. The mixing ratio (by volume) is 1:1.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 207.5 Regulatory (g/l): 207.5

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Vertima	SCREENING DATE: 2022-04-14
☐ Yes	VERIFIER:	PUBLISHED DATE: 2022-04-14
☒ No	VERIFICATION #:	EXPIRY DATE: 2025-04-14

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

EPOXY - PART A

?: 53.7000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities present in epoxy - part A are listed.

OTHER MATERIAL NOTES:

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: 25068-38-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-14 5:19:57

?: 80.0000 - 100.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Intermediate

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.

1,3-BIS(2,3-EPOXYPROPOXY)-2,2-DIMETHYLPROPANE

ID: 17557-23-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-14 5:19:58

?: 13.0000 - 30.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Catalyst

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]

SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.

XYLENES		ID: 1330-20-7		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:20:00		
%: 0.1000 - 0.5000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.				

TOLUENE

ID: 108-88-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:20:00		
%: Impurity/Residual	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant		
DEV	CA EPA - Prop 65	Developmental toxicity		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	CA EPA - Prop 65	Reproductive Toxicity - Female		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]		
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
SUBSTANCE NOTES:				

ETHYLBENZENE		ID: 100-41-4		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:20:01		
%: Impurity/Residual	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
SUBSTANCE NOTES:		

PHENOXYETHANOL

ID: 122-99-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:20:02		
%: Impurity/Residual		GS: BM-2		RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
SUBSTANCE NOTES:				

EPOXY - PART B		%: 46.3000
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities present in epoxy - part A are listed.		
OTHER MATERIAL NOTES:		

FATTY ACIDS, TALL-OIL, REACTION PRODUCTS WITH TETRAETHYLENEPENTAMINE

ID: 68953-36-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:19:57		
%: 30.0000 - 60.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.				

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-14 5:19:58**%: **30.0000 - 60.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.

4-NONYLPHENOL (BRANCHED)

ID: 84852-15-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-04-14 5:19:59**%: **7.0000 - 13.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	US EPA - PPT Chemical Action Plans	Reproductive effects
AQU	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
DEV	US EPA - PPT Chemical Action Plans	Developmental Effects
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
END	EU - SVHC Authorisation List	Equivalent Concern - Candidate List
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]

SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:19:59		
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SUBSTANCE NOTES: Weight interval is used to account for variability and keep exact recipe confidential.				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-04-14 5:20:03			
%: Impurity/Residual		GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
MAM	US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances		
GEN	GHS - Japan		H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]		
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1		H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1		H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1		H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]		
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
GEN	GHS - New Zealand		Germ cell mutagenicity category 1		
SUBSTANCE NOTES:					

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-04-14 5:20:03
--	---

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-04-	EXPIRY DATE:	CERTIFIER OR LAB: n/a
APPLICABLE FACILITIES: All.	11		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: CDPH test is in progress			
VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-04-	EXPIRY DATE:	CERTIFIER OR LAB: n/a
APPLICABLE FACILITIES: All.	11		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Product VOC content was self-calculated. The VOC content is 3g/L for part A, 412 g/L for part B and 207.5 g/L for the two part epoxy with 1:1 mixing ration (volume).			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ECO2 PRIMER™	HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_567_ECO2_LEVEL_PRIMER.pdf
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: ECO2 MMS™ (MOISTURE MANAGEMENT SYSTEM) is a sealer, which is not a suitable bonding surface for cementitious tile mortars, screeds, patching compounds, self-leveling underlayments, and most flooring adhesives. To achieve an adequate bond to the substrate, sealed surfaces must be primed with ECO2 PRIMER™. (It should be noted that the HPD is underrenewal and the url will be modified).	
ECO2 AGGREGATE™	HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/567_ECO2_AGGREGATE_.pdf
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: ECO2 AGGREGATE™ can be used to achieve a profiled substrate to eliminate the need for non-porous priming when self-leveling. ECO2 AGGREGATE™ is applied while ECO2 MMS™ is still in a fresh state (see technical data sheet for details).	

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: ECO2
ADDRESS: PO Box 170065
 Boston MA 02116, USA
WEBSITE: www.eco2level.com

CONTACT NAME: John Mitchell
TITLE: Technical Service
PHONE: (800) 245-8165
EMAIL: jmitchell@eco2level.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.