

Name	Nevamar High Pressure Laminate				
Product ID	Nevamar HPL	Classification	06 00 00.00 Wood, Plastics, and Composites (framing): Wood, Plastics, Composites		
Website	www.panolam.com				
Manufacturer	Panolam Industries International Inc	Contact Name	Jeffrey O'Hearn		
Address	20 Progress Drive Shelton, CT 06484	Title Phone Email	Corporate Environmental Manager 203-925-1556 jeffrey_ohearn@panolam.com		
Description	NEVAMAR® HPL is composed of layers of kraft paper, a single layer of decorative paper with a solid color or design, and finished with a protective layer that can have printed design accents or other decorative features. Our NEVAMAR® line comes in a wide assortment of treatments designed to withstand fire, chemicals, abrasions and the general wear and tear of high traffic areas. Applications: NEVAMAR® HPL is the surface solution of choice for high-use applications on surfaces in hospitals, stores, hotels, offices, lobbies, restaurants, and educational institutions.				

Release Date	2014-12-28	☒ Self-declared	
Expiry Date	2017-12-28	☐ Second Party	Certifier
HPD URL	https://tool.hpdcollaborative.org/uploads/files/hpds/28/114-20141228214607.pdf	☐ Third Party	Certificate #

The content of this product was assessed for health hazard warnings as required using Pharos

Contents in Descending Order of Quantity

Hazards

☐ PBT (Persistent Bioaccumulative Toxic)

☐ Cancer

☐ Gene Mutation

☐ Development

☐ Reproductive

☐ Endocrine

☐ Respiratory

Highest concern GreenScreen score - List Translator Unspecified

☐ Neurotoxicity

☐ Mammal

☐ Skin or Eye

☐ Aquatic toxicity

☐ Land toxicity

☐ Physical hazard

☐ Global warming

☐ Ozone depletion

☐ Multiple

☐ Unknown

VOC Emissions GreenGuard - Indoor Air Quality Certified

Sustainable forestry Forest Stewardship Council (FSC) - Chain of Custody (COC)

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level. Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.
GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
Cellulose	9004-34-6	53 - 75 %		PI	N	Primary component
None found	No warnings found on HPD Priority lists					
Primary component of HPL is paper						
PHENOL FORMALDEHYDE	9003-35-4	15 - 35 %	LT-U	N	N	Resin for Kraft Core
None found	No warnings found on HPD Priority lists					
Used to bind the kraft core paper sheets together. The resin is polymerized in the final product.						
MELAMINE FORMALDEHYDE	9003-08-1	5 - 15 %	LT-U	N	N	Decorative Paper Resin
None found	No warnings found on HPD Priority lists					
Resin used to bind the decorative paper to the Kraft Core. The resin is reacted in the manufacturing process to form the cured polymer.						

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer’s self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).
Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	GreenGuard - Indoor Air Quality Certified			GreenGuard Environmental Institute (GEI)

	3rd party independent certification	2005-04-04	2015-04-04	www.panolam.com
	Nevamar Company LLC			
VOC Content	N/A			
Recycled Content	Not tested			
Sustainable forestry	Forest Stewardship Council (FSC) - Chain of Custody (COC)			Rainforest Alliance Smartwood Program
	3rd party independent certification	2010-01-01	2019-04-27	www.panolam.com
	Nevamar Company LLC and all Distribution Centers			

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	

NOTES