

HPD UNIQUE IDENTIFIER: 29560
CLASSIFICATION: 07 26 00 Vapor Retarders
PRODUCT DESCRIPTION: DragoSeal Tape is a critical component to the Drago Wrap Vapor Intrusion Barrier System. Combining a solvent-resistant, pressure-sensitive adhesive, and the same barrier technology as Drago Wrap, it is an ideal accessory for completing a fully intact installation. DragoSeal Tape is a multi-purpose tape designed for sealing, seaming, splicing, and patching, and is ideal for sealing Drago Wrap seams. Additional CSI MasterFormat designation: 03 30 00

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☒ Nested Materials Method	☐ 100 ppm	Completed in 2 of 2 Materials	Characterized ☒ Yes ☐ No
☐ Basic Method	☐ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	Provided weight and role.
Threshold Disclosed Per	☒ Per GHS SDS	☒ Yes ☐ No	Screened ☐ Yes ☒ No
☐ Material	☐ Other		Provided screening results using HPDC-approved methods.
☒ Product			Identified ☐ Yes ☒ No
			Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
SEALANT [RUBBER/POLYOLEFIN Not Screened HYDROCARBON TACKIFIER Not Screened TALC BM-1 | CAN | | MUL | MAM TITANIUM DIOXIDE LT-1 | CAN | END | | MUL | MAM | DEV | AQU | EYE]
DRAGOSEAL TAPE FILM [UNDISCLOSED LT-UNK | | MUL UNDISCLOSED LT-UNK | UNDISCLOSED LT-UNK | | CAN UNDISCLOSED LT-UNK | UNDISCLOSED LT-P1 | RES | SKI | MAM | EYE | | MUL | PHY | AQU | DEV]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*** We have worked closely with our suppliers to ensure the least toxic ingredients are chosen while maintaining required performance characteristics. *** Drago Wrap contains no VOC's.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC content: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2022-07-27
☐ Yes	VERIFIER:	PUBLISHED DATE: 2022-08-11
☒ No	VERIFICATION #:	EXPIRY DATE: 2025-07-27

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SEALANT	%: 80.0000 - 90.0000
PRODUCT THRESHOLD: Per GHS SDS	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals are considered and were determined using atomic absorption (AA). All levels are below the GHS SDS Guidelines.	
OTHER MATERIAL NOTES: Variation in processing necessitates that a range of values be reported for this substance.	

RUBBER/POLYOLEFIN	ID: Unknown
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: Not Screened
%: 50.0000 - 60.0000	GreenScreen: Not Screened RC: None NANO: No SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES WARNINGS
	Hazard Screening not performed
ADDITIONAL LISTINGS	AGENCY NOTIFICATION
	Additional Hazard Screening not performed
SUBSTANCE NOTES: The supplier has identified this substance as a rubber/polyolefin blend due to the fact that it is a proprietary component of the product and it represents a Trade Secret. The supplier has verified that no associated hazards or warnings have been found. Variation in processing necessitates that a range of values be reported for this substance.	

HYDROCARBON TACKIFIER	ID: Unknown
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: Not Screened
%: 20.0000 - 25.0000	GreenScreen: Not Screened RC: None NANO: No SUBSTANCE ROLE: Tackifier
HAZARD TYPE	AGENCY AND LIST TITLES WARNINGS
	Hazard Screening not performed
ADDITIONAL LISTINGS	AGENCY NOTIFICATION
	Additional Hazard Screening not performed
SUBSTANCE NOTES: This substance is only identified as a hydrocarbon tackifier due to the fact that it is a proprietary component of the product and it represents a Trade Secret. We have verified that no associated hazards or warnings have been found with this material. Variation in processing necessitates that a range of values be reported for the mass percentage for this ingredient.	

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:50:32		
%: 10.0000 - 20.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
	EC - CEPA DSL		Persistent	
MUL	Québec CSST - WHMIS 1988		Class D2A - Very toxic material causing other toxic effects	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MUL	EC - CEPA DSL		Inherently Toxic to Humans (iTH)	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
CAN	IARC		Group 3 - Agent is not classifiable as to its carcinogenicity to humans	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Talc powder is a possible carcinogen per IARC but only in its respirable form. The talc utilized is contained in the adhesive matrix and is not respirable; therefore, there is essentially no risk.				

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:51:16		
%: 0.0000 - 3.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
	EC - CEPA DSL	Persistent
MUL	Québec CSST - WHMIS 1988	Class D2A - Very toxic material causing other toxic effects
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
DEV	MAK	Pregnancy Risk Group C
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
AQU	GHS - Japan	H413 - May cause long lasting harmful effects to aquatic life [Hazardous to the aquatic environment (chronic) - Category 4]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2B]
MAM	GHS - Japan	H335 or H336 [Specific target organs/systemic toxicity following single exposure - Category 3]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Titanium dioxide is a possible carcinogen per IARC but only in its respirable form. The talc utilized is contained in the adhesive matrix and is not respirable; therefore, there is essentially no risk. Variation in processing necessitates that a range of values be reported for this substance. Variation in processing necessitates that a range of values be reported for this substance.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:53:15			
%: 0.0000 - 40.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	EC - CEPA DSL		Persistent		
MUL	EC - CEPA DSL		Inherently Toxic to Humans (iTH)		
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The polyethylene blend, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret.					

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:53:57			
%: 0.0000 - 40.0000	GreenScreen: LT-UNK		RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES			WARNINGS	
	EC - CEPA DSL			Persistent	
ADDITIONAL LISTINGS	AGENCY			NOTIFICATION	
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The polyethylene blend, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret.					

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:54:33		
%: 0.0000 - 40.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
CAN	IARC		Group 3 - Agent is not classifiable as to its carcinogenicity to humans	

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The polyethylene blend, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret.		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:55:41		
%: 0.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The polyethylene blend, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret.				

UNDISCLOSED		ID: Undisclosed		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-29 10:57:30		
%: 0.0000 - 20.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RES	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]	
RES	EU - GHS (H-Statements) Annex 6 Table 3-1		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]	
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
MAM	GHS - Australia		H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]	
MAM	GHS - New Zealand		Acute oral toxicity category 4	

	EC - CEPA DSL	Persistent
MUL	Québec CSST - WHMIS 1988	Class D2A - Very toxic material causing other toxic effects
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
MUL	Québec CSST - WHMIS 1988	Class D2B - Toxic material causing other toxic effects
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
MAM	Québec CSST - WHMIS 1988	Class D1B - Toxic material causing immediate and serious toxic effects
PHY	Québec CSST - WHMIS 1988	Class E - Corrosive materials
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
AQU	GHS - Japan	H402 - Harmful to aquatic life [Hazardous to the aquatic environment (acute) - Category 3]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]
SKI	GHS - Australia	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
DEV	MAK	Pregnancy Risk Group C
SKI	GHS - New Zealand	Skin sensitisation category 1
RES	GHS - New Zealand	Respiratory sensitisation category 1
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitizer - Category 1]
MAM	GHS - Japan	H302 - Harmful if swallowed [Acute Toxicity (oral) - Category 4]
MAM	GHS - Australia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]

AQU	GHS - Japan	H412 - Harmful to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
SKI	GHS - Malaysia	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
RES	GHS - Australia	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]
MAM	GHS - Malaysia	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
RES	GHS - Malaysia	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: The additive to the film, which provides the physical structure of the material and lends the product its specialized performance characteristics, represents a Trade Secret.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-03-09	CERTIFIER OR LAB: Intertek
APPLICABLE FACILITIES: All	EXPIRY DATE: 2023-03-09	
CERTIFICATE URL: https://sustainabilitydirectory.intertek.com/product/9ee8f33b-0493-4f32-dfc2-08d8f0932a67		
CERTIFICATION AND COMPLIANCE NOTES: Product Category: Adhesives and Sealants Product Restrictions: None TVOC Range*: 0.5 mg/m3 or less *TVOC range stated is based on the most stringent modeling scenario as listed in the Conformance Criteria		
VOC CONTENT	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-08-03	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: VOC content is based upon analysis of the ingredients/substances utilized.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Drago Wrap Vapor Intrusion Barrier is a multi-layered plastic extrusion that combines uniquely designed materials with only high grade, prime, virgin resins. This game-changing barrier technology provides high performance and longevity, allowing for the redevelopment of brownfield and contaminated sites, creating a healthy built environment. ||

****Stego-defined terms defined at www.stegoindustries.com/legal ||**

***** All designated trademarks are the intellectual property of Stego Industries, LLC. Installation, Warranty, and State Approval Information: stegoindustries.com/legal. ©2022 Stego Industries, LLC. All rights reserved.**

MANUFACTURER INFORMATION

MANUFACTURER: Stego Industries, LLC
ADDRESS: 216 Avenida Fabricante
 Suite 101
 San Clemente California 92672, USA
WEBSITE: <https://www.stegoindustries.com/products/dragoseal-tape>

CONTACT NAME: Page Cotton
TITLE: Product Manager
PHONE: (877) 464-7834
EMAIL: pagecotton@stegoindustries.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.