

**HPD UNIQUE IDENTIFIER:** 727516160

**CLASSIFICATION:** 09 30 13 Ceramic Tiling

**PRODUCT DESCRIPTION:** Daltile (DT) brand quarry tile products are made using a high temperature kiln-firing process. The individual ingredients used to formulate these quarry tile products (primarily water and mineral-based naturally occurring materials) undergo both physical and chemical reactions inside the kiln to form the final inert fired product. DT quarry tile is fire resistant, durable (lasts a lifetime) and extremely easy to maintain. As floor and wall coverings, our quarry tile products provide dual functions. They serve 1) an esthetic function as a design component, and 2) a technical/structural function as a building finishing material. As a building material, DT quarry tiles can withstand a wide range of environmental stresses (e.g., non-flammable, heat/cold resistant - and provide a moisture barrier). Their versatility is further enhanced by the extensive ranges of colors, textures, and decorative motifs offered by Daltile. DT quarry tile products are available in a range of sizes and trim shapes from less than 6" x 6" to 8" x 8". This Health Product Declaration is representative of all quarry products manufactured in Fayette, AL. Additional information on Daltile brand quarry tile products, including the Safety Data Sheets (SDS's), can be found on the following website: <https://www.daltile.com>.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

|                                               |                                          |                                                               |                                                                                    |
|-----------------------------------------------|------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Inventory Reporting Format</b>             | <b>Threshold Level</b>                   | <b>Residuals/Impurities Evaluation</b>                        | <i>For all contents above the threshold, the manufacturer has:</i>                 |
| <input type="radio"/> Nested Materials Method | <input checked="" type="radio"/> 100 ppm | <input checked="" type="radio"/> Completed                    | <b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input checked="" type="radio"/> Basic Method | <input type="radio"/> 1,000 ppm          | <input type="radio"/> Partially Completed                     | <i>Provided weight and role.</i>                                                   |
| <b>Threshold Disclosed Per</b>                | <input type="radio"/> Per GHS SDS        | <input type="radio"/> Not Completed                           | <b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No      |
| <input type="radio"/> Material                | <input type="radio"/> Other              | <b>Explanation(s) provided :</b>                              | <i>Provided screening results using HPDC-approved methods.</i>                     |
| <input checked="" type="radio"/> Product      |                                          | <input checked="" type="radio"/> Yes <input type="radio"/> No | <b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No    |
|                                               |                                          |                                                               | <i>Provided name and CAS RN or other identifier.</i>                               |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

**GREENSCREEN SCORE** | HAZARD TYPE

**DALTILE QUARRY TILE PRODUCTS (MANUFACTURED)** [ **KAOLIN** **LT-UNK** | CAN **FELDSPAR** **LT-UNK** | MAM **CHROMITE** **BM-2** **FERRIC OXIDE, YELLOW (PRIMARY CASRN IS 51274-00-1)** **LT-UNK** | **MANGANESE DIOXIDE** **BM-1** | MUL | EYE | MAM | GEN | REP **CORDIERITE** **NoGS** **BARIUM CARBONATE** **BM-2** | MAM **HAEMATITE** **LT-UNK** ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

The finished quarry tile is considered one component resulting from the use of a high temperature kiln-firing process that fuses and physically converts the raw materials into the final ceramic product. No hazards are associated with the final fired product during normal use after installation.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED

Multi-attribute: ISO 9001:2015 Quality management systems

Multi-attribute: ILFI Declare - Red List Free

Multi-attribute: Environmental Product Declaration (EPD) by EPD International AB

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

|                                     |                         |                            |
|-------------------------------------|-------------------------|----------------------------|
| Third Party Verified?               | PREPARER: Self-Prepared | SCREENING DATE: 2025-09-25 |
| <input type="radio"/> Yes           | VERIFIER:               | PUBLISHED DATE: 2025-09-25 |
| <input checked="" type="radio"/> No | VERIFICATION #:         | EXPIRY DATE: 2028-09-25    |

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

PRODUCT THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

OTHER PRODUCT NOTES: During the manufacturing process, a combination of intensely high pressure and very high firing temperatures are used. These techniques create a chemical and physical change in the materials, converting any hazards into a benign, fully vitrified inert ceramic tile product.

## ID: 1332-58-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:27:32**

**SUBSTANCE NOTES:** The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

## ID: 68476-25-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:27:33**

|                            |                                              |                                                               |                 |                                     |
|----------------------------|----------------------------------------------|---------------------------------------------------------------|-----------------|-------------------------------------|
| %: <b>0.0000 - 15.0000</b> | GreenScreen: <b>LT-UNK</b>                   | RC: <b>None</b>                                               | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Ceramic body</b> |
| HAZARD TYPE                | LIST NAME AND SOURCE                         | WARNINGS                                                      |                 |                                     |
| MAM                        | GHS - New Zealand                            | Specific target organ toxicity - repeated exposure category 1 |                 |                                     |
| ADDITIONAL LISTINGS        | LIST NAME AND SOURCE                         | NOTIFICATION                                                  |                 |                                     |
| None found                 | No listings found on Additional Hazard Lists |                                                               |                 |                                     |

SUBSTANCE NOTES: The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

CHROMITE

ID: 1308-31-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-09-25 8:27:33

%: 0.0000 - 2.0000

GreenScreen: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|------------------------------------------------|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|----------------------------------------------|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Another name for this material is Iron Chromite. This material is used as a colorant in the ceramic body. The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

FERRIC OXIDE, YELLOW (PRIMARY CASRN IS 51274-00-1)

ID: 131462-81-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-09-25 8:27:33

%: 0.0000 - 2.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|------------------------------------------------|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|----------------------------------------------|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: This material is used as a colorant in the ceramic body. The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

MANGANESE DIOXIDE

ID: 1313-13-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-09-25 8:27:34

%: 0.0000 - 1.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS                                                                                                                                                  |
|-------------|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                                                                                |
| EYE         | GHS - New Zealand                           | Eye irritation category 2                                                                                                                                 |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN         | GHS - Japan                                 | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                                                         |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - New Zealand                           | Specific target organ toxicity - repeated exposure category 1                                                                                             |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                          |
| MAM         | GHS - New Zealand                           | Acute inhalation toxicity category 2                                                                                                                      |
| REP         | GHS - New Zealand                           | Reproductive toxicity category 2                                                                                                                          |
| REP         | GHS - New Zealand                           | Effects on or via lactation                                                                                                                               |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION                                                                                                                                           |
|---------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025<br><br>Children's Toy Products                                      |

SUBSTANCE NOTES: This material is used as a colorant in the ceramic body. The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

## CORDIERITE

ID: **1302-88-1**

|                                                                  |                          |                  |                                                  |                                     |  |
|------------------------------------------------------------------|--------------------------|------------------|--------------------------------------------------|-------------------------------------|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                          |                  | HAZARD SCREENING DATE: <b>2025-09-25 8:27:34</b> |                                     |  |
| ‰: <b>0.0000 - 0.5000</b>                                        | GreenScreen: <b>NoGS</b> | RC: <b>PostC</b> | NANO: <b>No</b>                                  | SUBSTANCE ROLE: <b>Ceramic body</b> |  |

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|------------------------------------------------|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

BARIUM CARBONATE

ID: 513-77-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-09-25 8:27:34

%: 0.0000 - 0.2000

GreenScreen: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Ceramic body

| HAZARD TYPE         | LIST NAME AND SOURCE                                   | WARNINGS                                                                                                                                                  |
|---------------------|--------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| MAM                 | GHS - Japan                                            | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]                                                   |
| MAM                 | GHS - Japan                                            | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Japan                                            | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                          |
| MAM                 | GHS - Japan                                            | H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]                                                                                            |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                   | NOTIFICATION                                                                                                                                              |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials    |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPH) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025<br><br>Children's Toy Products                                         |

SUBSTANCE NOTES: The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-09-25 8:27:34

%: 0.0000 - 0.2000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|------------------------------------------------|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|----------------------------------------------|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Another name for this material is Hematite. This material is used as a colorant in the ceramic body. The range is due to variations in the different product families. Hazards, if any, are associated with occupational exposures during the manufacturing, installation, and demolition processes. No hazards are associated with the final fired product during normal use after installation.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS                                                                                                                                                                                                                                                   | Inherently non-emitting source per LEED                             |                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------|
| CERTIFYING PARTY: Self-declared<br>APPLICABLE FACILITIES: Fayette, AL<br>CERTIFICATE URL:                                                                                                                                                                       | ISSUE DATE: 2022-08-18 00:00:00<br>EXPIRY DATE:                     | CERTIFIER OR LAB: None                |
| CERTIFICATION AND COMPLIANCE NOTES: Inherently Non-Emitting.                                                                                                                                                                                                    |                                                                     |                                       |
| MULTI-ATTRIBUTE                                                                                                                                                                                                                                                 | ISO 9001:2015 Quality management systems                            |                                       |
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: Fayette, AL<br>CERTIFICATE URL:                                                                                                                                                                         | ISSUE DATE: 2003-04-08 00:00:00<br>EXPIRY DATE:                     | CERTIFIER OR LAB: DQS Inc.            |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate available upon request cathleen_smith@mohawkind.com                                                                                                                                                             |                                                                     |                                       |
| MULTI-ATTRIBUTE                                                                                                                                                                                                                                                 | ILFI Declare - Red List Free                                        |                                       |
| CERTIFYING PARTY: Self-declared<br>APPLICABLE FACILITIES: Fayette, AL<br>CERTIFICATE URL: <a href="https://declare.living-future.org/products/quarry-tiles">https://declare.living-future.org/products/quarry-tiles</a>                                         | ISSUE DATE: 2024-12-01 00:00:00<br>EXPIRY DATE:                     | CERTIFIER OR LAB: ILFI                |
| CERTIFICATION AND COMPLIANCE NOTES: Declare Label issued by ILFI.                                                                                                                                                                                               |                                                                     |                                       |
| MULTI-ATTRIBUTE                                                                                                                                                                                                                                                 | Environmental Product Declaration (EPD) by EPD International AB     |                                       |
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: Fayette, AL<br>CERTIFICATE URL: <a href="https://environdec.com/library">https://environdec.com/library</a>                                                                                             | ISSUE DATE: 2025-09-16 00:00:00<br>EXPIRY DATE: 2030-09-16 00:00:00 | CERTIFIER OR LAB: EPD International   |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate available upon request cathleen_smith@mohawkind.com                                                                                                                                                             |                                                                     |                                       |
| MULTI-ATTRIBUTE                                                                                                                                                                                                                                                 | Green Squared Certification                                         |                                       |
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: Fayette, AL<br>CERTIFICATE URL: <a href="https://www.scsglobalservices.com/certified-green-products-guide?program=275">https://www.scsglobalservices.com/certified-green-products-guide?program=275</a> | ISSUE DATE: 2025-07-31 00:00:00<br>EXPIRY DATE:                     | CERTIFIER OR LAB: SCS Global Services |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate available upon request cathleen_smith@mohawkind.com                                                                                                                                                             |                                                                     |                                       |

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

| MORTAR/GROUT                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MANUFACTURER (OR GENERIC): <b>Generic</b>                                                                                                                                                                                                                           |
| HPD URL: No HPD available<br>ACCESSORY TYPE: Adhesive<br>CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Accessory materials are required for all installations. VOC content of the adhesive and/or grout varies depending on the type and brand chosen. |

Mohawk Industries – Daltile's Parent Company, has published a LEED compliant Corporate Sustainability Report. This document can be found at the following website:  
<https://mohawkind.com/esg/>

## MANUFACTURER INFORMATION

MANUFACTURER: **Dal-Tile, LLC**  
ADDRESS: **7834 CF Hawn Freeway**  
**Dallas, TX 75217**  
COUNTRY: **USA**

WEBSITE: **www.daltile.com**  
CONTACT NAME: **Cathleen Smith**  
TITLE: **Sr. Sustainability Engineer - E&S**  
PHONE: **214-309-4816**  
EMAIL: **cathleen\_smith@mohawkind.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                           |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> | Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b>  | Substances listed within each material per threshold indicated per product  |
| <b>Basic Method / Product Threshold</b>   | Substances listed individually per threshold indicated per product          |

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Nano</b>                  | Composed of nano scale particles or nanotechnology         |
| <b>Third Party Verified</b>  | Verification by independent certifier approved by HPDC     |
| <b>Preparer</b>              | Third party preparer, if not self-prepared by manufacturer |
| <b>Applicable facilities</b> | Manufacturing sites to which testing applies               |

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

