

HPD UNIQUE IDENTIFIER: 30154
CLASSIFICATION: 08 44 00 Curtain Wall and Glazed Assemblies
PRODUCT DESCRIPTION: This Health Product Declaration incorporates the following products and product lines - Contraflam® 45, 60, 90 and 120 Fire-Rated Clear Laminated/Tempered Contraflam® Structure 60 and 120 Fire-Rated Clear Laminated/Tempered Safety Glass from Vetrotech a Saint Gobain Company.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☒ Nested Materials Method ☐ Basic Method	☐ 100 ppm ☒ 1,000 ppm ☐ Per GHS SDS ☐ Other	Completed in 4 of 4 Materials Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	Characterized ☒ Yes ☐ No Provided weight and role. Screened ☒ Yes ☐ No Provided screening results using HPDC-approved methods. Identified ☐ Yes ☒ No Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
FLOAT GLASS [SODA-LIME SILICATE GLASS NoGS] INTERLAYER [UNDISCLOSED LT-P1] SKI | EYE | UNDISCLOSED LT-1] END | DEV | EYE | MAM | SKI] SEALANT [1-PROPENE, 2-METHYL-, HOMOPOLYMER LT-UNK]]
SECONDARY SEALANT [LIMESTONE, CALCIUM CARBONATE BM-3dg]
ALIPHATIC POLYSULFIDE-POLYMERS, MOLECULAR WEIGHT >=1800 LT-P1]
MUL | MANGANESE DIOXIDE BM-1] EYE | | MAM | GEN | REP THIRAM LT-P1]
END | SKI | MUL | GEN | EYE | AQU | | MAM | REP]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

The HPD incorporates several products and product lines thus a range of raw material percentages results. All materials were screened to 1000 ppm and all residuals and impurities were considered and noted when applicable to the HPD Builder requirements.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: NA

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2022-10-12 PUBLISHED DATE: 2022-10-13 EXPIRY DATE: 2025-10-12
---	---	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FLOAT GLASS		%: 59.9000 - 67.2000		
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Glass
RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and noted when applicable to the HPD Builder Standard.				
OTHER MATERIAL NOTES: The range in this layer is result of the requirements for each individual product in the lines that are represented by this HPD.				
SODA-LIME SILICATE GLASS				ID: 2446523-50-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:44:58		
%: 99.0000 - 100.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: All raw materials have been declared and screened through the HPD Builder tool at the 1000 ppm threshold. All residuals and impurities have been evaluated and noted within the 1000 ppm threshold reporting level. The raw material range is based on content percent from raw material suppliers and the multiple family of products that are represented through this HPD.				

INTERLAYER		%: 29.5000 - 37.0000	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	
		MATERIAL TYPE: Polymeric Material	
RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and noted when applicable to the HPD Builder Standard.			
OTHER MATERIAL NOTES: The range in this layer is result of the requirements for each individual product in the lines that are represented by this HPD.			

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:44:59		
%: 95.0000 - 96.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand		Eye irritation category 2	
	EC - CEPA DSL		Persistent	
SKI	GHS - Australia		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE SCIL	
			Green Circle - Verified Low Concern	
SUBSTANCE NOTES: Material is not disclosed due to proprietary aspects. The CAS# and percent ranges have been confirmed by the raw material supplier and screened through the builder tool so that the appropriate Greenscreen warnings are disclosed.				

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:45:01		
%: 4.0000 - 5.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
DEV	CA EPA - Prop 65		Developmental toxicity	
DEV	US NIH - Reproductive & Developmental Monographs		Clear Evidence of Adverse Effects - Developmental Toxicity	
EYE	GHS - New Zealand		Eye irritation category 2	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Material is not disclosed due to proprietary aspects. The CAS# and percent ranges have been confirmed by the raw material supplier and screened through the builder tool so that the appropriate Greenscreen warnings are disclosed.				

SEALANT	%: 1.5400 - 1.6400	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and noted when applicable to the HPD Builder Standard.		

OTHER MATERIAL NOTES: The range in this layer is result of the requirements for each individual product in the lines that are represented by this HPD.

1-PROPENE, 2-METHYL-, HOMOPOLYMER				ID: 9003-27-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:44:58		
%: 90.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Sealant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	EC - CEPA DSL		Persistent	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: All raw materials have been declared and screened through the HPD Builder tool at the 1000 ppm threshold. All residuals and impurities have been evaluated and noted within the 1000 ppm threshold reporting level. The raw material range is based on content percent from raw material suppliers and the multiple family of products that are represented through this HPD.				

SECONDARY SEALANT		%: 1.5400 - 1.6200
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been considered and noted when applicable to the HPD Builder Standard.		
OTHER MATERIAL NOTES: The range in this layer is result of the requirements for each individual product in the lines that are represented by this HPD.		

LIMESTONE, CALCIUM CARBONATE				ID: 1317-65-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:45:00		
%: 45.8000 - 91.6000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE SCIL	
			Green Circle - Verified Low Concern	
SUBSTANCE NOTES: All raw materials have been declared and screened through the HPD Builder tool at the 1000 ppm threshold. All residuals and impurities have been evaluated and noted within the 1000 ppm threshold reporting level. The raw material range is based on content percent from raw material suppliers and the multiple family of products that are represented through this HPD.				

ALIPHATIC POLYSULFIDE-POLYMERS, MOLECULAR WEIGHT >=1800				ID: 68611-50-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:45:00		
%: 22.8000 - 45.7900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Sealant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
	EC - CEPA DSL		Persistent	

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
SUBSTANCE NOTES: All raw materials have been declared and screened through the HPD Builder tool at the 1000 ppm threshold. All residuals and impurities have been evaluated and noted within the 1000 ppm threshold reporting level. The raw material range is based on content percent from raw material suppliers and the multiple family of products that are represented through this HPD.		

MANGANESE DIOXIDE				ID: 1313-13-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:45:02		
%: 1.3000 - 2.1000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Sealant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
	EC - CEPA DSL		Persistent	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
MAM	GHS - New Zealand		Acute inhalation toxicity category 2	
REP	GHS - New Zealand		Reproductive toxicity category 2	
REP	GHS - New Zealand		Effects on or via lactation	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Products	
SUBSTANCE NOTES: All raw materials have been declared and screened through the HPD Builder tool at the 1000 ppm threshold. All residuals and impurities have been evaluated and noted within the 1000 ppm threshold reporting level. The raw material range is based on content percent from raw material suppliers and the multiple family of products that are represented through this HPD.				

THIRAM				ID: 137-26-8
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-10-12 5:45:03		
%: 0.0000 - 0.4200	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	ChemSec - SIN List	Endocrine Disruption
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin Sensitization - Category 1A]
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]

SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - New Zealand	Acute oral toxicity category 3
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
AQU	GHS - Malaysia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Malaysia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: All raw materials have been declared and screened through the HPD Builder tool at the 1000 ppm threshold. All residuals and impurities have been evaluated and noted within the 1000 ppm threshold reporting level. The raw material range is based on content percent from raw material suppliers and the multiple family of products that are represented through this HPD.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	NA	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-09-29	CERTIFIER OR LAB: NA
APPLICABLE FACILITIES: All facilities	EXPIRY DATE: 2023-09-28	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: VOC testing not applicable for this product assembly		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The raw material range is based on content percent from a range of products and product lines that are supported by this HPD.

All Saint Gobain Vetrotech Contraflam products should be handled and installed per the requirements of the manufacturers SDS. PPE requirements are listed on the SDS and website <https://www.vetrotech.com/contraflam>.

Proper care and caution has been noted in the production process and safe handling of material can be found on the SDS in the link below. For complete Safety and EHS information on any and all Saint Gobain Vetrotech Products please see <https://www.vetrotech.com/>

MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain
ADDRESS: 2108 B St. NW #110
Auburn WA 98001, United States
WEBSITE: www.vetrotech.com

CONTACT NAME: Stephanie Miller
TITLE: Marketing & Communications Manager, North America
PHONE: 1(888) 803 9533
EMAIL: stephanie.miller@saint-gobain.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.