

ONE COAT FIBERGLASS REINFORCED STUCCO PRODUCT NO. 1200 (SANDED) AND NO. 1216 (CONCENTRATED) by QUIKRETE Companies, LLC

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 30690
CLASSIFICATION: 09 24 00 Cement Plastering
PRODUCT DESCRIPTION: QUIKRETE(R) One Coat Fiberglass Reinforced Stucco is a fiberglass reinforced, portland cement based plaster designed for use in one-coat stucco applications. When applied in accordance with IAPMO ES ER-455, this product provides a one-hour fire rating.

Section 1: Summary Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	Characterized ☐ Yes ☒ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
	☐ Per GHS SDS	☐ Not Completed	Screened ☐ Yes ☒ No
Threshold Disclosed Per	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☐ Material		☒ Yes ☐ No	Identified ☒ Yes ☐ No
☒ Product			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.	Number of Greenscreen BM-4/BM3 contents ... 0
PRODUCT MATERIAL OR SUBSTANCE <i>RESIDUAL OR IMPURITY</i>	Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1
GREENSCREEN SCORE HAZARD TYPE	Nanomaterial ... No
ONE COAT FIBERGLASS REINFORCED STUCCO PRODUCT NO. 1200 (SANDED) AND NO. 1216 (CONCENTRATED) [QUARTZ BM-1 CAN MAM GEN PORTLAND CEMENT LT-P1 CAN END MAM CALCIUM HYDROXIDE LT-P1 SKI MAM EYE]	INVENTORY AND SCREENING NOTES:
	No inventory or screening notes

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.	CERTIFICATIONS AND COMPLIANCE <i>See Section 3 for additional listings.</i> VOC emissions: Inherently non-emitting source per LEED
	CONSISTENCY WITH OTHER PROGRAMS No pre-checks completed or disclosed.

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2022-11-29 PUBLISHED DATE: 2022-11-29 EXPIRY DATE: 2025-11-29
---	---	---

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ONE COAT FIBERGLASS REINFORCED STUCCO PRODUCT NO. 1200 (SANDED) AND NO. 1216 (CONCENTRATED)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities were considered while creating this document.

OTHER PRODUCT NOTES: No other product notes.

QUARTZ ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-29 7:04:05		
%: 40.0000 - 70.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)	
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources	
CAN	IARC		Group 1 - Agent is Carcinogenic to humans	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
CAN	GHS - New Zealand		Carcinogenicity category 1	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Silica sand meeting the requirements of ASTM C897				

PORTLAND CEMENT				ID: 65997-15-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-29 7:05:00		
%: 10.0000 - 30.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Portland cement meeting the requirements of ASTM C150				

CALCIUM HYDROXIDE				ID: 1305-62-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-29 7:06:41		
%: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
SKI	GHS - New Zealand		Skin corrosion category 1C	
EYE	GHS - New Zealand		Serious eye damage category 1	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
ADDITIONAL LISTINGS	AGENCY		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE SCIL	
			Green Circle - Verified Low Concern	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Cosmetics & Personal Care Products	
SUBSTANCE NOTES: Hydrated Lime meeting the requirements of ASTM C207				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-11-29	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: This non-certification applies to all manufacturing sites.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: QUIKRETE Companies, LLC
ADDRESS: 5 CONCOURSE PARKWAY SUITE 1900
ATLANTA Georgia 30328, United States
WEBSITE: www.QUIKRETE.com

CONTACT NAME: Richard Schwartz
TITLE: Senior Engineer
PHONE: 4046349100
EMAIL: RICHARD.SCHWARTZ@QUIKRETE.COM

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types		
AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)	
BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types
PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:
Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.