

HPD UNIQUE IDENTIFIER: 30812
CLASSIFICATION: 08 13 00 Metal Doors
PRODUCT DESCRIPTION: Product description.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☒ Nested Materials Method ☐ Basic Method	Threshold Level ☐ 100 ppm ☒ 1,000 ppm ☐ Per GHS SDS ☐ Other	Residuals/Impurities Evaluation Completed in 10 of 10 Materials Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	<i>For all contents above the threshold, the manufacturer has:</i> Characterized ☒ Yes ☐ No <i>Provided weight and role.</i> Screened ☒ Yes ☐ No <i>Provided screening results using HPDC-approved methods.</i> Identified ☒ Yes ☐ No <i>Provided name and CAS RN or other identifier.</i>
Threshold Disclosed Per ☐ Material ☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
CORE - TEMPERATURE RISE 250 MINERAL CORE [GLASS, OXIDE, CHEMICALS LT-UNK PLASTER OF PARIS NoGS QUARTZ BM-1 | CAN | MAM | GEN] DOOR SKINS (BOTTOM) [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU] DOOR SKINS (TOP) [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU] CLOSER REINFORCEMENT [IRON LT-P1 | END] TOP CHANNEL [IRON LT-P1 | END] BOTTOM CHANNEL [IRON LT-P1 | END] LOCK REINFORCEMENT - CYLINDRICAL [IRON LT-P1 | END] HINGE REINFORCEMENT [IRON LT-P1 | END] CYLINDRICAL LOCK GUARD [IRON LT-P1 | END] HENKEL / LOCTITE URETHANE ADHESIVE UR-8225S - MACROPLAST UR-8225 SLOW [4,4'-METHYLENEDIPHENYL DIISOCYANATE LT-UNK | CAN | RES | SKI | EYE | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

This product inventory was screened to the 1000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: Inherently non-emitting source per LEED
VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2022-11-21 PUBLISHED DATE: 2022-12-14 EXPIRY DATE: 2025-11-21
--	--	--

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CORE - TEMPERATURE RISE 250 MINERAL CORE %: 32.3380

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

GLASS, OXIDE, CHEMICALS ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:16		
%: 47.5000 - 50.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern		
SUBSTANCE NOTES:				

PLASTER OF PARIS ID: 26499-65-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:16		
%: 25.0000 - 50.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Composition range exceeds the typically allowable 20% range according to HPDC standards in order to protect the proprietary information of the supplier.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-11-21 13:53:18

%: 0.0000 - 27.5000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Composition range exceeds the typically allowable 20% range according to HPDC standards in order to protect the proprietary information of the supplier.

DOOR SKINS (BOTTOM)

%: 27.1747

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:11		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:23		
%: 0.3000 - 0.6000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Products	
SUBSTANCE NOTES:				

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:12		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:23		
%: 0.3000 - 0.6000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
SUBSTANCE NOTES:		

CLOSER REINFORCEMENT

%: 4.0804

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:13		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

TOP CHANNEL

%: 2.9349

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

IRON				ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:14		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

BOTTOM CHANNEL %: 2.9349

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

IRON				ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:13		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

LOCK REINFORCEMENT - CYLINDRICAL %: 1.5855

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

IRON				ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:15		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

HINGE REINFORCEMENT		%: 0.9872
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

IRON				ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:11		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

CYLINDRICAL LOCK GUARD	%: 0.5863	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

IRON				ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:14		
%: 99.2300 - 99.5800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

HENKEL / LOCTITE URETHANE ADHESIVE UR-8225S -
MACROPLAST UR-8225 SLOW

%: 0.1448

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.		
OTHER MATERIAL NOTES:		

4,4'-METHYLENEDIPHENYL DIISOCYANATE				ID: 101-68-8
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-11-21 13:53:10		
%: 60.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
SKI	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand		Eye irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
CAN	GHS - New Zealand		Carcinogenicity category 2	

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: Composition range exceeds the typically allowable 20% range according to HPDC standards in order to protect the proprietary information of the supplier.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		Inherently non-emitting source per LEED
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2022-11-21	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: Applicable facilities.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC EMISSIONS		UL/GreenGuard Gold Certified
CERTIFYING PARTY: Third Party	ISSUE DATE: 2011-05-11	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2023-05-11	
CERTIFICATE URL: https://spot.ul.com/		
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Certificate Number: 20352-420		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of ASSA ABLOY.

MANUFACTURER INFORMATION

MANUFACTURER: ASSA ABLOY
ADDRESS: 235 East Lies Road
 Carol Stream IL 60188, United States
WEBSITE: <https://www.assaabloyervicecenters.us/en/>

CONTACT NAME: Dan Glover
TITLE: Product Manager
PHONE: (731) 514-8418
EMAIL: dan.glover@assaabloy.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.