

HPD UNIQUE IDENTIFIER: 551980531712

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Flexco ESD Rubber Tile is a vulcanized rubber flooring product designed to prevent electrostatic discharge (ESD) related damage throughout it's entire thickness and is free of coatings. Flexco ESD Rubber helps dissipate unwanted static electricity from the body in areas where static discharge can damage sensitive equipment and electronics or cause ignition of combustible materials. When wearing conductive footwear, ESD Rubber provides greater mobility in areas that require static dissipation. Flexco's ESD Rubber Tile formulation is screened according to current authoritative lists and does not contain any chemicals contained in the Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list, or substances restricted under REACH.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☐ Nested Materials Method	☒ 100 ppm	☒ Completed	For all contents above the threshold, the manufacturer has:
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	Characterized ☒ Yes ☐ No
	☐ Per GHS SDS	☐ Not Completed	Provided weight and role.
Threshold Disclosed Per	☐ Other	Explanation(s) provided :	Screened ☒ Yes ☐ No
☐ Material		☒ Yes ☐ No	Provided screening results using HPDC-approved methods.
☒ Product			Identified ☐ Yes ☒ No
			Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FLEXCO ESD RUBBER TILE | KAOLIN LT-UNK | CAN SILICA GEL LT-UNK | MAM 2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE LT-UNK UNDISCLOSED BM-1* | CAN | END | MAM UNDISCLOSED BM-1* | CAN | MAM UNDISCLOSED LT-P1 | MUL | REP | SKI | EYE | AQU UNDISCLOSED LT-UNK UNDISCLOSED BM-1* | CAN | EYE | MAM | PHY UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED BM-1 | END | MUL | AQU | MAM | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | SKI | MUL | EYE | AQU UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL | SKI | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentages (%) provided as ranges to protect proprietary information.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-03-22
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-03-22
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-03-22

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FLEXCO ESD RUBBER TILE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities.

OTHER PRODUCT NOTES: None.

KAOLIN

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:11	
%: 20.0000 - 32.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

SILICA GEL

ID: 112926-00-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:12	
%: 18.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-22 12:50:11		
%: 16.0000 - 28.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:12	
?: 0.0000 - 12.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-22 12:50:12**

%: **0.0000 - 6.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:12	
?: 4.0000 - 5.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Anti-static
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Serious eye damage category 1		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2		
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:13	
?: 3.0000 - 4.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:13	
?: 0.0000 - 4.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
EYE	GHS - New Zealand	Eye irritation category 2**
CAN	GHS - New Zealand	Carcinogenicity category 2**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-22 12:50:13**

%: **1.5000 - 3.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-03-22 12:50:13**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-03-22 12:50:12

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:13	
#: 0.8000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:13	
#: 0.8000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:13		
?: 1.0000 - 1.8000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.					

UNDISCLOSED			ID: Undisclosed		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:13		
%: 0.5000 - 1.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List			
		Antimicrobials			
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List			
		Some Solvents			
SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.					

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:14		
%: 0.5000 - 1.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-22 12:50:14		
%: 0.2000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-22 12:50:14		
%: 0.0100 - 0.0400	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
SKI	GHS - New Zealand		Skin sensitisation category 1		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1		
AQU	GHS - Japan		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-07-01 00:00:00	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: All.	EXPIRY DATE: 2023-06-30 00:00:00	Services
CERTIFICATE URL: https://www.scsglobalservices.com/certified-clients/certificates/7139		
CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore® Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Registration # SCS-FS-02238.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXCELSIOR ASD-800 MANUFACTURER (OR GENERIC): Excelsior
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: ASD-800 is an acrylic wet-set adhesive specifically designed for permanent indoor installation of ESD vinyl and rubber flooring materials. ASD-800 is water-based, low VOC and solvent free. ASD-800 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April, 2017, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2018 to February 28, 2019, Certificate URL: https://www.scs-certified.com/products/cert_pdfs/RHC_2018_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_ASD-800_DataSheet.pdf
EXCELSIOR USD-810 MANUFACTURER (OR GENERIC): Excelsior
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: USD-810 is a two-part, solvent-free urethane adhesive used for the permanent installation of ESD vinyl and rubber flooring products. USD-810 is low VOC and solvent-free, yet is highly aggressive and cured to a flexible, ESD film for superior adhesion. USD-810 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April, 2017, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS02963, valid from March 1, 2018 to February 28, 2019, Certificate URL: https://www.scs-certified.com/products/cert_pdfs/RHC_2018_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_USD-810_DataSheet.pdf

Section 5: General Notes

Flexco's ESD Rubber Tile formulation is screened according to current authoritative lists and does not contain any chemicals contained in the Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list, or substances restricted under REACH. Ingredients designated "Undisclosed" are kept confidential to protect proprietary information. Hazards shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substances, whereas the end product is a solid vulcanized rubber flooring part.

MANUFACTURER INFORMATION

MANUFACTURER: **Flexco Corporation**
ADDRESS: **1401 East 6th Street**
Tuscumbia, AL 35674
COUNTRY: **United States**

WEBSITE: **<https://flexcofloors.com>**
CONTACT NAME: **Jacob Gentillon**
TITLE: **Chemist**
PHONE: **419-435-8546**
EMAIL: **jkgentillon@roppe.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

