

HPD UNIQUE IDENTIFIER: 479476736
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 06 17 13 Laminated Veneer Lumber
PRODUCT TYPE: Web Beams And Joists, Engineered Wood
PRODUCT DESCRIPTION: RedLam™ Laminated Veneer Lumber (RedLam™ LVL) is an engineered wood product manufactured in Stayton, Oregon. RedLam™ LVL is available up to 7" (178mm) in thickness, and 24" (610mm) in depth, and 80' (24.4m) in length. RedLam™ LVL is typically used as main carrying beams, headers, and wall framing and can be manufactured to precision lengths.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role.
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods.
		Identified Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
REDLAM LVL [CELLULOSE UNDISCLOSED CHEMICAL #1 BM-4 PHENOL, POLYMER WITH FORMALDEHYDE, SODIUM SALT LT-UNK UNDISCLOSED CHEMICAL #2 LT-1]
CAN | MUL | DEV UNDISCLOSED CHEMICAL #3 LT-UNK MAM]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

Due to the proprietary nature of the information, the name and CAS number for certain chemicals have been redacted from this substance entry.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: No VOC Certification
Formaldehyde emissions: JAS F**** Certificate
EPD: Environmental Product Declaration (EPD) by SCS
Sustainable forestry: SFI Sustainable Forestry Initiative - Certified Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.
Pre-checked for LEED v5 Human Health 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

REDLAM LVL

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: RedBuilt confirmed that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.	
OTHER PRODUCT NOTES: This information is a representative HPD covering standard LVL produced at RedBuilt's Stayton facility and is not applicable to LVL produced with, or that has undergone a secondary treatment process. The average weights and the anticipated components are based upon practical professional judgment and information provided by suppliers.	

CELLULOSE

ID: Biological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy				
%: 97.1400 - 97.1400	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening is not applicable to this Special Condition				
BIOLOGICAL MATERIALS CATEGORY: Tree-based materials				
INGREDIENT DESCRIPTION: Unaltered Veneer				

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UNDISCLOSED CHEMICAL #1				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 15:52:50	
%: 1.5653 - 1.6121	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	

SUBSTANCE NOTES: This substance was screened in accordance with the HPD Open Standard, and its GreenScreen® Benchmark score of BM-4 was obtained through the HPD Builder tool. RedBuilt received full formulation disclosure from the supplier for the trade-name ingredient containing this chemical down to the 1,000 ppm threshold. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

PHENOL, POLYMER WITH FORMALDEHYDE, SODIUM SALT

ID: 40798-65-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 15:52:59		
%: 1.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
None found		No listings found on Additional Hazard Lists			

SUBSTANCE NOTES: :

UNDISCLOSED CHEMICAL #2			ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 15:53:03	
?: 0.0965 - 0.0965	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Sealant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
SUBSTANCE NOTES: This substance was screened in accordance with the HPD Open Standard. RedBuilt obtained full formulation disclosure from the supplier down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.		

UNDISCLOSED CHEMICAL #3				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 15:53:07	
%: 0.0273 - 0.0273	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Sealant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This substance was screened in accordance with the HPD Open Standard. RedBuilt obtained full formulation disclosure from the supplier down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	No VOC Certification	
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: N/A COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: N/A COMPLIANCE URL: https://www.usgbc.org/leedaddenda/10466 COMPLIANCE NOTES: CDPH Standard V1.2 (Section 01350/CHPS)- Not tested	ISSUE DATE: 2022-09-06	EXPIRY DATE: No expiration
FORMALDEHYDE EMISSIONS	JAS F**** Certificate	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: PFS TECO (ROCB) COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Stayton Facility COMPLIANCE URL: http://www.pfsteco.com/docs/cert/JAS_324.pdf COMPLIANCE NOTES: Japanese Agricultural Standard (JAS) for Laminated Veneer Lumber, MAFF Notification No. 2773. Japanese Law Concerning Standardization and Proper Labeling of Agricultural Forest Products (Law No. 175 of 1950); Date of Enforcement: March 1, 2006.	ISSUE DATE: 2010-03-17	EXPIRY DATE: No expiration
EPD	Environmental Product Declaration (EPD) by SCS	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Stayton Facility COMPLIANCE URL: https://cdn.scs-certified.com/products/cert_pdfs/SCS-EPD-07525_RedBuilt_RedLam_122021.pdf COMPLIANCE NOTES: SCS-EPD-07525: PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and Report Requirements (V 3.2, UL Environment, Dec 2018) PCR Guidance for Building-Related Products and Services, Part B: Structural and Architectural Wood Products, EPD Requirements UL 10010-9 v.1.1.2020.	ISSUE DATE: 2021-12-20	EXPIRY DATE: 2026-12-19
SUSTAINABLE FORESTRY	SFI Sustainable Forestry Initiative - Certified Chain of Custody (COC)	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Stayton Facility COMPLIANCE URL: https://sfidatabase.org/certificates/scs-sfi-coc-001848-102323 COMPLIANCE NOTES: SFI Standard: SFI2022, Section 4 (Chain of Custody). Certificate covers production of Red-I joists and RedLam LVL using the volume credit method. SCS-SFI-COC-001848	ISSUE DATE: 2025-12-14	EXPIRY DATE: 2030-12-13

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

RedBuilt confirmed that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold. Due to the proprietary nature of the information, the name and CAS number for certain chemicals have been redacted from this substance entry. "Undisclosed Chemical #n" indicates chemicals RedBuilt suppliers protect with NDAs.

MANUFACTURER INFORMATION

MANUFACTURER: **RedBuilt LLC**
ADDRESS: **200 E. Mallard Drive**
Boise, Idaho 83706
COUNTRY: **USA**

WEBSITE: **www.redbuilt.com**
CONTACT NAME: **Christine Richey**
TITLE: **Professional Engineer**
PHONE: **503-640-7151**
EMAIL: **crichey@redbuilt.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types		
AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.