

HPD UNIQUE IDENTIFIER: 586336798720
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 06 83 16 Fiberglass Reinforced Paneling
PRODUCT TYPE: Fiberglass Reinforced Panels
PRODUCT DESCRIPTION: Glasliner Fiberglass Reinforced Polyester (FRP) Wall Panels, manufactured by Stabilit America, Inc. are available in textured and smooth surfaces, provide ultimate durability, satisfying the most demanding applications. Glasliner FRP panels will not mold, mildew, rot or corrode. Glasliner FRP panels are engineered to provide durability, easy cleaning and maintenance. Glasliner FRP Panels are ideal for high traffic areas in Commercial, Industrial and Agro-Industrial applications where durability, hygiene, easy cleaning, easy maintenance and abrasion resistance are required: offices, restaurants, supermarkets, food processing areas, storage areas, car washes, restrooms and many others. Glasliner FRP panels are also recommended for Residential use like garages, play rooms, bathrooms, laundry rooms, etc.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Nested Materials Method	Completed in 4 of 4 Materials	
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Product	Yes	Provided weight and role.
Threshold Level		Screened No
→ Per GHS SDS		Provided screening results using HPDC-approved methods.
		Identified No
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Nested Material | Material or Substance | Residual or Impurity

Greenscreen Score | Hazard Type

Polyester [Undisclosed NoGS Undisclosed BM-1] CAN | END | SKI | EYE | DEV | MAM | MUL | GEN | REP | AQU] Calcium Carbonate [Undisclosed BM-3dg] Fiberglass [Undisclosed LT-UNK] Pigment [Undisclosed NoGS Undisclosed BM-1] CAN | END | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1
Nanomaterial ... No
Inventory and Screening Notes:
Special Conditions applied: [Polymers]

UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.
PFAS Details:
This product does not contain intentionally added PFAS and materials and substances from suppliers are verified to not contain PFAS.
Attestation:

Angel Mendez
2026-06-04

Volatile Organic Compound (VOC) Content
VOC Content data is not applicable for this product category.

Compliance See Section 3 for additional listings.
VOC emissions: UL/GreenGuard Gold Certified
Formaldehyde content: UL/GreenGuard Gold Certified

Consistency with Other Programs
No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

POLYESTER

%: 30.0000 - 60.0000

PRODUCT THRESHOLD: Per GHS SDS RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

OTHER MATERIAL NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

UNDISCLOSED

ID: Polymer

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-04 06:46:54

%: 60.0000 - 70.0000 GreenScreen: NoGS RC: UNK NANO: No POLYMER ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

POLYMER TYPE: Crosslinked thermoset

AVERAGE MOLECULAR WEIGHT : Unknown

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

UNDISCLOSED

ID: Polymer

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-04 07:37:33

%: 30.0000 - 40.0000 GreenScreen: BM-1 RC: UNK NANO: No POLYMER ROLE: Monomer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans

CAN	CA EPA - Prop 65	Carcinogen
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
END	ChemSec - SIN List	Endocrine Disruption
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)

POLYMER TYPE: Crosslinked thermoset

AVERAGE MOLECULAR WEIGHT : Unknown

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form. The monomer has since polymerized and is no longer in free form. The Hazard is no longer present.

CALCIUM CARBONATE %: 30.0000 - 60.0000

PRODUCT THRESHOLD: Per GHS SDS RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

OTHER MATERIAL NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-04 6:46:55		
%: 99.0000 - 100.0000	GreenScreen: BM-3dg	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

FIBERGLASS

%: 10.0000 - 15.0000

PRODUCT THRESHOLD: Per GHS SDS	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Glass
--------------------------------	--	----------------------

RESIDUALS AND IMPURITIES NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

OTHER MATERIAL NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-04 6:46:56

%: 100.0000 - 100.0000

GreenScreen: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex V listing due to intrinsic safety

RESTRICTED LIST

Green Science Policy Institute (GSPI)

GSPI - Six Classes Precautionary List

Flame Retardants

RESTRICTED LIST

Cradle to Cradle Products Innovation Institute (C2CPII)

C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026

Cosmetics & Personal Care Products

SUBSTANCE NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

PIGMENT

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

OTHER MATERIAL NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

%: 50.0000 - 55.0000	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

UNDISCLOSED

ID: **Undisclosed**

%: 45.0000 - 50.0000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Stabilit America, Inc. 285 Industrial Dr Moscow, TN, 38057 USA COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1e9dd55b0e82d946a3161?page_type=Products%20Catalog COMPLIANCE NOTES:	ISSUE DATE: 2012-06-15	EXPIRY DATE: 2027-06-15
FORMALDEHYDE CONTENT	UL/GreenGuard Gold Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Stabilit America, Inc. 285 Industrial Dr Moscow, TN, 38057 USA COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1e9dd55b0e82d946a3161?page_type=Products%20Catalog COMPLIANCE NOTES:	ISSUE DATE: 2012-06-15	EXPIRY DATE: 2027-06-15

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

UL Greenguard Gold certified product. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this FRP panel is not considered a hazard when used in a manner which is consistent with the labeled directions. This FRP panel is considered an article in its final form.

MANUFACTURER INFORMATION

MANUFACTURER: **Stabilit America, Inc.**
ADDRESS: **285 Industrial Dr**
Moscow, Tennessee 38057
COUNTRY: **United States**

WEBSITE: **www.stabilitamerica.com**
CONTACT NAME: **Angel Mendez**
TITLE: **Technical Services Manager**
PHONE: **+1(901)877-3010**
EMAIL: **angel.mendez@stabilitamerica.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.