

HPD UNIQUE IDENTIFIER: 32550

CLASSIFICATION: 07 42 00 Wall Panels

PRODUCT DESCRIPTION: ResCom Board can be a substitution for the following product categories: 07 Division, Cementious Board 09 Division, Drywall & MDF 06 Division Wood & Composite Panels 06 Division Sheathing This HPD is for ResCom Internal & External Wall Linings in 4mm, 6mm, 8mm, 10mm,12mm,14mm, 16mm, 18mm, and 20mm panel thicknesses with an approximate density of 0.95 to 1.40g/cm3. ResCom WallBoard is approved for residential, commercial, and industrial building and construction; partition walls; internal and external sheathing; common finishes; decorative finishes, suspended and acoustical ceilings; XPS/EPS sandwich panels; barge boards; and fire separation panels. The standard production finish is smooth on one side, with a backer or sand finish on the other. This HPD excludes any decorative finishes applied to the panels as manufactured or otherwise. Such excluded finishes include wood veneer, wood grain paper veneer, plastic film or PVC, adhesives, or any applied coatings used to treat the panels for water impermeability or UV resistance.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☒ Nested Materials Method	☒ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
Threshold Disclosed Per	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☐ Material		☒ Yes ☐ No	Identified ☐ Yes ☒ No
☒ Product			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
RESCOM WALLBOARD INTERNAL & EXTERNAL WALL LININGS [
MAGNESIUM OXIDE BM-3dg | CAN MAGNESIUM CHLORIDE
ANHYDROUS LT-P1 | END | EYE CELLULOSE, MICROCRYSTALLINE
LT-UNK FLY ASH LT-UNK UNDISCLOSED LT-UNK | SKI
UNDISCLOSED LT-UNK UNDISCLOSED BM-4 UNDISCLOSED LT-
UNK | MAM | SKI | EYE UNDISCLOSED LT-UNK | MAM | SKI | EYE | REP
UNDISCLOSED LT-P1 | END PERLITE]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

This HPD was created with Basic Inventory in order to protect the pending patent #2015901114.All ingredients were screened, with the highest composition by percentages appearing on the US EPA Safer Chemical Ingredient List. This HPD was completed in accordance with the HPD Standard and disclosed hazards associated with all substances present in the finished product. Therefore, this HPD qualifies for the LEED v4 MR Credit: Building Disclosure and Optimization, Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2023-03-16
☐ Yes	VERIFIER:	PUBLISHED DATE: 2023-04-29
☒ No	VERIFICATION #:	EXPIRY DATE: 2026-03-16

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

RESCOM WALLBOARD INTERNAL & EXTERNAL WALL LININGS

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.	
OTHER PRODUCT NOTES:	

MAGNESIUM OXIDE	ID: Undisclosed
-----------------	-----------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:52		
%: 45.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Percentages >10% are used to disguise formulas covered as intellectual property.				

MAGNESIUM CHLORIDE ANHYDROUS	ID: Undisclosed
------------------------------	-----------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:52		
%: 20.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Percentages >10% are used to disguise formulas covered as intellectual property

CELLULOSE, MICROCRYSTALLINE

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:53		
%: 12.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. CAS RN of this substance is covered as intellectual property by the manufacturer.				

FLY ASH

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:53		
%: 10.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. Percentages >10% are used to disguise formulas covered as intellectual property.				

PERLITE

ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy				
%: 8.0000	GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Absorbent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
Hazard Screening is not applicable to this Special Condition				
INGREDIENT DESCRIPTION AND COMPOSITION: 99%+ pure PERLITE				
COUNTRY OF ORIGIN: China				
RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.				

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES: Perlite is an amorphous volcanic glass that has a relatively high water content, typically formed by the hydration of obsidian. It occurs naturally and has the unusual property of greatly expanding when heated sufficiently

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-04-26 14:58:27		
%: 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: After research, this is the best available description of that substance based on Pharos and PubChem databases. The actual material may or may not contain this substance. CAS RN of this substance is covered as intellectual property by the manufacturer.				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-17 15:17:51		
%: 0.0100 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Film former
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient Lis. CAS RN of this substance is covered as intellectual property by the manufacturer.				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:55		
%: 0.0100 - 1.0000	GreenScreen: BM-4	RC: UNK	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List Screened at		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:55		
%: 0.0100 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Antistain
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The substance is identified from Pharos database. This substance CAS RN is covered as intellectual property by the manufacturer.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:56		
%: 0.0100 - 1.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Bleaching agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The substance is identified from Pharos database. CAS RN of this substance is covered as intellectual property by the manufacturer

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-03-16 7:06:57		
%: 0.0100 - 1.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List		
		Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals		
		Flame Retardants		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals		
		Some Solvents		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Core Restrictions		

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List. CAS RN of this substance is covered as intellectual property by the manufacturer.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-03-17	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: This is not a facilities-based certification.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Accessories are not listed for this product because it has many uses, and therefore installation can be performed in many ways. Installations of these products are installed in accordance with ResCom®'s (CMC) "How to Install Guides." It is recommended that this product be installed by a competent DIY person or a suitably qualified tradesperson. The following guides can assist in finding the proper installation techniques.

1. ResCom® Installation Manual
<https://ResCom@bp.com/technical-manuals/>
2. ResCom® Multipurpose Air Barrier
<https://ResCom@bp.com/wp-content/uploads/2020/02/Rainscreen.pdf>
3. ResCom® Shaft Liner Systems Engineering Report
<https://ResCom@bp.com/technical-manuals/>
4. ResCom® Fire and Acoustic Systems Manual
<https://ResCom@bp.com/technical-manuals/>
5. InsulCore Mineral Wool Insulation Manual
https://ResCom@bp.com/wp-content/uploads/2020/02/InsulCore%20Brouchure%202019_compressed.pdf
6. Product Storage and Handling
<https://ResCom@bp.com/product-storage-handling/>
7. Limited Liability Warranty
<https://ResCom@bp.com/product-storage-handling/>
8. ResCom® MSDS
<https://ResCom@bp.com/product-storage-handling/>

MANUFACTURER INFORMATION

MANUFACTURER: **MgO Corp America LLC**
 ADDRESS: **8 Piper St.**
Kaboolture QLD 4510, Australia
 WEBSITE: **<https://rescombp.com/>**

CONTACT NAME: **Steve Marskell**
 TITLE: **Owner**
 PHONE: **(954)3789-388**
 EMAIL: **rescombp@rescombp.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.