

HPD UNIQUE IDENTIFIER: 32001

CLASSIFICATION: 03 60 00 Grouting

PRODUCT DESCRIPTION: PRO GROUT™ XTREME is an innovative, new-generation, lightweight, unique ALL-IN-ONE reactive resin mortar and grout featuring FUSION technology, which blends multiple key characteristics for the benefit of the end-user. PRO GROUT XTREME is a stain-resistant, scratch-free, and sag-free grout with exceptional color consistency and ease-of-maintenance. It is a water-cleanable, high-performance, and durable all-in-one mortar and grout that outperforms common cementitious mortars and grouts.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

| Inventory Reporting Format                               | Threshold Level                            | Residuals/Impurities Evaluation                               | For all contents above the threshold, the manufacturer has:                        |
|----------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| <input checked="" type="radio"/> Nested Materials Method | <input type="radio"/> 100 ppm              | Completed in 3 of 3 Materials                                 | <b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Basic Method                       | <input checked="" type="radio"/> 1,000 ppm | <b>Explanation(s) provided for Residuals/Impurities?</b>      | <i>Provided weight and role.</i>                                                   |
| <b>Threshold Disclosed Per</b>                           | <input type="radio"/> Per GHS SDS          | <input checked="" type="radio"/> Yes <input type="radio"/> No | <b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No      |
| <input type="radio"/> Material                           | <input type="radio"/> Other                |                                                               | <i>Provided screening results using HPDC-approved methods.</i>                     |
| <input checked="" type="radio"/> Product                 |                                            |                                                               | <b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No    |
|                                                          |                                            |                                                               | <i>Provided name and CAS RN or other identifier.</i>                               |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PRO GROUT XTREME - PART C (COLOR) [ UNDISCLOSED LT-UNK ]

UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK MUL

UNDISCLOSED LT-1 | CAN | END | MAM UNDISCLOSED LT-UNK

UNDISCLOSED BM-1 | CAN | MAM | EYE | SKI UNDISCLOSED BM-1 |

CAN | MAM UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-UNK | CAN

UNDISCLOSED BM-1 | CAN | EYE | MAM UNDISCLOSED NoGS

UNDISCLOSED LT-1 | CAN | | MAM | MUL | GEN UNDISCLOSED BM-1 |

SKI | MAM UNDISCLOSED NoGS ] PRO GROUT XTREME - PART A

(RESIN) [ PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER

WITH (CHLOROMETHYL)OXIRANE LT-P1 | MUL | SKI | EYE | AQU

OXIRANE, 2,2'-[1,4-BUTANEDIYLBIS(OXYMETHYLENE)]BIS- LT-UNK

SKI | MUL | EYE OXIRANE, MONO[(C-12-14-ALKYLOXY)METHYL]

DERIVS. LT-P1 | MUL | SKI ] PRO GROUT XTREME - PART B

(HARDENER) [ UNDISCLOSED BM-1 | MUL | POLY[OXY(METHYL-

1,2-ETHANEDIYL)], α-(2-AMINOMETHYLETHYL) -ω-(2-

AMINOMETHYLETHOXY)- LT-UNK | MUL | SKI | EYE | MAM

ISOPHORONE DIAMINE LT-P1 | SKI | MUL | EYE | AQU

BENZENEMETHANOL BM-2 | EYE | MAM | SKI UNDISCLOSED LT-P1 |

MUL | EYE | AQU | MAM | | SKI PHENOL, 4,4'-(1-

METHYLETHYLIDENE)BIS-, POLYMER WITH

(CHLOROMETHYL)OXIRANE LT-P1 | MUL | SKI | EYE | AQU 1-

PIPERAZINEETHANAMINE LT-P1 | MUL | SKI | EYE | AQU | MAM 1,2-

ETHANEDIAMINE, N-(2-AMINOETHYL)-N'-[2-[( 2-

AMINOETHYL)AMINO]ETHYL]- LT-P1 | MUL | SKI | AQU | EYE | MAM

TRIETHYLENETETRAMINE LT-P1 | SKI | MUL | MAM | EYE | AQU | REP

]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1, LT-1

Nanomaterial ... Yes

INVENTORY AND SCREENING NOTES:

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in the product, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities are available in the appropriate sections. Substances are not all identified because some are proprietary.

Material (g/l): 0-5                      Regulatory (g/l): 0-5

Does the product contain exempt VOCs: No  
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

*listings.*  
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario  
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- ☐ Yes
- ☒ No

PREPARER: Vertima  
VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2023-04-03  
PUBLISHED DATE: 2023-04-03  
EXPIRY DATE: 2026-04-03

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

|                                                                                                             |                                                   |                                              |
|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------|----------------------------------------------|
| PRO GROUT XTREME - PART C (COLOR)                                                                           |                                                   | %: 50.0000 - 65.0000                         |
| PRODUCT THRESHOLD: 1000 ppm                                                                                 | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No | MATERIAL TYPE: Geologically Derived Material |
| RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold. |                                                   |                                              |
| OTHER MATERIAL NOTES: Ranges are used to cover mixing ratios and to protect product exact recipe.           |                                                   |                                              |

|                                                                                                                                    |                      |                                              |          |                        |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------|----------|------------------------|
| UNDISCLOSED                                                                                                                        |                      | ID: Undisclosed                              |          |                        |
| HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library                                                                       |                      | HAZARD SCREENING DATE: 2023-02-01 12:04:54   |          |                        |
| %: 70.0000 - 95.0000                                                                                                               | GreenScreen: LT-UNK  | RC: UNK                                      | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE | WARNINGS                                     |          |                        |
|                                                                                                                                    | EC - CEPA DSL        | Persistence                                  |          |                        |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE | NOTIFICATION                                 |          |                        |
| None found                                                                                                                         |                      | No listings found on Additional Hazard Lists |          |                        |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                      |                                              |          |                        |

|                                                                                                                                    |                      |                                                |           |                         |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------|-----------|-------------------------|
| UNDISCLOSED                                                                                                                        |                      |                                                |           | ID: Undisclosed         |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library                                                                          |                      | HAZARD SCREENING DATE: 2023-04-03 7:38:24      |           |                         |
| %: 0.0000 - 14.0000                                                                                                                | GreenScreen: LT-UNK  | RC: UNK                                        | NANO: Yes | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE | WARNINGS                                       |           |                         |
| None found                                                                                                                         |                      | No warnings found on HPD Priority Hazard Lists |           |                         |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE | NOTIFICATION                                   |           |                         |
| None found                                                                                                                         |                      | No listings found on Additional Hazard Lists   |           |                         |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                      |                                                |           |                         |

|                                                              |  |                                            |  |
|--------------------------------------------------------------|--|--------------------------------------------|--|
| UNDISCLOSED                                                  |  | ID: Undisclosed                            |  |
| HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library |  | HAZARD SCREENING DATE: 2023-02-01 12:04:57 |  |

|                     |                          |                                              |              |          |                        |
|---------------------|--------------------------|----------------------------------------------|--------------|----------|------------------------|
| %: 0.0000 - 10.0000 |                          | GreenScreen: LT-UNK                          | RC: None     | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE         | LIST NAME AND SOURCE     |                                              | WARNINGS     |          |                        |
| MUL                 | Quebec CSST - WHMIS 1988 |                                              | Mult*        |          |                        |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE     |                                              | NOTIFICATION |          |                        |
| None found          |                          | No listings found on Additional Hazard Lists |              |          |                        |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED

ID: Undisclosed

|                                                           |                                           |                                           |                                                                                                                                                           |          |                         |
|-----------------------------------------------------------|-------------------------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                           | HAZARD SCREENING DATE: 2023-04-03 7:38:24 |                                                                                                                                                           |          |                         |
| %: 0.0000 - 10.0000                                       |                                           | GreenScreen: LT-1                         | RC: None                                                                                                                                                  | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE                                               | LIST NAME AND SOURCE                      |                                           | WARNINGS                                                                                                                                                  |          |                         |
| CAN                                                       | US CDC - Occupational Carcinogens         |                                           | Occupational Carcinogen                                                                                                                                   |          |                         |
| CAN                                                       | CA EPA - Prop 65                          |                                           | Carcinogen - specific to chemical form or exposure route                                                                                                  |          |                         |
| CAN                                                       | IARC                                      |                                           | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources                                                                            |          |                         |
| CAN                                                       | MAK                                       |                                           | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value                                                      |          |                         |
| END                                                       | TEDX - Potential Endocrine Disruptors     |                                           | Potential Endocrine Disruptor                                                                                                                             |          |                         |
| CAN                                                       | MAK                                       |                                           | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels                                                                          |          |                         |
| CAN                                                       | EU - GHS (H-Statements) Annex 6 Table 3-1 |                                           | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]                                                                                         |          |                         |
| CAN                                                       | GHS - Japan                               |                                           | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]                                                                                         |          |                         |
| MAM                                                       | GHS - Japan                               |                                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |          |                         |
| CAN                                                       | EU - Annex VI CMRs                        |                                           | Carcinogen Category 2 - Suspected human Carcinogen                                                                                                        |          |                         |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION                                                                                                                          |
|---------------------|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |
| POSITIVE LIST       | US Environmental Protection Agency (US EPA)              | US EPA - DfE Safer Chemicals Ingredients list (SCIL)<br><br>Colorants - Green Circle (Verified Low Concern)                           |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products       |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

## UNDISCLOSED

ID: **Undisclosed**

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                             | HAZARD SCREENING DATE: <b>2023-04-03 7:38:25</b>                                                            |                 |                                |
|------------------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------|
| %: <b>0.0000 - 6.0000</b>                                        | GreenScreen: <b>LT-UNK</b>                  | RC: <b>None</b>                                                                                             | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Pigment</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE                        | WARNINGS                                                                                                    |                 |                                |
| None found                                                       |                                             | No warnings found on HPD Priority Hazard Lists                                                              |                 |                                |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE                        | NOTIFICATION                                                                                                |                 |                                |
| POSITIVE LIST                                                    | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL)<br><br>Colorants - Green Circle (Verified Low Concern) |                 |                                |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

## UNDISCLOSED

ID: **Undisclosed**

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                          | HAZARD SCREENING DATE: <b>2023-04-03 7:38:25</b>                                                                                                          |                  |                                |
|------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| %: <b>0.0000 - 3.0002</b>                                        | GreenScreen: <b>BM-1</b> | RC: <b>UNK</b>                                                                                                                                            | NANO: <b>Yes</b> | SUBSTANCE ROLE: <b>Pigment</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE     | WARNINGS                                                                                                                                                  |                  |                                |
| CAN                                                              | MAK                      | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification                                                              |                  |                                |
| MAM                                                              | GHS - Japan              | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |                  |                                |
| EYE                                                              | GHS - Japan              | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                                                                       |                  |                                |
| SKI                                                              | GHS - Japan              | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                                                                  |                  |                                |

| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE | NOTIFICATION                                 |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------|
| None found                                                                                                                         |                      | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                      |                                              |

UNDISCLOSED

ID: **Undisclosed**

|                                                                                                                                    |                                       |                                                  |                                                                                                                                                           |                               |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>                                                                   |                                       | HAZARD SCREENING DATE: <b>2023-04-03 7:38:26</b> |                                                                                                                                                           |                               |
| %: <b>0.0000 - 2.4600</b>                                                                                                          | GreenScreen: <b>BM-1</b>              | RC: <b>None</b>                                  | NANO: <b>Yes</b>                                                                                                                                          | SUBSTANCE ROLE: <b>Filler</b> |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE                  |                                                  | WARNINGS                                                                                                                                                  |                               |
| CAN                                                                                                                                | GHS - Japan                           |                                                  | H350 - May cause cancer [Carcinogenicity - Category 1A]                                                                                                   |                               |
| CAN                                                                                                                                | GHS - Australia                       |                                                  | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]                                                                              |                               |
| MAM                                                                                                                                | GHS - Japan                           |                                                  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |                               |
| MAM                                                                                                                                | GHS - Australia                       |                                                  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |                               |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE                  |                                                  | NOTIFICATION                                                                                                                                              |                               |
| RESTRICTED LIST                                                                                                                    | Green Science Policy Institute (GSPI) |                                                  | GSPI - Six Classes of Problematic Chemicals                                                                                                               |                               |
|                                                                                                                                    |                                       |                                                  | Antimicrobials                                                                                                                                            |                               |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                                       |                                                  |                                                                                                                                                           |                               |

UNDISCLOSED

ID: **Undisclosed**

|                                                                                                                                    |                          |                                                  |                                                                                              |                                |
|------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>                                                                   |                          | HAZARD SCREENING DATE: <b>2023-04-03 7:38:27</b> |                                                                                              |                                |
| %: <b>0.0000 - 1.2000</b>                                                                                                          | GreenScreen: <b>BM-1</b> | RC: <b>UNK</b>                                   | NANO: <b>No</b>                                                                              | SUBSTANCE ROLE: <b>Pigment</b> |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE     |                                                  | WARNINGS                                                                                     |                                |
| CAN                                                                                                                                | MAK                      |                                                  | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |                                |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE     |                                                  | NOTIFICATION                                                                                 |                                |
| None found                                                                                                                         |                          |                                                  | No listings found on Additional Hazard Lists                                                 |                                |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                          |                                                  |                                                                                              |                                |

UNDISCLOSED

ID: **Undisclosed**

|                                                                  |  |                                                  |  |  |
|------------------------------------------------------------------|--|--------------------------------------------------|--|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |  | HAZARD SCREENING DATE: <b>2023-04-03 7:38:26</b> |  |  |
|------------------------------------------------------------------|--|--------------------------------------------------|--|--|

|                                                                                                                                    |  |                                              |                 |                                                                                              |                               |
|------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------|-----------------|----------------------------------------------------------------------------------------------|-------------------------------|
| %: 0.0000 - 1.2000                                                                                                                 |  | GreenScreen: <b>LT-UNK</b>                   | RC: <b>None</b> | NANO: <b>No</b>                                                                              | SUBSTANCE ROLE: <b>Filler</b> |
| HAZARD TYPE                                                                                                                        |  | LIST NAME AND SOURCE                         |                 | WARNINGS                                                                                     |                               |
| CAN                                                                                                                                |  | MAK                                          |                 | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |                               |
| ADDITIONAL LISTINGS                                                                                                                |  | LIST NAME AND SOURCE                         |                 | NOTIFICATION                                                                                 |                               |
| None found                                                                                                                         |  | No listings found on Additional Hazard Lists |                 |                                                                                              |                               |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |  |                                              |                 |                                                                                              |                               |

|                                                                                                                                    |                                   |                                                                                                                                                           |                                           |                         |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------|
| UNDISCLOSED                                                                                                                        |                                   |                                                                                                                                                           | ID: Undisclosed                           |                         |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library                                                                          |                                   |                                                                                                                                                           | HAZARD SCREENING DATE: 2023-04-03 7:38:27 |                         |
| %: 0.0000 - 1.0000                                                                                                                 | GreenScreen: BM-1                 | RC: None                                                                                                                                                  | NANO: No                                  | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE              | WARNINGS                                                                                                                                                  |                                           |                         |
| CAN                                                                                                                                | US CDC - Occupational Carcinogens | Occupational Carcinogen                                                                                                                                   |                                           |                         |
| CAN                                                                                                                                | MAK                               | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification                                                              |                                           |                         |
| CAN                                                                                                                                | CA EPA - Prop 65                  | Carcinogen - specific to chemical form or exposure route                                                                                                  |                                           |                         |
| CAN                                                                                                                                | IARC                              | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources                                                                            |                                           |                         |
| EYE                                                                                                                                | GHS - New Zealand                 | Eye irritation category 2                                                                                                                                 |                                           |                         |
| CAN                                                                                                                                | GHS - New Zealand                 | Carcinogenicity category 2                                                                                                                                |                                           |                         |
| CAN                                                                                                                                | GHS - Japan                       | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]                                                                                         |                                           |                         |
| MAM                                                                                                                                | GHS - Japan                       | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |                                           |                         |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE              | NOTIFICATION                                                                                                                                              |                                           |                         |
| None found                                                                                                                         |                                   | No listings found on Additional Hazard Lists                                                                                                              |                                           |                         |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                                   |                                                                                                                                                           |                                           |                         |

|                                                                  |                          |                                                  |                 |                                   |
|------------------------------------------------------------------|--------------------------|--------------------------------------------------|-----------------|-----------------------------------|
| UNDISCLOSED                                                      |                          |                                                  |                 | ID: <b>Undisclosed</b>            |
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                          | HAZARD SCREENING DATE: <b>2023-04-03 7:38:26</b> |                 |                                   |
| %: 0.0000 - 0.4200                                               | GreenScreen: <b>NoGS</b> | RC: <b>None</b>                                  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Dispersant</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE     | WARNINGS                                         |                 |                                   |
| None found                                                       |                          | No warnings found on HPD Priority Hazard Lists   |                 |                                   |

| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE | NOTIFICATION                                 |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------|
| None found                                                                                                                         |                      | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                      |                                              |

UNDISCLOSED

ID: **Undisclosed**

| HAZARD DATA SOURCE: <b>Toxnot Chemical Hazard Screening Library</b> |                                | HAZARD SCREENING DATE: <b>2023-02-01 12:05:08</b>   |                 |                                 |
|---------------------------------------------------------------------|--------------------------------|-----------------------------------------------------|-----------------|---------------------------------|
| %: <b>0.0000 - 0.3000</b>                                           | GreenScreen: <b>LT-1</b>       | RC: <b>None</b>                                     | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Impurity</b> |
| HAZARD TYPE                                                         | LIST NAME AND SOURCE           | WARNINGS                                            |                 |                                 |
| CAN                                                                 | Australia - GHS                | Carcinogenicity                                     |                 |                                 |
| CAN                                                                 | CA EPA - Prop 65               | Carcinogenicity                                     |                 |                                 |
| CAN                                                                 | IARC                           | Carcinogenicity                                     |                 |                                 |
| CAN                                                                 | MAK                            | Carcinogenicity                                     |                 |                                 |
| CAN                                                                 | US NIH - Report on Carcinogens | Carcinogenicity                                     |                 |                                 |
| CAN                                                                 | Japan - GHS                    | Carcinogenicity                                     |                 |                                 |
| CAN                                                                 | New Zealand - GHS              | Carcinogenicity                                     |                 |                                 |
|                                                                     | EC - CEPA DSL                  | Persistence                                         |                 |                                 |
| MAM                                                                 | New Zealand - GHS              | Systemic Toxicity/Organ Effects (Repeated Exposure) |                 |                                 |
| MUL                                                                 | EC - CEPA DSL                  | Mult*                                               |                 |                                 |
| MUL                                                                 | Quebec CSST - WHMIS 1988       | Mult*                                               |                 |                                 |
| MAM                                                                 | Australia - GHS                | Systemic Toxicity/Organ Effects (Repeated Exposure) |                 |                                 |
| MAM                                                                 | Japan - GHS                    | Systemic Toxicity/Organ Effects (Repeated Exposure) |                 |                                 |
| MUL                                                                 | Australia - GHS                | Mult*                                               |                 |                                 |
| GEN                                                                 | Japan - GHS                    | Mutagenicity/Genotoxicity                           |                 |                                 |
| ADDITIONAL LISTINGS                                                 | LIST NAME AND SOURCE           | NOTIFICATION                                        |                 |                                 |
| None found                                                          |                                | No listings found on Additional Hazard Lists        |                 |                                 |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED

ID: **Undisclosed**

|                                                                  |                          |                                                  |                 |                                |
|------------------------------------------------------------------|--------------------------|--------------------------------------------------|-----------------|--------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                          | HAZARD SCREENING DATE: <b>2023-04-03 7:38:26</b> |                 |                                |
| %: <b>0.0000 - 0.3000</b>                                        | GreenScreen: <b>BM-1</b> | RC: <b>None</b>                                  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Pigment</b> |

| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE                                     | WARNINGS                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| SKI                                                                                                                                | MAK                                                      | Sensitizing Substance Sh - Danger of skin sensitization                                                                                                   |
| MAM                                                                                                                                | GHS - Japan                                              | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE                                     | NOTIFICATION                                                                                                                                              |
| RESTRICTED LIST                                                                                                                    | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST                                                                                                                    | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                                                          |                                                                                                                                                           |

|                                                                                                                                    |                      |                                                |                 |                          |
|------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------|-----------------|--------------------------|
| UNDISCLOSED                                                                                                                        |                      |                                                | ID: Undisclosed |                          |
| HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library                                                                       |                      | HAZARD SCREENING DATE: 2023-02-01 12:05:09     |                 |                          |
| ?: 0.0000 - 0.2750                                                                                                                 | GreenScreen: NoGS    | RC: None                                       | NANO: No        | SUBSTANCE ROLE: Impurity |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE | WARNINGS                                       |                 |                          |
| None found                                                                                                                         |                      | No warnings found on HPD Priority Hazard Lists |                 |                          |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE | NOTIFICATION                                   |                 |                          |
| None found                                                                                                                         |                      | No listings found on Additional Hazard Lists   |                 |                          |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                      |                                                |                 |                          |

|                                                                                                             |                                                    |                                           |                                   |                                 |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------------------------|-----------------------------------|---------------------------------|
| PRO GROUT XTREME - PART A (RESIN)                                                                           |                                                    | %: 17.0000 - 25.0000                      |                                   |                                 |
| PRODUCT THRESHOLD: 1000 ppm                                                                                 | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes |                                           | MATERIAL TYPE: Polymeric Material |                                 |
| RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold. |                                                    |                                           |                                   |                                 |
| OTHER MATERIAL NOTES: Ranges are used to cover mixing ratios and to protect product exact recipe.           |                                                    |                                           |                                   |                                 |
| PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH (CHLOROMETHYL)OXIRANE                                   |                                                    |                                           |                                   | ID: 25068-38-6                  |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library                                                   |                                                    | HAZARD SCREENING DATE: 2023-04-03 7:38:27 |                                   |                                 |
| %: 60.0000 - 80.0000                                                                                        | GreenScreen: LT-P1                                 | RC: None                                  | NANO: No                          | SUBSTANCE ROLE: Polymer species |

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS                                                                                                                                                                   |
|---------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MUL                 | German FEA - Substances Hazardous to Waters              | Class 2 - Hazard to Waters                                                                                                                                                 |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1                | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                                                                                     |
| EYE                 | EU - GHS (H-Statements) Annex 6 Table 3-1                | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                                                                     |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1                | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]                                                       |
| EYE                 | GHS - New Zealand                                        | Eye irritation category 2                                                                                                                                                  |
| SKI                 | GHS - Australia                                          | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                                                                                     |
| EYE                 | GHS - Australia                                          | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                                                                     |
| SKI                 | GHS - Japan                                              | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                                                                                   |
| SKI                 | GHS - New Zealand                                        | Skin sensitisation category 1                                                                                                                                              |
| AQU                 | GHS - New Zealand                                        | Hazardous to the aquatic environment - chronic category 2                                                                                                                  |
| AQU                 | GHS - Japan                                              | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]                                                                              |
| AQU                 | GHS - Japan                                              | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]                                                  |
| AQU                 | GHS - Australia                                          | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]                                                       |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION                                                                                                                                                               |
| RESTRICTED LIST     | International Living Future Institute (ILFI)             | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2022<br><br>Red List substances to avoid in Living Building Challenge V4.0 projects |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Core Restrictions                                                       |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

|                                                           |                     |                                           |          |                         |
|-----------------------------------------------------------|---------------------|-------------------------------------------|----------|-------------------------|
| OXIRANE, 2,2'-[1,4-BUTANEDIYLBIS(OXYMETHYLENE)]BIS-       |                     |                                           |          | ID: 2425-79-8           |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                     | HAZARD SCREENING DATE: 2023-04-03 7:38:28 |          |                         |
| %: 7.0000 - 13.0000                                       | GreenScreen: LT-UNK | RC: None                                  | NANO: No | SUBSTANCE ROLE: Diluent |

| HAZARD TYPE                                                       | LIST NAME AND SOURCE                        | WARNINGS                                                                                 |
|-------------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------|
| SKI                                                               | MAK                                         | Sensitizing Substance Sh - Danger of skin sensitization                                  |
| MUL                                                               | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                               |
| SKI                                                               | EU - GHS (H-Statements) Annex 6 Table 3-1   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                   |
| EYE                                                               | EU - GHS (H-Statements) Annex 6 Table 3-1   | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]   |
| SKI                                                               | GHS - New Zealand                           | Skin irritation category 2                                                               |
| EYE                                                               | GHS - New Zealand                           | Eye irritation category 2                                                                |
| SKI                                                               | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                   |
| EYE                                                               | GHS - Australia                             | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]   |
| SKI                                                               | GHS - Japan                                 | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                 |
| SKI                                                               | GHS - New Zealand                           | Skin sensitisation category 1                                                            |
| EYE                                                               | GHS - Japan                                 | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |
| ADDITIONAL LISTINGS                                               | LIST NAME AND SOURCE                        | NOTIFICATION                                                                             |
| RESTRICTED LIST                                                   | Green Science Policy Institute (GSPI)       | GSPI - Six Classes of Problematic Chemicals<br><br>Some Solvents                         |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. |                                             |                                                                                          |

OXIRANE, MONO[(C12-14-ALKYLOXY)METHYL] DERIVS.
ID: 68609-97-2

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                             | HAZARD SCREENING DATE: 2023-04-03 7:38:29                                |          |                         |
|-----------------------------------------------------------|---------------------------------------------|--------------------------------------------------------------------------|----------|-------------------------|
| %: 7.0000 - 13.0000                                       | GreenScreen: LT-P1                          | RC: None                                                                 | NANO: No | SUBSTANCE ROLE: Diluent |
| HAZARD TYPE                                               | LIST NAME AND SOURCE                        | WARNINGS                                                                 |          |                         |
| MUL                                                       | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                               |          |                         |
| SKI                                                       | EU - GHS (H-Statements) Annex 6 Table 3-1   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]   |          |                         |
| SKI                                                       | GHS - New Zealand                           | Skin irritation category 2                                               |          |                         |
| SKI                                                       | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]   |          |                         |
| SKI                                                       | GHS - Japan                                 | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |          |                         |
| SKI                                                       | GHS - New Zealand                           | Skin sensitisation category 1                                            |          |                         |

| ADDITIONAL LISTINGS                                               | LIST NAME AND SOURCE                  | NOTIFICATION                                                     |
|-------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------|
| RESTRICTED LIST                                                   | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br><br>Some Solvents |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. |                                       |                                                                  |

|                                                                                                             |  |                                                    |                                   |
|-------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------|-----------------------------------|
| PRO GROUT XTREME - PART B (HARDNER)                                                                         |  | %: 17.0000 - 25.0000                               |                                   |
| PRODUCT THRESHOLD: 1000 ppm                                                                                 |  | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Polymeric Material |
| RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold. |  |                                                    |                                   |
| OTHER MATERIAL NOTES: Ranges are used to cover mixing ratios and to protect product exact recipe.           |  |                                                    |                                   |

|                                                                                                                                    |                                             |                                            |                                              |                           |  |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------|----------------------------------------------|---------------------------|--|
| UNDISCLOSED                                                                                                                        |                                             |                                            |                                              | ID: Undisclosed           |  |
| HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library                                                                       |                                             | HAZARD SCREENING DATE: 2023-02-01 12:05:16 |                                              |                           |  |
| %: 30.0000 - 60.0000                                                                                                               | GreenScreen: BM-1                           | RC: None                                   | NANO: No                                     | SUBSTANCE ROLE: Activator |  |
| HAZARD TYPE                                                                                                                        | LIST NAME AND SOURCE                        |                                            | WARNINGS                                     |                           |  |
| MUL                                                                                                                                | German FEA - Substances Hazardous to Waters |                                            | Mult*                                        |                           |  |
|                                                                                                                                    | EC - CEPA DSL                               |                                            | Persistence                                  |                           |  |
| ADDITIONAL LISTINGS                                                                                                                | LIST NAME AND SOURCE                        |                                            | NOTIFICATION                                 |                           |  |
| None found                                                                                                                         |                                             |                                            | No listings found on Additional Hazard Lists |                           |  |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary. |                                             |                                            |                                              |                           |  |

|                                                                                    |                     |                                           |          |                              |
|------------------------------------------------------------------------------------|---------------------|-------------------------------------------|----------|------------------------------|
| POLY[OXY(METHYL-1,2-ETHANEDIYL)], α-(2-AMINOMETHYLETHYL) -ω-(2-AMINOMETHYLETHOXY)- |                     |                                           |          | ID: 9046-10-0                |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library                          |                     | HAZARD SCREENING DATE: 2023-04-03 7:38:28 |          |                              |
| %: 7.0000 - 13.0000                                                                | GreenScreen: LT-UNK | RC: None                                  | NANO: No | SUBSTANCE ROLE: Curing agent |
|                                                                                    |                     |                                           |          |                              |

| HAZARD TYPE                                                       | LIST NAME AND SOURCE                        | WARNINGS                                                                                             |
|-------------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------|
| MUL                                                               | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                           |
| SKI                                                               | GHS - New Zealand                           | Skin corrosion category 1C                                                                           |
| EYE                                                               | GHS - New Zealand                           | Serious eye damage category 1                                                                        |
| SKI                                                               | GHS - Australia                             | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| MAM                                                               | GHS - New Zealand                           | Acute dermal toxicity category 3                                                                     |
| MAM                                                               | GHS - New Zealand                           | Acute oral toxicity category 3                                                                       |
| ADDITIONAL LISTINGS                                               | LIST NAME AND SOURCE                        | NOTIFICATION                                                                                         |
| None found                                                        |                                             | No listings found on Additional Hazard Lists                                                         |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. |                                             |                                                                                                      |

ISOPHORONE DIAMINE

ID: 2855-13-2

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                             | HAZARD SCREENING DATE: <b>2023-04-03 7:38:30</b>                                                     |                 |                                     |
|------------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------|
| %: <b>7.0000 - 13.0000</b>                                       | GreenScreen: <b>LT-P1</b>                   | RC: <b>None</b>                                                                                      | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Curing agent</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE                        | WARNINGS                                                                                             |                 |                                     |
| SKI                                                              | MAK                                         | Sensitizing Substance Sh - Danger of skin sensitization                                              |                 |                                     |
| MUL                                                              | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                           |                 |                                     |
| SKI                                                              | EU - GHS (H-Statements) Annex 6 Table 3-1   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |                 |                                     |
| EYE                                                              | EU - GHS (H-Statements) Annex 6 Table 3-1   | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]                    |                 |                                     |
| SKI                                                              | GHS - New Zealand                           | Skin corrosion category 1C                                                                           |                 |                                     |
| EYE                                                              | GHS - New Zealand                           | Serious eye damage category 1                                                                        |                 |                                     |
| EYE                                                              | GHS - Japan                                 | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                  |                 |                                     |
| SKI                                                              | GHS - Japan                                 | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]            |                 |                                     |
| SKI                                                              | GHS - Australia                             | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |                 |                                     |
| AQU                                                              | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3                                            |                 |                                     |
| SKI                                                              | GHS - New Zealand                           | Skin sensitisation category 1                                                                        |                 |                                     |

| ADDITIONAL LISTINGS                                               | LIST NAME AND SOURCE                  | NOTIFICATION                                                     |
|-------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------|
| RESTRICTED LIST                                                   | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br><br>Some Solvents |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. |                                       |                                                                  |

BENZENEMETHANOL

ID: 100-51-6

|                                                                   |                                                          |                                           |                                                                                             |                         |
|-------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library         |                                                          | HAZARD SCREENING DATE: 2023-04-03 7:38:29 |                                                                                             |                         |
| %: 7.0000 - 13.0000                                               | GreenScreen: BM-2                                        | RC: None                                  | NANO: No                                                                                    | SUBSTANCE ROLE: Solvent |
| HAZARD TYPE                                                       | LIST NAME AND SOURCE                                     |                                           | WARNINGS                                                                                    |                         |
| EYE                                                               | GHS - New Zealand                                        |                                           | Eye irritation category 2                                                                   |                         |
| EYE                                                               | GHS - Australia                                          |                                           | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]      |                         |
| MAM                                                               | GHS - Japan                                              |                                           | H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]                   |                         |
| SKI                                                               | GHS - New Zealand                                        |                                           | Skin sensitisation category 1                                                               |                         |
| ADDITIONAL LISTINGS                                               | LIST NAME AND SOURCE                                     |                                           | NOTIFICATION                                                                                |                         |
| RESTRICTED LIST                                                   | Cradle to Cradle Products Innovation Institute (C2CP II) |                                           | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |                         |
|                                                                   |                                                          |                                           | Children's Products                                                                         |                         |
| RESTRICTED LIST                                                   | Cradle to Cradle Products Innovation Institute (C2CP II) |                                           | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |                         |
|                                                                   |                                                          |                                           | Cosmetics & Personal Care Products                                                          |                         |
| RESTRICTED LIST                                                   | Green Science Policy Institute (GSPI)                    |                                           | GSPI - Six Classes of Problematic Chemicals                                                 |                         |
|                                                                   |                                                          |                                           | Some Solvents                                                                               |                         |
| RESTRICTED LIST                                                   | Green Science Policy Institute (GSPI)                    |                                           | GSPI - Six Classes of Problematic Chemicals                                                 |                         |
|                                                                   |                                                          |                                           | Antimicrobials                                                                              |                         |
| SUBSTANCE NOTES: Ranges are used to protect product exact recipe. |                                                          |                                           |                                                                                             |                         |

UNDISCLOSED

ID: Undisclosed

|                                                              |                    |                                            |          |                            |
|--------------------------------------------------------------|--------------------|--------------------------------------------|----------|----------------------------|
| HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library |                    | HAZARD SCREENING DATE: 2023-02-01 12:05:24 |          |                            |
| %: 3.0000 - 7.0000                                           | GreenScreen: LT-P1 | RC: None                                   | NANO: No | SUBSTANCE ROLE: Surfactant |

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS                                            |
|-------------|---------------------------------------------|-----------------------------------------------------|
| MUL         | German FEA - Substances Hazardous to Waters | Mult*                                               |
| EYE         | New Zealand - GHS                           | Eye Irritation/Corrosivity                          |
| MUL         | EC - CEPA DSL                               | Mult*                                               |
| AQU         | New Zealand - GHS                           | Acute Aquatic Toxicity                              |
| MAM         | Australia - GHS                             | Systemic Toxicity/Organ Effects (Repeated Exposure) |
| MUL         | Australia - GHS                             | Mult*                                               |
| EYE         | Australia - GHS                             | Eye Irritation/Corrosivity                          |
| MAM         | Australia - GHS                             | Acute Mammalian Toxicity                            |
| AQU         | New Zealand - GHS                           | Chronic Aquatic Toxicity                            |
|             | EC - CEPA DSL                               | Bioaccumulation                                     |
| SKI         | Australia - GHS                             | Skin Irritation/Corrosivity                         |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|----------------------------------------------|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH (CHLOROMETHYL)OXIRANE

ID: 25068-38-6

|                                                                  |                           |                                                  |                 |                                        |
|------------------------------------------------------------------|---------------------------|--------------------------------------------------|-----------------|----------------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                           | HAZARD SCREENING DATE: <b>2023-04-03 7:38:30</b> |                 |                                        |
| %: <b>3.0000 - 7.0000</b>                                        | GreenScreen: <b>LT-P1</b> | RC: <b>None</b>                                  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Polymer species</b> |

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS                                                                                                                  |
|-------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                                                |
| SKI         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                                    |
| EYE         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                    |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]      |
| EYE         | GHS - New Zealand                           | Eye irritation category 2                                                                                                 |
| SKI         | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                                    |
| EYE         | GHS - Australia                             | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                    |
| SKI         | GHS - Japan                                 | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                                  |
| SKI         | GHS - New Zealand                           | Skin sensitisation category 1                                                                                             |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 2                                                                 |
| AQU         | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]                             |
| AQU         | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU         | GHS - Australia                             | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]      |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION                                                                                |
|---------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------------|
| RESTRICTED LIST     | International Living Future Institute (ILFI)            | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2022 |
|                     |                                                         | Red List substances to avoid in Living Building Challenge V4.0 projects                     |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
|                     |                                                         | Core Restrictions                                                                           |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

## 1-PIPERAZINEETHANAMINE

ID: 140-31-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-04-03 7:38:30**

%: **3.0000 - 7.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS                                                                                             |
|---------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------|
| MUL                 | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                           |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| SKI                 | GHS - New Zealand                           | Skin corrosion category 1C                                                                           |
| EYE                 | GHS - New Zealand                           | Serious eye damage category 1                                                                        |
| EYE                 | GHS - Japan                                 | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                  |
| SKI                 | GHS - Japan                                 | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]            |
| SKI                 | GHS - Australia                             | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3                                            |
| SKI                 | GHS - New Zealand                           | Skin sensitisation category 1                                                                        |
| MAM                 | GHS - Japan                                 | H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]                             |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION                                                                                         |
| None found          |                                             | No listings found on Additional Hazard Lists                                                         |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

1,2-ETHANEDIAMINE, N-(2-AMINOETHYL)-N'-[2-[( 2-AMINOETHYL)AMINO]ETHYL]-

ID: 112-57-2

|                              |                                       |                        |                    |
|------------------------------|---------------------------------------|------------------------|--------------------|
| HAZARD DATA SOURCE:          | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: | 2023-04-03 7:38:29 |
| %: 3.0000 - 7.0000           | GreenScreen: LT-P1                    | RC: None               | NANO: No           |
| SUBSTANCE ROLE: Curing agent |                                       |                        |                    |

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS                                                                                                                  |
|---------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| MUL                 | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                                                |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]                      |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]      |
| SKI                 | GHS - New Zealand                           | Skin corrosion category 1C                                                                                                |
| EYE                 | GHS - New Zealand                           | Serious eye damage category 1                                                                                             |
| EYE                 | GHS - Japan                                 | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                                       |
| SKI                 | GHS - Japan                                 | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]                                 |
| SKI                 | GHS - Australia                             | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]                      |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3                                                                 |
| SKI                 | GHS - New Zealand                           | Skin sensitisation category 1                                                                                             |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 2                                                                 |
| AQU                 | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]                             |
| AQU                 | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU                 | GHS - Australia                             | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]      |
| MAM                 | GHS - Japan                                 | H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]                                                  |
| MAM                 | GHS - New Zealand                           | Acute dermal toxicity category 3                                                                                          |
| MAM                 | GHS - Australia                             | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]                                                   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION                                                                                                              |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)       | GSPI - Six Classes of Problematic Chemicals<br><br>Some Solvents                                                          |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

TRIETHYLENETETRAMINE

ID: 112-24-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library    HAZARD SCREENING DATE: 2023-04-03 7:38:28

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS                                                                                             |
|---------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------|
| SKI                 | MAK                                         | Sensitizing Substance Sh - Danger of skin sensitization                                              |
| MUL                 | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters                                                                           |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| MAM                 | GHS - New Zealand                           | Specific target organ toxicity - repeated exposure category 1                                        |
| SKI                 | GHS - New Zealand                           | Skin corrosion category 1C                                                                           |
| EYE                 | GHS - New Zealand                           | Serious eye damage category 1                                                                        |
| EYE                 | GHS - Japan                                 | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                  |
| SKI                 | GHS - Japan                                 | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]            |
| SKI                 | GHS - Australia                             | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| SKI                 | GHS - New Zealand                           | Skin sensitisation category 1                                                                        |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 2                                            |
| REP                 | GHS - New Zealand                           | Reproductive toxicity category 2                                                                     |
| MAM                 | GHS - Japan                                 | H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]                             |
| MAM                 | GHS - New Zealand                           | Acute dermal toxicity category 3                                                                     |
| MAM                 | GHS - Australia                             | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]                              |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION                                                                                         |
| None found          |                                             | No listings found on Additional Hazard Lists                                                         |

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                                                                                                       |                         | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------|
| CERTIFYING PARTY: Third Party                                                                                                                                                                                                                                                       | ISSUE DATE: 2022-07-06  | CERTIFIER OR LAB: Intertek Testing Services NA, Inc.                         |
| APPLICABLE FACILITIES: All.                                                                                                                                                                                                                                                         | EXPIRY DATE: 2023-07-05 |                                                                              |
| CERTIFICATE URL:<br><a href="https://sustainabilitydirectory.intertek.com/images/certificates/a6bf133f-b8a8-44d4-a270-7c79811f82af/CA-88912-2022d.pdf">https://sustainabilitydirectory.intertek.com/images/certificates/a6bf133f-b8a8-44d4-a270-7c79811f82af/CA-88912-2022d.pdf</a> |                         |                                                                              |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: CA-88912-2022d. Total VOCs after 14 days (336 hours): Between 0.5 and 5.0 mg/m3.                                                                                                                                            |                         |                                                                              |
| VOC EMISSIONS                                                                                                                                                                                                                                                                       |                         | CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario        |
| CERTIFYING PARTY: Third Party                                                                                                                                                                                                                                                       | ISSUE DATE: 2022-07-06  | CERTIFIER OR LAB: Intertek Testing Services NA, Inc.                         |
| APPLICABLE FACILITIES: All.                                                                                                                                                                                                                                                         | EXPIRY DATE: 2023-07-05 |                                                                              |
| CERTIFICATE URL:<br><a href="https://sustainabilitydirectory.intertek.com/images/certificates/a6bf133f-b8a8-44d4-a270-7c79811f82af/CA-88912-2022d.pdf">https://sustainabilitydirectory.intertek.com/images/certificates/a6bf133f-b8a8-44d4-a270-7c79811f82af/CA-88912-2022d.pdf</a> |                         |                                                                              |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: CA-88912-2022d. Total VOCs after 14 days (336 hours): Between 0.5 and 5.0 mg/m3.                                                                                                                                            |                         |                                                                              |
| VOC CONTENT                                                                                                                                                                                                                                                                         |                         | EPA Method 24 - Volatile Matter Content (EPA 24)                             |
| CERTIFYING PARTY: Self-declared                                                                                                                                                                                                                                                     | ISSUE DATE: 2023-04-03  | CERTIFIER OR LAB: n/a                                                        |
| APPLICABLE FACILITIES: All.                                                                                                                                                                                                                                                         | EXPIRY DATE:            |                                                                              |
| CERTIFICATE URL:                                                                                                                                                                                                                                                                    |                         |                                                                              |
| CERTIFICATION AND COMPLIANCE NOTES: Product VOC content was self-calculated. The VOC content is 0-5 g/L for part A, 0-5 g/L for part B and 0 g/L for part C.                                                                                                                        |                         |                                                                              |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

| PRO GROUT™ EASE                                                                                                                                                                                                                                                                                   |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| MANUFACTURER (OR GENERIC): PROMA Adhesives Inc.                                                                                                                                                                                                                                                   |  |
| HPD URL: no hpd available                                                                                                                                                                                                                                                                         |  |
| ACCESSORY TYPE: Cleaning Product                                                                                                                                                                                                                                                                  |  |
| CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PRO GROUT™ EASE is a fast-drying, water-soluble protector for tile and stone designed to prevent grout residues of all types from sticking to the surface of tiles and stones in order to aid residue cleanup after grout application. |  |

## Section 5: General Notes

## MANUFACTURER INFORMATION

**MANUFACTURER:** PROMA Adhesives Inc.  
**ADDRESS:** 9801, Parkway  
 Anjou Quebec H1J 1P3, Canada  
**WEBSITE:** [www.proma.ca](http://www.proma.ca) / [www.proma.us](http://www.proma.us)

**CONTACT NAME:** Caroline Sow  
**TITLE:** R&D LAB DIRECTOR  
**PHONE:** 514.852.8585  
**EMAIL:** [caroline.sow@proma.ca](mailto:caroline.sow@proma.ca)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b> Substances listed within each material per threshold indicated per product   |
| <b>Basic Method / Product Threshold</b> Substances listed individually per threshold indicated per product            |

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*