

HPD UNIQUE IDENTIFIER: 32590

CLASSIFICATION: 08 13 13.13 Standard Hollow Metal Doors

PRODUCT DESCRIPTION: DL Series standard premium commercial grade hollow metal doors are strong. Constructed with a high resistance to impacts, low thermal conductivity and high acoustical performances. They are standard non-handed flush design door with light options, center edge seam projection welded construction, flush 16-gauge top channel and inverted 16-gauge bottom channel. Hinge and lock edges are 16-gauge channel reinforced the full height of the door welded 5" on center. The hinge channel includes universal standard to heavy weight hinge reinforcements with 3/16" hinge thread engagement. Lock channel designed with cylindrical, mortise lock or a variety of custom lock preparations. Standard 14-gauge (18"x6") closer reinforcement available. Additional options include lock-side bevel, seamless filled or welded edges. Door skins options are 20, 18, or 16 gauge (14 gauge see DE series) CRS with A60 and G90 selections. Polystyrene cores are bonded to face sheets for an attractive, flat door. Available 1-3/4" nominal thickness in sizes 1'0 x 1'0 min through 4'10" x 10'0 (over 4' must be steel stiffened core).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☒ Nested Materials Method	☒ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
Threshold Disclosed Per		☒ Yes ☐ No	Identified ☒ Yes ☐ No
☐ Material			<i>Provided name and CAS RN or other identifier.</i>
☒ Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

DL SERIES PREMIUM HOLLOW METAL DOORS WITH POLYSTYRENE CORE [**POLYSTYRENE** **LT-UNK** **PENTANE** **LT-P1** | **MUL** | **PHY** | **MAM** | **AQU** | **EYE** **CALCIUM CARBONATE** **BM-3dg** **TALC** **BM-1** | **CAN** | **MAM** **TITANIUM DIOXIDE** **LT-1*** | **CAN** | **END** | **MAM** **ISOPENTANE** **LT-P1** | **MUL** | **MAM** | **AQU** | **PHY** | **EYE** **SULFONIUM COMPOUNDS, C11-14-ALKYLBIS(HYDROXYETHYL), 2-HYDROXYETHYL SULFATES (SALTS)** **LT-P1** | **MUL** **IRON HYDROXIDE OXIDE (FE(OH)O)** **LT-UNK*** **UNS G10080 STEEL ALLOY**]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [MetalAlloy]

All the chemicals that fall above the stated threshold are included and screened against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified? ☐ Yes	PREPARER: Self-Prepared VERIFIER:	SCREENING DATE: 2023-05-01 PUBLISHED DATE: 2023-05-04
--	--------------------------------------	--

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

DL SERIES PREMIUM HOLLOW METAL DOORS WITH POLYSTYRENE CORE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residual and impurity information was collected from suppliers and substances that fall above the stated reporting threshold have been included in the inventory.

OTHER PRODUCT NOTES: This HPD covers the DL Series standard premium commercial grade hollow metal doors with a polystyrene core.

UNS G10080 STEEL ALLOY

ID: UNS G10080

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library

%: 95.0000 - 97.0000GreenScreen: See notesRC: BothNANO: NoMATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [UNS G10080]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: None

LISTING NOTES:

MATERIAL CONTENT NOTES: This steel consists of both pre-consumer and post-consumer recycled metal. Pre-consumer recycled content comes from internal scrap at the supplier manufacturing facility and/or other metal processing plants. The sources of post-consumer recycled content are varied but include automobiles, buildings, equipment, etc.

GreenScreen BM-1 and LT-1 scores of constituent alloying elements are listed, but it should be noted that hazard assessment of individual elements is different and not commensurate with hazard assessment of metal alloys, which have different physical and reactive properties, and for which a comprehensive hazard assessment methodology has not been identified that supports the purpose of an HPD. No metal alloy product or supplier HPDs available.

POLYSTYRENE

ID: 9003-53-6

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2023-05-01 12:01:54

%: 0.0000 - 5.0000GreenScreen: LT-UNKRC: NoneNANO: UnknownSUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
SUBSTANCE NOTES:		

PENTANE

ID: 109-66-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-05-01 12:01:55

%: 0.0000 - 1.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Blowing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
AQU	GHS - Malaysia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents

SUBSTANCE NOTES:

CALCIUM CARBONATE				ID: 1317-65-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-05-01 12:01:56			
?: 0.0000 - 0.1000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

TALC				ID: 14807-96-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-05-01 12:01:56		
?: 0.0000 - 0.1000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-05-01 12:01:57		
?: 0.0000 - 0.1000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

ISOPENTANE

ID: 78-78-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-05-01 12:01:56		
%: 0.0000 - 0.0500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H224 - Extremely flammable liquid and vapour [Flammable liquids - Category 1]
EYE	GHS - New Zealand	Eye irritation category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 1
PHY	GHS - Japan	H224 - Extremely flammable liquid and vapour [Flammable liquids - Category 1]
PHY	GHS - Australia	H224 - Extremely flammable liquid and vapour [Flammable liquids - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents
SUBSTANCE NOTES:		

SULFONIUM COMPOUNDS, C11-14-ALKYLBIS(HYDROXYETHYL), 2-HYDROXYETHYL SULFATES (SALTS)

ID: 78169-20-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-05-01 12:01:56		
%: 0.0000 - 0.0500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

IRON HYDROXIDE OXIDE (FE(OH)O)

ID: 20344-49-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-05-01 12:01:57
---	--

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-08-22	CERTIFIER OR LAB: Intertek
APPLICABLE FACILITIES: All applicable facilities	EXPIRY DATE: 2023-08-21	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is representative of the DL Series. All product variations across the series have been evaluated for this HPD.

MANUFACTURER INFORMATION

MANUFACTURER: Allegion
ADDRESS: 155 Republic Drive
McKenzie TN 38201, United States
WEBSITE: www.allegion.com

CONTACT NAME: Aaron Owens
TITLE: Sustainability Specialist
PHONE: 317-316-1712
EMAIL: aaron.owens@allegion.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.