

**HPD UNIQUE IDENTIFIER:** 14959405257728

**CLASSIFICATION:** 09 24 00 Cement Plastering

**PRODUCT DESCRIPTION:** Masonry Grout Filler is a fine grout category defined by American Concrete Institute (ACI), and is composed of portland cement, natural sand, selected fine aggregates, and special additives. The Masonry Grout Filler contains admixtures following ASTM C 476, C207, C260 to meet the fine grout category. Masonry Grout Filler is supplied as a dry powder in pre-weighed bags ready to use on-site, which requires only the addition of clean water to produce pourable grout. Masonry Grout Filler is ideal for grouting masonry blocks, masonry units, cores, and a filler behind marble slabs./ Vetonit Spatter Dash SB cement-based key coat composed of hydraulic binders, selected sand aggregates, and high-performance additives. It is supplied as a dry powder in pre-weighed bags ready to use on-site, which requires only the addition of clean water to produce easily sprayable mortar. Spatter Dash SB is a high-quality product for multipurpose applications and contains a special bonding agent.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

| Inventory Reporting Format                               | Threshold Level                            | Residuals/Impurities Evaluation                               | For all contents above the threshold, the manufacturer has:                        |
|----------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| <input checked="" type="radio"/> Nested Materials Method | <input type="radio"/> 100 ppm              | <input type="radio"/> Completed                               | <b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Basic Method                       | <input checked="" type="radio"/> 1,000 ppm | <input checked="" type="radio"/> Not Completed                | <i>Provided weight and role.</i>                                                   |
| <b>Threshold Disclosed Per</b>                           | <input type="radio"/> Per GHS SDS          | <b>Explanation(s) provided for Residuals/Impurities?</b>      | <b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No      |
| <input type="radio"/> Material                           | <input type="radio"/> Other                | <input checked="" type="radio"/> Yes <input type="radio"/> No | <i>Provided screening results using HPDC-approved methods.</i>                     |
| <input checked="" type="radio"/> Product                 |                                            |                                                               | <b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No    |
|                                                          |                                            |                                                               | <i>Provided name and CAS RN or other identifier.</i>                               |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MASONRY GROUT FILLER & VETONIT SPATTER DASH SB [ LIMESTONE BM-3dg PORTLAND CEMENT LT-P1 | CAN | END | MAM CALCIUM HYDROXIDE LT-P1 | SKI | MAM | EYE ETHYLENEVINYLACETATE COPOLYMER LT-UNK SODIUM POLYNAPHTHALENESULFONATE LT-P1 PBT METHYLCELLULOSE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4.1 MR Credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

Formaldehyde content: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by the Green Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

|                                     |                         |                            |
|-------------------------------------|-------------------------|----------------------------|
| Third Party Verified?               | PREPARER: Self-Prepared | SCREENING DATE: 2023-05-21 |
| <input type="radio"/> Yes           | VERIFIER:               | PUBLISHED DATE: 2023-05-28 |
| <input checked="" type="radio"/> No | VERIFICATION #:         | EXPIRY DATE: 2026-05-21    |

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

MASONRY GROUT FILLER & VETONIT SPATTER DASH SB %: 100.0000

|                                                                                           |                                                   |                                          |
|-------------------------------------------------------------------------------------------|---------------------------------------------------|------------------------------------------|
| PRODUCT THRESHOLD: 1000 ppm                                                               | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No | MATERIAL TYPE: Other: Plasters & Masonry |
| RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are considered.                |                                                   |                                          |
| OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold. |                                                   |                                          |

LIMESTONE

ID: 1317-65-3

|                                                           |                      |                                                |          |                        |
|-----------------------------------------------------------|----------------------|------------------------------------------------|----------|------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                      | HAZARD SCREENING DATE: 2023-05-21 0:07:37      |          |                        |
| %: 60.0000 - 75.0000                                      | GreenScreen: BM-3dg  | RC: None                                       | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE                                               | LIST NAME AND SOURCE | WARNINGS                                       |          |                        |
| None found                                                |                      | No warnings found on HPD Priority Hazard Lists |          |                        |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE | NOTIFICATION                                   |          |                        |
| None found                                                |                      | No listings found on Additional Hazard Lists   |          |                        |
| SUBSTANCE NOTES: NIL                                      |                      |                                                |          |                        |

PORTLAND CEMENT

ID: 65997-15-1

|                                                           |                                       |                                           |                                                                                                                                                           |                                     |
|-----------------------------------------------------------|---------------------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2023-05-21 0:07:37 |                                                                                                                                                           |                                     |
| %: 10.0000 - 35.0000                                      | GreenScreen: LT-P1                    | RC: None                                  | NANO: No                                                                                                                                                  | SUBSTANCE ROLE: Structure component |
| HAZARD TYPE                                               | LIST NAME AND SOURCE                  |                                           | WARNINGS                                                                                                                                                  |                                     |
| CAN                                                       | MAK                                   |                                           | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification                                                              |                                     |
| END                                                       | TEDX - Potential Endocrine Disruptors |                                           | Potential Endocrine Disruptor                                                                                                                             |                                     |
| MAM                                                       | GHS - Japan                           |                                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |                                     |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                  |                                           | NOTIFICATION                                                                                                                                              |                                     |
| None found                                                |                                       |                                           | No listings found on Additional Hazard Lists                                                                                                              |                                     |
| SUBSTANCE NOTES: NIL                                      |                                       |                                           |                                                                                                                                                           |                                     |

|                                                           |                                                          |                                                                                                                  |          |                                     |
|-----------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                                          | HAZARD SCREENING DATE: 2023-05-21 0:07:38                                                                        |          |                                     |
| %: 0.0000 - 6.0000                                        | GreenScreen: LT-P1                                       | RC: None                                                                                                         | NANO: No | SUBSTANCE ROLE: Structure component |
| HAZARD TYPE                                               | LIST NAME AND SOURCE                                     | WARNINGS                                                                                                         |          |                                     |
| SKI                                                       | GHS - Australia                                          | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                           |          |                                     |
| MAM                                                       | GHS - Japan                                              | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |          |                                     |
| SKI                                                       | GHS - New Zealand                                        | Skin corrosion category 1C                                                                                       |          |                                     |
| EYE                                                       | GHS - New Zealand                                        | Serious eye damage category 1                                                                                    |          |                                     |
| EYE                                                       | GHS - Japan                                              | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                              |          |                                     |
| SKI                                                       | GHS - Japan                                              | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                         |          |                                     |
| EYE                                                       | GHS - Australia                                          | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]                                |          |                                     |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                                     | NOTIFICATION                                                                                                     |          |                                     |
| RESTRICTED LIST                                           | Green Science Policy Institute (GSPI)                    | GSPI - Six Classes of Problematic Chemicals                                                                      |          |                                     |
|                                                           |                                                          | Antimicrobials                                                                                                   |          |                                     |
| RESTRICTED LIST                                           | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022                      |          |                                     |
|                                                           |                                                          | Cosmetics & Personal Care Products                                                                               |          |                                     |
| SUBSTANCE NOTES:                                          |                                                          |                                                                                                                  |          |                                     |

|                                                           |                      |                                                |          |                                     |
|-----------------------------------------------------------|----------------------|------------------------------------------------|----------|-------------------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                      | HAZARD SCREENING DATE: 2023-05-21 0:07:38      |          |                                     |
| %: 0.0000 - 3.0000                                        | GreenScreen: LT-UNK  | RC: None                                       | NANO: No | SUBSTANCE ROLE: Structure component |
| HAZARD TYPE                                               | LIST NAME AND SOURCE | WARNINGS                                       |          |                                     |
| None found                                                |                      | No warnings found on HPD Priority Hazard Lists |          |                                     |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE | NOTIFICATION                                   |          |                                     |
| None found                                                |                      | No listings found on Additional Hazard Lists   |          |                                     |
| SUBSTANCE NOTES:                                          |                      |                                                |          |                                     |

|                                                           |                    |          |                                           |                             |  |
|-----------------------------------------------------------|--------------------|----------|-------------------------------------------|-----------------------------|--|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                    |          | HAZARD SCREENING DATE: 2023-05-21 0:07:39 |                             |  |
| %: 0.0000 - 1.0000                                        | GreenScreen: LT-P1 | RC: None | NANO: No                                  | SUBSTANCE ROLE: Plasticizer |  |

| HAZARD TYPE         | LIST NAME AND SOURCE                         | WARNINGS                                                                                                                                                                   |
|---------------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PBT                 | EC - CEPA DSL                                | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans                                                                                                         |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                         | NOTIFICATION                                                                                                                                                               |
| RESTRICTED LIST     | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023<br><br>Red List substances to avoid in Living Building Challenge V4.0 projects |
| SUBSTANCE NOTES:    |                                              |                                                                                                                                                                            |

**METHYLCELLULOSE**

ID: **9004-67-5**

|                                                                  |                            |                                                  |                                                |                                            |
|------------------------------------------------------------------|----------------------------|--------------------------------------------------|------------------------------------------------|--------------------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2023-05-21 0:07:38</b> |                                                |                                            |
| %: <b>0.0000 - 0.6000</b>                                        | GreenScreen: <b>LT-UNK</b> | RC: <b>None</b>                                  | NANO: <b>No</b>                                | SUBSTANCE ROLE: <b>Structure component</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE       |                                                  | WARNINGS                                       |                                            |
| None found                                                       |                            |                                                  | No warnings found on HPD Priority Hazard Lists |                                            |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE       |                                                  | NOTIFICATION                                   |                                            |
| None found                                                       |                            |                                                  | No listings found on Additional Hazard Lists   |                                            |
| SUBSTANCE NOTES:                                                 |                            |                                                  |                                                |                                            |

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                        |  | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario |                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------|----------------------------------|
| CERTIFYING PARTY: Third Party                                                                                                                                                                        |  | ISSUE DATE: 2023-02-27                                                       | CERTIFIER OR LAB: Wimpey         |
| APPLICABLE FACILITIES: Saudi Arabia                                                                                                                                                                  |  | EXPIRY DATE:                                                                 | Laboratories LLC, Dubai          |
| CERTIFICATE URL:                                                                                                                                                                                     |  |                                                                              |                                  |
| CERTIFICATION AND COMPLIANCE NOTES: This certification applies to Vetonit Spatter Dash SB. TVOC - <0.01 mg/m3 Individual VOC - Not detected                                                          |  |                                                                              |                                  |
| VOC CONTENT                                                                                                                                                                                          |  | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario |                                  |
| CERTIFYING PARTY: Third Party                                                                                                                                                                        |  | ISSUE DATE: 2020-08-30                                                       | CERTIFIER OR LAB: Al Jazzar      |
| APPLICABLE FACILITIES: Saudi Arabia                                                                                                                                                                  |  | EXPIRY DATE:                                                                 | Omar Jazzar Consulting Engineers |
| CERTIFICATE URL:                                                                                                                                                                                     |  |                                                                              |                                  |
| CERTIFICATION AND COMPLIANCE NOTES: This certification applies to Masonry Grout Filler. Volatile Organic Compound (VOC) - 1.8 gm/liter                                                               |  |                                                                              |                                  |
| FORMALDEHYDE CONTENT                                                                                                                                                                                 |  | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario |                                  |
| CERTIFYING PARTY: Third Party                                                                                                                                                                        |  | ISSUE DATE: 2023-02-27                                                       | CERTIFIER OR LAB: Wimpey         |
| APPLICABLE FACILITIES: Saudi Arabia                                                                                                                                                                  |  | EXPIRY DATE:                                                                 | Laboratories LLC, Dubai          |
| CERTIFICATE URL:                                                                                                                                                                                     |  |                                                                              |                                  |
| CERTIFICATION AND COMPLIANCE NOTES: This certification applies to Vetonit Spatter Dash SB. Formaldehyde and Total Aldehydes - Not detected.                                                          |  |                                                                              |                                  |
| LCA                                                                                                                                                                                                  |  | Environmental Product Declaration (EPD) by the Green Standard                |                                  |
| CERTIFYING PARTY: Third Party                                                                                                                                                                        |  | ISSUE DATE: 2023-05-30                                                       | CERTIFIER OR LAB: Environmental  |
| APPLICABLE FACILITIES: Saudi Arabia                                                                                                                                                                  |  | EXPIRY DATE: 2028-05-30                                                      | Footprint Institute              |
| CERTIFICATE URL:                                                                                                                                                                                     |  |                                                                              |                                  |
| CERTIFICATION AND COMPLIANCE NOTES: Environmental Product Declaration has been developed by GCAS Quality Certifications and verified by a third-party verifier at Environmental Footprint Institute. |  |                                                                              |                                  |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Masonry Grout Filler is supplied in a 50 Kg Bag. Yield: 28.5 Lit wet/ (50 kg) bag powder. Stated consumption data are for general guidance. Actual consumption depends on the nature of the substrate, method of application, and wastage. The original sealed bag of Masonry Grout Filler has a shelf life of 12 months, provided it is stored clear of ground in a dry, shaded place, at temperatures between 5°C - 35°C. Masonry Grout Filler is highly alkaline; therefore, avoid direct contact with the eyes or skin. It is recommended to use protective gloves and goggles during application. Any skin contact should be washed with soap & water. In case of eye irritation, immediately wash with a copious amount of clean cold water. Seek medical advice.

Vetonit Spatter Dash SB is supplied in a 50 Kg Bag. Yield - 1.3-1.6Kg/M2/mm thickness. Stated consumption data are for general guidance. Actual consumption depends on the nature of the substrate, method of application, and wastage. The original sealed bag of Vetonit Spatter Dash SB has a shelf life of 12 months, provided it is stored clear of ground in a dry, shaded place, at temperatures between 5°C - 35°C. Vetonit Spatter Dash SB is highly alkaline; therefore, avoid direct contact with the eyes or skin. It is recommended to use protective gloves and goggles during application. Any

skin contact should be washed with soap and water. In case of eye irritation, immediately wash with a copious amount of clean cold water. Seek medical advice.

## MANUFACTURER INFORMATION

MANUFACTURER: Saudi Vetonit Co.Ltd  
 ADDRESS: P.O. Box 52235  
 Riyadh - 11563, Saudi Arabia  
 WEBSITE: [www.saveto.com](http://www.saveto.com)

CONTACT NAME: Mr. Majid R. Al Momani  
 TITLE: Research & Development Manager  
 PHONE: +966 11 265 3334  
 EMAIL: [mmomani@saveto.com](mailto:mmomani@saveto.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b> Substances listed within each material per threshold indicated per product   |
| <b>Basic Method / Product Threshold</b> Substances listed individually per threshold indicated per product            |

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*