

Flooring - Vetotop CS536  
by Saudi Vetonit Co.Ltd

SCREENING DATE: 2026-03-30  
PUBLISHED DATE: 2026-03-30  
EXPIRY DATE: 2029-03-30  
PREPARER: Self-Prepared

Health Product  
Declaration v3.0  
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 988889293824  
HPD UNIQUE PRODUCT ID: Not provided.  
CLASSIFICATION: 09 60 00 Floorings  
PRODUCT TYPE: Floor Underlayments, Portland Cement  
PRODUCT DESCRIPTION: Vetotop CS536 is a single-component cementitious floor screed composed of hydraulic binders, silica sand, selected aggregates, and special additives. It is supplied as a dry powder in pre-weighed bags ready to use on-site; once mixed, it will form a trowel able screed mortar applied in thicknesses between 30 and 100 mm.

Section 1: SummaryNested Method / Product Threshold

CONTENT INVENTORY

|                                                         |                                                          |                                                                            |
|---------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------|
| Inventory Reporting Format<br>→ Nested Materials Method | Residuals/Impurities Evaluation<br>Not Completed         | For all contents above the threshold, the manufacturer has:                |
| Threshold Disclosed Per<br>→ Product                    | Explanation(s) provided for Residuals/Impurities?<br>Yes | Characterized<br>Provided weight and role.<br>Yes                          |
| Threshold Level<br>→ 1,000 ppm                          |                                                          | Screened<br>Provided screening results using HPDC-approved methods.<br>Yes |
|                                                         |                                                          | Identified<br>Provided name and CAS RN or other identifier.<br>Yes         |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Nested Material | Material or Substance | Residual or Impurity  
Greenscreen Score | Hazard Type  
Vetotop CS536 [ Limestone (Primary CASRN IS 1317-65-3) BM-3dg Portland Cement LT-P1 | CAN | END | MAM | EYE | SKI  
Calcium Sulfate LT-UNK | MAM Sodium Polynaphthalenesulfonate LT-P1 | PBT ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1  
Nanomaterial ... No  
Inventory and Screening Notes:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Compliance See Section 3 for additional listings.  
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
Consistency with Other Programs  
No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: [www.hpd-collaborative.org/hpd-3-0-standard](http://www.hpd-collaborative.org/hpd-3-0-standard)

|                                                                                           |                                                   |                                                   |  |
|-------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|--|
| VETOTOP CS536                                                                             |                                                   | %: 100.0000 - 100.0000                            |  |
| PRODUCT THRESHOLD: 1000 ppm                                                               | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No | MATERIAL TYPE: Other: PREMIXED 30 TO 100 MM THICK |  |
| RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are considered.                |                                                   |                                                   |  |
| OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold. |                                                   |                                                   |  |

|                                                           |                      |          |                                                |                        |  |
|-----------------------------------------------------------|----------------------|----------|------------------------------------------------|------------------------|--|
| LIMESTONE (PRIMARY CASRN IS 1317-65-3)                    |                      |          |                                                | ID: 359415-48-8        |  |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                      |          | HAZARD SCREENING DATE: 2026-03-30 0:30:10      |                        |  |
| %: 60.0000 - 70.0000                                      | GreenScreen: BM-3dg  | RC: None | NANO: No                                       | SUBSTANCE ROLE: Filler |  |
| HAZARD TYPE                                               | LIST NAME AND SOURCE |          | WARNINGS                                       |                        |  |
| None found                                                |                      |          | No warnings found on HPD Priority Hazard Lists |                        |  |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE |          | NOTIFICATION                                   |                        |  |
| None found                                                |                      |          | No listings found on Additional Hazard Lists   |                        |  |
| SUBSTANCE NOTES: NIL, the material in coarse powder form  |                      |          |                                                |                        |  |

|                                                           |                    |          |                                           |                        |                |
|-----------------------------------------------------------|--------------------|----------|-------------------------------------------|------------------------|----------------|
| PORTLAND CEMENT                                           |                    |          |                                           |                        | ID: 65997-15-1 |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                    |          | HAZARD SCREENING DATE: 2026-03-30 0:32:38 |                        |                |
| %: 20.0000 - 25.0000                                      | GreenScreen: LT-P1 | RC: None | NANO: No                                  | SUBSTANCE ROLE: Binder |                |

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                                                                                                                                  |
|---------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAN                 | MAK                                   | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification                                                              |
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                                                                                                                             |
| MAM                 | GHS - Japan                           | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]                                                   |
| MAM                 | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| EYE                 | GHS - Japan                           | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                                                                       |
| SKI                 | GHS - Japan                           | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]                                                                 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                                                                                                                              |
| None found          |                                       | No listings found on Additional Hazard Lists                                                                                                              |
| SUBSTANCE NOTES:    |                                       |                                                                                                                                                           |

CALCIUM SULFATE

ID: 7778-18-9

|                                                                  |                            |                                                                                                         |                 |                               |
|------------------------------------------------------------------|----------------------------|---------------------------------------------------------------------------------------------------------|-----------------|-------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2026-03-30 0:40:06</b>                                                        |                 |                               |
| %: <b>1.0000 - 3.0000</b>                                        | GreenScreen: <b>LT-UNK</b> | RC: <b>None</b>                                                                                         | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Binder</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE       | WARNINGS                                                                                                |                 |                               |
| MAM                                                              | GHS - Japan                | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |                 |                               |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE       | NOTIFICATION                                                                                            |                 |                               |
| None found                                                       |                            | No listings found on Additional Hazard Lists                                                            |                 |                               |
| SUBSTANCE NOTES:                                                 |                            |                                                                                                         |                 |                               |

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                           | HAZARD SCREENING DATE: <b>2026-03-30 0:45:44</b>                   |                 |                                    |
|------------------------------------------------------------------|---------------------------|--------------------------------------------------------------------|-----------------|------------------------------------|
| %: <b>0.2000 - 1.0000</b>                                        | GreenScreen: <b>LT-P1</b> | RC: <b>None</b>                                                    | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Plasticizer</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE      | WARNINGS                                                           |                 |                                    |
| PBT                                                              | EC - CEPA DSL             | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |                 |                                    |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                         | NOTIFICATION                                                                                                                                                                  |
|---------------------|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RESTRICTED LIST     | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025<br><br>Red List substances to avoid in Living Building Challenge V4.0 projects |

SUBSTANCE NOTES:

### Section 3: Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                             | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario |                            |
|---------------------------------------------------------------------------|------------------------------------------------------------------------------|----------------------------|
| COMPLIANCE TYPE: Self-declaration                                         | ISSUE DATE: 2024-06-25                                                       | EXPIRY DATE: No expiration |
| CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Wimpy Laborartories LLC           |                                                                              |                            |
| COMPLIANCE DETAILS:                                                       |                                                                              |                            |
| COMPLIANCE SCOPE: Product                                                 |                                                                              |                            |
| APPLICABLE FACILITIES: all                                                |                                                                              |                            |
| COMPLIANCE URL: <a href="https://wimpeylab.com">https://wimpeylab.com</a> |                                                                              |                            |
| COMPLIANCE NOTES: ASTM D3960 VOC less than 1 g/L                          |                                                                              |                            |

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

The original sealed bag of Vetotop CS536 has a shelf life of 12 months, provided it is stored clear of ground in a dry and shaded place, at temperatures between 5°C - 35°C. Vetotop CS536 is highly alkaline; therefore, avoid direct contact with the eyes or skin. In case of eye irritation, immediately wash with a copious amount of clean cold water. Seek medical advice. Vetotop CS536 is non-flammable.

## MANUFACTURER INFORMATION

MANUFACTURER: **Saudi Vetonit Co.Ltd**  
 ADDRESS: **P.O. Box 52235 Riyadh - 11563, Saudi Arabia**  
**Riyadh, 2nd Industrial City 11563**  
 COUNTRY: **Saudi Arabia**

WEBSITE: **www.saveto.com**  
 CONTACT NAME: **Majid Al Momani**  
 TITLE: **R&D Manager**  
 PHONE: **+966 11 265 3334**  
 EMAIL: **mmomani@saveto.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                           |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> | Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b>  | Substances listed within each material per threshold indicated per product  |
| <b>Basic Method / Product Threshold</b>   | Substances listed individually per threshold indicated per product          |

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Nano</b>                  | Composed of nano scale particles or nanotechnology         |
| <b>Third Party Verified</b>  | Verification by independent certifier approved by HPDC     |
| <b>Preparer</b>              | Third party preparer, if not self-prepared by manufacturer |
| <b>Applicable facilities</b> | Manufacturing sites to which testing applies               |

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*