



HPD UNIQUE IDENTIFIER: 62310243

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 05 44 00 Cold-Formed Metal Trusses

PRODUCT TYPE: Steel Forms

PRODUCT DESCRIPTION: Base metal: Steel. Base metal coating: Galvanized with passivation. This HPD covers a full line of cold formed light steel framing products: structural and non-structural wall stud, structural and non-structural track, carrying channel, furring channel, resilient channel, J runner, H stud, Slotted track, Ch stud, slotted Z bar and flat steel. These products are for structural and non-structural framing use.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 1,000 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.	Number of Greenscreen BM-4/BM3 contents ... 0
PRODUCT MATERIAL OR SUBSTANCE RESIDUAL OR IMPURITY	Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1
GREENSCREEN SCORE HAZARD TYPE	Nanomaterial ... No
STEEL STUD, STRINGER, AND FRAMING COMPONENTS [GALVANIZED HOT DIPPED	INVENTORY AND SCREENING NOTES:
CARBON STEEL MULTIPLE]	Special Conditions applied: [MetalAlloy]
	EB Métal Inc. worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.	COMPLIANCE See Section 3 for additional listings.
	VOC emissions: CDPH Standard Method - Not tested
	Multi-attribute: Environmental Product Declaration (EPD) by UL - Industry Generic
	CONSISTENCY WITH OTHER PROGRAMS
	Pre-checked for LEED v4 Option 1.
	Pre-checked for LEED v4.1 Option 1.
	Pre-checked for LEED v5 Human Health 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

STEEL STUD, STRINGER, AND FRAMING COMPONENTS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: EB Métales inc. worked with the HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

GALVANIZED HOT DIPPED CARBON STEEL

ID: N/A

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

%: 100.0000 - 100.0000

GreenScreen: MULTIPLE

RC: None

NANO: No

MATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [N/A]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

ALLOYING ELEMENTS

Iron (Fe)

CASRN: 7439-89-6

Percentage: 95 % - 100.8 %

Element Role: Alloy element

GreenScreen Score: LT-P1

No listings found on Additional Hazard Lists

Manganese (Mn)

CASRN: 7439-96-5

Percentage: 0 % - 2 %

Element Role: Alloy element

GreenScreen Score: LT-P1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products

Nickel (Ni)

CASRN: 7440-02-0

Percentage: 0 % - 0.2 %

Element Role: Alloy element

GreenScreen Score: LT-1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products

• **Zinc (Zn)**

CASRN: 7440-66-6

Percentage: 0.15 % - 9.1 %

Element Role: Alloy element

GreenScreen Score: LT-P1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

MATERIAL CONTENT NOTES: Please note that the Zinc is a coating application added to the metal alloy.



Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

COMPLIANCE TYPE: Self-declaration

ISSUE DATE: 2026-03-19

EXPIRY DATE: No expiration

CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None

COMPLIANCE DETAILS:

COMPLIANCE SCOPE:

APPLICABLE FACILITIES: All

COMPLIANCE URL:

COMPLIANCE NOTES:

MULTI-ATTRIBUTE

Environmental Product Declaration (EPD) by UL - Industry Generic

COMPLIANCE TYPE: Third Party

ISSUE DATE: 2022-08-15

EXPIRY DATE: 2027-08-14

CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: CSA Group

COMPLIANCE DETAILS:

COMPLIANCE SCOPE: Product

APPLICABLE FACILITIES: All facilities.

COMPLIANCE URL: <http://www.cisc-icca.ca/epds/>

COMPLIANCE NOTES: The Type III EPD was developed in compliance with CAN/CSA-ISO 14025 and ISO 21930:2014 and has been verified under Groupe AGEKO. Declaration number: #4078-8004



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

EB Métal Inc. worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.



MANUFACTURER INFORMATION

MANUFACTURER: **EB Métal Inc.**
ADDRESS: **3211 rue de l'industrie**
Saint-Mathieu-de-Beloeil, Québec J3G0R9
COUNTRY: **Canada**

WEBSITE: **<https://www.groupebeauchesne.com/>**
CONTACT NAME: **Jérémie Alix-Durand**
TITLE: **Plant Director**
PHONE: **1-514-794-1955**
EMAIL: **jadurand@groupebeauchesne.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming

LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.