

Poly Max - PET Felt Acoustic Panels
by ASI

SCREENING DATE: 2026-01-23
PUBLISHED DATE: 2026-01-23
EXPIRY DATE: 2029-01-23
PREPARER: Self-Prepared

Health Product
Declaration v3.0

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 6578974376960

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 09 80 00 Acoustic Treatment

PRODUCT DESCRIPTION: Poly Max polyester acoustical panels are non-allergenic, non-toxic, fungal-resistant, and do not contain chemical irritants or formaldehyde. Decorative and tackable, apply the acoustical panels to ceilings and walls to tame echo and reverberation. Available in a variety of colors or printed with custom graphics to blend into any decor. Material: 100% polyester (60% PET-recycled fiber, 40% PET-virgin fiber). Poly Max passes the CDPH V1.2 test standard for low VOC emissions and can contribute to LEED V4.1 EQ Credit: Low-Emitting Materials.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation
→ Basic Method	→ Completed
Threshold Disclosed Per	Explanation(s) provided :
→ Product	Yes
Threshold Level	
→ 100 ppm	

For all contents above the threshold, the manufacturer has:	
Characterized	Yes
Provided weight and role.	
Screened	Yes
Provided screening results using HPDC-approved methods.	
Identified	Yes
Provided name and CAS RN or other identifier.	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
POLY MAX - PET FELT ACOUSTIC PANELS [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYLPHOSPHONATE NoGS N,N'-ETHYLENE DISTEARYLAMIDE LT-UNK TITANIUM DIOXIDE BM-1 * | CAN | END | MAM CARBON BLACK BM-1 * | CAN | EYE | MAM | PHY PIGMENT BLUE 15 BM-3 FERRIC OXIDE BM-1 * | CAN | MAM PIGMENT YELLOW 147 LT-UNK 2,2'-(VINYLENEDI-4-PHENYLENE)BIS(BENZOXAZOLE) BM-1]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities are displayed and described in the HPD when greater than the Content Inventory Threshold.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

PFAS DETAILS:

This product does **not** contain intentionally added PFAS and materials and substances from suppliers are verified to **not** contain PFAS.

Attestation:

Joe Satek

2026-01-23

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS
Pre-checked for LEED v4 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

POLY MAX - PET FELT ACOUSTIC PANELS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities are displayed and described in the HPD when greater than the Content Inventory Threshold.

OTHER PRODUCT NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-01-23 14:00:17

%: 97.4000 - 99.2000

GreenScreen: LT-UNK

RC: PostC

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Contains 60% post-consumer recycled content.

PHOSPHONIC ACID, METHYL-, BIS(5-ETHYL-2-METHYL-2,2-DIOXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL ESTER, MIXT. WITH (5-ETHYL-2-METHYL-2-OXIDO-1,3,2-DIOXAPHOSPHORINAN-5-YL)METHYL METHYL METHYLPHOSPHONATE					ID: 170836-68-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:17		
%: 0.4000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
None found		No listings found on Additional Hazard Lists			
SUBSTANCE NOTES:					

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:18	
%: 0.3000 - 0.6000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:18	
%: 0.0000 - 0.3000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
		Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Cosmetics and Personal Care Products		

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:19	
%: 0.0000 - 0.1000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
EYE	GHS - New Zealand	Eye irritation category 2**		
CAN	GHS - New Zealand	Carcinogenicity category 2**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT BLUE 15

ID: 147-14-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:17	
%: 0.0000 - 0.1000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:18	
%: 0.0000 - 0.1000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT YELLOW 147

ID: 4118-16-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-01-23 14:00:19	
%: 0.0000 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

2,2'-(VINYLENEDI-4-PHENYLENE)BIS(BENZOXAZOLE)

ID: 1533-45-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-01-23 14:00:19

?: 0.0000 - 0.1000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: 2,2'-(Vinylenedi-4-phenylene)bis(benzoxazole) is bound within the fiber structure and is not inhalable. Accordingly, it is excluded from regulatory hazard lists. It is not in a respirable form in the final product.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2025-06-25	EXPIRY DATE: 2026-06-25
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All ASI facilities		
COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/686d5cc1bd35e8c02d9f76ab		
COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, Acoustical Surfaces, Inc. expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings or criteria utilized or referenced therein. Information provided herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS), as well as by the additional ingredient information provided for specified substances. Please refer to the Acoustical Surfaces, Inc. website for more information on this product www.acousticalsurfaces.com.

MANUFACTURER INFORMATION

MANUFACTURER: **ASI**
ADDRESS: **123 Columbia Court N.**
Chaska, MN 55318
COUNTRY: **USA**

WEBSITE: **www.acousticalsurfaces.com**
CONTACT NAME: **Joe Satek**
TITLE: **Product Manager**
PHONE: **952-466-8265**
EMAIL: **jsatek@acousticalsurfaces.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.