

HPD UNIQUE IDENTIFIER: 388062518272

CLASSIFICATION: 09 66 23.19 Polyester-Resin Terrazzo Flooring

PRODUCT TYPE: Terrazzo Floor Tile (Resilient)

PRODUCT DESCRIPTION: MARBLE Terrazzo Tile -- 24" x 24" x 3/16" Flexible Polyester Resin Terrazzo Tile

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

|                                               |                                        |                                                               |                                                                                    |
|-----------------------------------------------|----------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Inventory Reporting Format</b>             | <b>Threshold Level</b>                 | <b>Residuals/Impurities Evaluation</b>                        | <i>For all contents above the threshold, the manufacturer has:</i>                 |
| <input type="radio"/> Nested Materials Method | <input type="radio"/> 100 ppm          | <input type="radio"/> Completed                               | <b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input checked="" type="radio"/> Basic Method | <input type="radio"/> 1,000 ppm        | <input type="radio"/> Partially Completed                     | <i>Provided weight and role.</i>                                                   |
| <b>Threshold Disclosed Per</b>                | <input type="radio"/> Per GHS SDS      | <input checked="" type="radio"/> Not Completed                | <b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No      |
| <input type="radio"/> Material                | <input checked="" type="radio"/> Other | <b>Explanation(s) provided :</b>                              | <i>Provided screening results using HPDC-approved methods.</i>                     |
| <input checked="" type="radio"/> Product      |                                        | <input checked="" type="radio"/> Yes <input type="radio"/> No | <b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No    |
|                                               |                                        |                                                               | <i>Provided name and CAS RN or other identifier.</i>                               |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

**GREENSCREEN SCORE** | HAZARD TYPE

**TERRAZZO TILE - MARBLE COLLECTION** [ **MARBLE (MARBLE CHIPS)** **LT-UNK** **POLYESTER (RESIN)** **NoGS** **LIMESTONE; CALCIUM CARBONATE** **BM-3dg** **2-NAPHTHALENECARBOXAMIDE, 4-(2-(4-(AMINOCARBONYL)PHENYL)DIAZENYL)-3- HYDROXY-N-(2-METHOXYPHENYL)-** **LT-UNK** **METHYL ETHYL KETONE PEROXIDE (SOLUTION IN ALIPHATIC ESTER)** **LT-P1** | MAM | GEN | EYE | SKI | AQU | PHY **HYDROGEN PEROXIDE** **LT-UNK** | CAN | MAM | SKI | PHY | EYE | AQU **METHYL ETHYL KETONE** **BM-2** | END | EYE | PHY | MAM | SKI ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

N/A

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: CAL 1350 VOC Emissions testing

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

|                                     |                         |                            |
|-------------------------------------|-------------------------|----------------------------|
| Third Party Verified?               | PREPARER: Self-Prepared | SCREENING DATE: 2024-04-16 |
| <input type="radio"/> Yes           | VERIFIER:               | PUBLISHED DATE: 2024-04-16 |
| <input checked="" type="radio"/> No | VERIFICATION #:         | EXPIRY DATE: 2027-04-16    |

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

TERRAZZO TILE - MARBLE COLLECTION

|                                                                                                                                                                                                                                                                                |                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| PRODUCT THRESHOLD: Other                                                                                                                                                                                                                                                       | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No |
| RESIDUALS AND IMPURITIES NOTES: The chemical processes that happen within the product as it cures, eliminate all residual content that could have existed. The only material that remain chemically the same, as when put into the product, is the marble and glass aggregate. |                                                   |
| OTHER PRODUCT NOTES: N/A                                                                                                                                                                                                                                                       |                                                   |

MARBLE (MARBLE CHIPS)ID: Not registered

|                                                                                                                                                                                                                                                                                                                                                         |                            |                 |                                                   |                                            |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|---------------------------------------------------|--------------------------------------------|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>                                                                                                                                                                                                                                                                                        |                            |                 | HAZARD SCREENING DATE: <b>2024-04-16 15:08:49</b> |                                            |  |
| %: <b>59.9700</b>                                                                                                                                                                                                                                                                                                                                       | GreenScreen: <b>LT-UNK</b> | RC: <b>Both</b> | NANO: <b>No</b>                                   | SUBSTANCE ROLE: <b>Abrasion resistance</b> |  |
| HAZARD TYPE                                                                                                                                                                                                                                                                                                                                             | LIST NAME AND SOURCE       |                 | WARNINGS                                          |                                            |  |
| None found                                                                                                                                                                                                                                                                                                                                              |                            |                 | No warnings found on HPD Priority Hazard Lists    |                                            |  |
| ADDITIONAL LISTINGS                                                                                                                                                                                                                                                                                                                                     | LIST NAME AND SOURCE       |                 | NOTIFICATION                                      |                                            |  |
| None found                                                                                                                                                                                                                                                                                                                                              |                            |                 | No listings found on Additional Hazard Lists      |                                            |  |
| SUBSTANCE NOTES: Recycled Content: PreC 43.87%, PostC 16.1%. Floorazzo receives aggregate of many different sizes and colors from several quarries in the united states. Over time, we have learned that some colors are stronger and more durable than others. We use this knowledge to pick and choose carefully which aggregate is used in our tile. |                            |                 |                                                   |                                            |  |

POLYESTER (RESIN)ID: 113669-95-7

|                                                                      |                          |                 |                                                   |                               |  |
|----------------------------------------------------------------------|--------------------------|-----------------|---------------------------------------------------|-------------------------------|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>     |                          |                 | HAZARD SCREENING DATE: <b>2024-04-16 15:08:49</b> |                               |  |
| %: <b>20.3200</b>                                                    | GreenScreen: <b>NoGS</b> | RC: <b>None</b> | NANO: <b>No</b>                                   | SUBSTANCE ROLE: <b>Binder</b> |  |
| HAZARD TYPE                                                          | LIST NAME AND SOURCE     |                 | WARNINGS                                          |                               |  |
| None found                                                           |                          |                 | No warnings found on HPD Priority Hazard Lists    |                               |  |
| ADDITIONAL LISTINGS                                                  | LIST NAME AND SOURCE     |                 | NOTIFICATION                                      |                               |  |
| None found                                                           |                          |                 | No listings found on Additional Hazard Lists      |                               |  |
| SUBSTANCE NOTES: The polyester resin allows the tile to be flexible. |                          |                 |                                                   |                               |  |

|                                                                                                                       |                            |                 |                                                   |                               |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|---------------------------------------------------|-------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>                                                      |                            |                 | HAZARD SCREENING DATE: <b>2024-04-16 15:08:49</b> |                               |
| %: <b>19.0800</b>                                                                                                     | GreenScreen: <b>BM-3dg</b> | RC: <b>None</b> | NANO: <b>No</b>                                   | SUBSTANCE ROLE: <b>Filler</b> |
| HAZARD TYPE                                                                                                           | LIST NAME AND SOURCE       |                 | WARNINGS                                          |                               |
| None found                                                                                                            |                            |                 | No warnings found on HPD Priority Hazard Lists    |                               |
| ADDITIONAL LISTINGS                                                                                                   | LIST NAME AND SOURCE       |                 | NOTIFICATION                                      |                               |
| None found                                                                                                            |                            |                 | No listings found on Additional Hazard Lists      |                               |
| SUBSTANCE NOTES: Calcium Carbonate is used to fill the polyester resin, to achieve the desired degree of flexibility. |                            |                 |                                                   |                               |

|                                                                                                              |                            |                 |                                                   |                                |
|--------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|---------------------------------------------------|--------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>                                             |                            |                 | HAZARD SCREENING DATE: <b>2024-04-16 15:08:49</b> |                                |
| %: <b>0.4200</b>                                                                                             | GreenScreen: <b>LT-UNK</b> | RC: <b>None</b> | NANO: <b>No</b>                                   | SUBSTANCE ROLE: <b>Pigment</b> |
| HAZARD TYPE                                                                                                  | LIST NAME AND SOURCE       |                 | WARNINGS                                          |                                |
| None found                                                                                                   |                            |                 | No warnings found on HPD Priority Hazard Lists    |                                |
| ADDITIONAL LISTINGS                                                                                          | LIST NAME AND SOURCE       |                 | NOTIFICATION                                      |                                |
| None found                                                                                                   |                            |                 | No listings found on Additional Hazard Lists      |                                |
| SUBSTANCE NOTES: The Floorazzo Tile matrix can be pigmented using a standard color, or custom-blended color. |                            |                 |                                                   |                                |

|                                                                  |                           |                 |                                                   |                                 |
|------------------------------------------------------------------|---------------------------|-----------------|---------------------------------------------------|---------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                           |                 | HAZARD SCREENING DATE: <b>2024-04-16 15:08:49</b> |                                 |
| %: <b>0.2100</b>                                                 | GreenScreen: <b>LT-P1</b> | RC: <b>None</b> | NANO: <b>No</b>                                   | SUBSTANCE ROLE: <b>Catalyst</b> |

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                                                                                         |
|---------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------|
| MAM                 | GHS - Japan                           | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]          |
| GEN                 | GHS - Australia                       | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                |
| MAM                 | GHS - Japan                           | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE                 | GHS - New Zealand                     | Serious eye damage category 1                                                                                    |
| EYE                 | GHS - Japan                           | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                              |
| SKI                 | GHS - Australia                       | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]             |
| SKI                 | GHS - Japan                           | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                         |
| AQU                 | GHS - New Zealand                     | Hazardous to the aquatic environment - chronic category 2                                                        |
| SKI                 | GHS - New Zealand                     | Skin corrosion category 1B                                                                                       |
| SKI                 | GHS - Korea                           | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                           |
| AQU                 | GHS - Japan                           | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]                         |
| MAM                 | GHS - Korea                           | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]                                               |
| EYE                 | GHS - Korea                           | H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]                                    |
| MAM                 | GHS - Japan                           | H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]                                        |
| PHY                 | GHS - Japan                           | H241 - Heating may cause a fire or explosion [Organic peroxides - Type B]                                        |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                                                                                     |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List                                                                            |
|                     |                                       | Antimicrobials                                                                                                   |

SUBSTANCE NOTES: The catalyst is the curing agent for the polyester resin. After added to the resin, the matrix goes from liquid to solid.

|                                                           |                     |          |                                            |                          |               |
|-----------------------------------------------------------|---------------------|----------|--------------------------------------------|--------------------------|---------------|
| HYDROGEN PEROXIDE                                         |                     |          |                                            |                          | ID: 7722-84-1 |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                     |          | HAZARD SCREENING DATE: 2024-04-16 15:08:49 |                          |               |
| %: 0.0000 - 0.2100                                        | GreenScreen: LT-UNK | RC: None | NANO: No                                   | SUBSTANCE ROLE: Catalyst |               |

| HAZARD TYPE | LIST NAME AND SOURCE                          | WARNINGS                                                                                                                                                  |
|-------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAN         | MAK                                           | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels                                                                          |
| MAM         | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances                                                                                                                            |
| SKI         | EU - GHS (H-Statements) Annex 6 Table 3-1     | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]                                                      |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1     | H271 - May cause fire or explosion; strong oxidiser [Oxidizing liquids; Oxidizing solids - Category 1]                                                    |
| CAN         | GHS - Japan                                   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]                                                                                         |
| MAM         | GHS - Japan                                   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Japan                                   | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                          |
| EYE         | GHS - New Zealand                             | Serious eye damage category 1                                                                                                                             |
| MAM         | GHS - Japan                                   | H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]                                                                                 |
| EYE         | GHS - Japan                                   | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                                                                       |
| SKI         | GHS - Japan                                   | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]                                                                 |
| SKI         | GHS - Australia                               | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]                                                      |
| AQU         | GHS - Japan                                   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]                                                             |
| SKI         | GHS - Korea                                   | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]                                                                   |
| SKI         | GHS - New Zealand                             | Skin corrosion category 1B                                                                                                                                |
| MAM         | GHS - Japan                                   | H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]                                                                                  |
| MAM         | GHS - Japan                                   | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]                                                                            |
| PHY         | GHS - Australia                               | H271 - May cause fire or explosion; strong oxidiser [Oxidizing liquids; Oxidizing solids - Category 1]                                                    |
| SKI         | GHS - New Zealand                             | Skin corrosion category 1A                                                                                                                                |
| PHY         | GHS - Japan                                   | H271 - May cause fire or explosion; strong oxidizer [Oxidizing liquids - Category 1]                                                                      |
| PHY         | GHS - Korea                                   | H271 - May cause fire or explosion; strong oxidizer [Oxidizing liquids; Oxidizing solids - Category 1]                                                    |
| PHY         | GHS - New Zealand                             | Oxidising liquids category 1                                                                                                                              |
| PHY         | GHS - New Zealand                             | Oxidising liquids category 2                                                                                                                              |

| ADDITIONAL LISTINGS                                                                                           | LIST NAME AND SOURCE                                    | NOTIFICATION                                                                                |
|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------------|
| RESTRICTED LIST                                                                                               | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
|                                                                                                               |                                                         | Cosmetics & Personal Care Products                                                          |
| POSITIVE LIST                                                                                                 | US Environmental Protection Agency (US EPA)             | US EPA - DfE Safer Chemicals Ingredients list (SCIL)                                        |
|                                                                                                               |                                                         | Oxidants and Stabilizers - Green Circle (Verified Low Concern)                              |
| SUBSTANCE NOTES: This is part of the catalyst. Percentage used included in the 0.21% MEKP Catalyst substance. |                                                         |                                                                                             |

METHYL ETHYL KETONE

ID: 78-93-3

|                                                           |                   |                                            |          |                          |
|-----------------------------------------------------------|-------------------|--------------------------------------------|----------|--------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                   | HAZARD SCREENING DATE: 2024-04-16 15:08:49 |          |                          |
| ?: 0.0000 - 0.2100                                        | GreenScreen: BM-2 | RC: None                                   | NANO: No | SUBSTANCE ROLE: Catalyst |

| HAZARD TYPE         | LIST NAME AND SOURCE                      | WARNINGS                                                                                                                                                  |
|---------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| END                 | TEDX - Potential Endocrine Disruptors     | Potential Endocrine Disruptor                                                                                                                             |
| EYE                 | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                                                    |
| PHY                 | EU - GHS (H-Statements) Annex 6 Table 3-1 | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]                                                                                |
| MAM                 | GHS - Japan                               | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]                                                   |
| EYE                 | GHS - New Zealand                         | Eye irritation category 2                                                                                                                                 |
| EYE                 | GHS - Australia                           | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                                                    |
| MAM                 | GHS - Japan                               | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| SKI                 | GHS - Japan                               | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                                                                  |
| MAM                 | GHS - Japan                               | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]                                       |
| EYE                 | GHS - Korea                               | H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]                                                                         |
| PHY                 | GHS - Korea                               | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]                                                                                |
| PHY                 | GHS - New Zealand                         | Flammable liquids category 2                                                                                                                              |
| PHY                 | GHS - Japan                               | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]                                                                                |
| PHY                 | GHS - Malaysia                            | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]                                                                                |
| PHY                 | GHS - Australia                           | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]                                                                                |
| EYE                 | GHS - Japan                               | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]                                                                  |
| EYE                 | GHS - Malaysia                            | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                                                    |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                      | NOTIFICATION                                                                                                                                              |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)     | GSPI - Six Classes Precautionary List                                                                                                                     |
|                     |                                           | Some Solvents                                                                                                                                             |

SUBSTANCE NOTES: This is part of the catalyst. Percentage used included in the 0.21% MEKP Catalyst substance

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | CAL 1350 VOC Emissions testing  |                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------------------|
| CERTIFYING PARTY: Third Party                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ISSUE DATE: 2018-02-14 00:00:00 | CERTIFIER OR LAB: Professional |
| APPLICABLE FACILITIES: 215 W. Third Street, Siler City, NC 27344                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EXPIRY DATE:                    | Testing Laboratory, Inc        |
| CERTIFICATE URL:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                 |                                |
| CERTIFICATION AND COMPLIANCE NOTES: Test Number: 0243770 The submitted product was tested for VOC emissions by test method-ASTM D5116 Modified Organic Emissions Testing. The capture media used were Solid Sorbent Tubes (tenax TA/Carbon) and 2,4 DNPH on SiO2. The day 11 results below show the highest levels detected over the 4 timed readings. RESULTS: All chemicals of concern were found to be under the CAL 1350 required criteria at the 11, 12, 13, and 14 day marks indicating the material as submitted meets the requirements set forth under CAL 01350. |                                 |                                |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

| FUSION                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MANUFACTURER (OR GENERIC): Floorazzo Tile LLC                                                                                                                                                                                                                                                                                                            |
| HPD URL: No HPD available                                                                                                                                                                                                                                                                                                                                |
| ACCESSORY TYPE: Installation Accessory                                                                                                                                                                                                                                                                                                                   |
| CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This product is required during all installations, when a seamless floor is desired. It acts as a seal, and thru chemical reaction, fuses our floor tile and/or panels together. Our fusion can be made in any color, to match or accent the floor pigment of the tile/panel being installed. |

## Section 5: General Notes

This Terrazzo Tile - Marble Collection HPD covers the following products: Tile (24" x 24" x 3/16"), Panels (24" x 48" x 3/16"), and Cove Base (4" or 6" H x 2' L).

## MANUFACTURER INFORMATION

MANUFACTURER: **Floorazzo Tile LLC**  
ADDRESS: **215 W. Third Street**  
**Siler City, NC 27344-3443**  
COUNTRY: **US**

WEBSITE: **www.floorazzo.com**  
CONTACT NAME: **Donna Sich**  
TITLE: **Owner**  
PHONE: **919-63-1684**  
EMAIL: **donna@floorazzo.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                           |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> | Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b>  | Substances listed within each material per threshold indicated per product  |
| <b>Basic Method / Product Threshold</b>   | Substances listed individually per threshold indicated per product          |

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Nano</b>                  | Composed of nano scale particles or nanotechnology         |
| <b>Third Party Verified</b>  | Verification by independent certifier approved by HPDC     |
| <b>Preparer</b>              | Third party preparer, if not self-prepared by manufacturer |
| <b>Applicable facilities</b> | Manufacturing sites to which testing applies               |

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

