



HPD UNIQUE IDENTIFIER: 1003614208
CLASSIFICATION: 23 07 19 HVAC Piping Insulation
PRODUCT DESCRIPTION: AEROFLEX Protape® is an EPDM-based, self-adhering rubber tape designed to adhere and seal adjoining AEROFLEX EPDM™ pipe, equipment and duct insulation tubes, sheets or rolls. Protape® offers a tenacious acrylic pressure-sensitive adhesive, passes ASTM E 84 25/50, is low-VOC, flexible, handles service temperatures ranging from -70°F to +257°F (-57°C to 125°C), is naturally UV-resistant, available in black and white and roll widths from 1" to 5". AEROFLEX® insulation products must always be installed with Aeroseal LVOC™ Black Adhesive to seal adjoining tubes, sheets or rolls with Protape® applied as a secondary double-closure system. Applicable CSI sections: 220716, 220719, 230713, 230716 and 230719. Protape® is naturally microbial-resistant and does not contain added antimicrobial ingredients.

Section 1: Summary Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	For all contents above the threshold, the manufacturer has:
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	Characterized ☒ Yes ☐ No
	☐ Per GHS SDS	☐ Not Completed	Provided weight and role.
Threshold Disclosed Per	☐ Other	Explanation(s) provided :	Screened ☒ Yes ☐ No
☐ Material		☒ Yes ☐ No	Provided screening results using HPDC-approved methods.
☒ Product			Identified ☐ Yes ☒ No
			Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AEROFLEX® PROTAPE® EPDM ZERO-PERM TAPE [ALUMINUM HYDROXIDE, DRIED BM-2] SKI | EYE BICYCLO(2.2.1)HEPT-2-ENE, 5-ETHYLIDENE-, POLYMER WITH ETHENE AND 1-PROPENE LT-UNK
CARBON BLACK BM-1 CAN | EYE | MAM | PHY UNDISCLOSED
CHEMICAL BM-2 EYE | PHY | MAM UNDISCLOSED CHEMICAL LT-1
CAN | END | PBT | MUL | REP | AQU | DEV | MAM ETHENE, POLYMER WITH 1-PROPENE LT-UNK POLYETHYLENE LT-UNK 1-PENTENE, 4-METHYL-, POLYMER WITH ETHENE NoGS UNDISCLOSED
CHEMICAL BM-2 SKI | CAN | MAM | EYE | AQU UNDISCLOSED
CHEMICAL LT-UNK SKI | CAN | EYE | MAM | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Aeroflex worked with an HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold. Due to the proprietary nature of the information, the name and CAS number for certain chemicals have been redacted.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario
LCA: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified? ☒ Yes ☐ No	PREPARER: ToxServices LLC VERIFIER: SCS Global Services VERIFICATION #: qGE-11057	SCREENING DATE: 2024-05-02 PUBLISHED DATE: 2024-06-03 EXPIRY DATE: 2027-05-02
---	---	---

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-02 17:23:46		
%: 0.0000 - 15.3900	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
EYE	GHS - New Zealand	Eye irritation category 2		
CAN	GHS - New Zealand	Carcinogenicity category 2		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.

UNDISCLOSED CHEMICAL

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-02 17:23:46		
%: 2.1100 - 2.1800	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
PHY	GHS - Korea	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

UNDISCLOSED CHEMICAL		ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-02 17:23:46	
%: 2.1500 - 2.1500	GreenScreen: LT-1	RC: None	NANO: No
SUBSTANCE ROLE: Structure component			

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
PBT	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]
DEV	GHS - Korea	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]
DEV	GHS - Australia	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PBT	EU - SVHC List	PBT - Candidate list
PBT	EU - SVHC List	vPvB - Candidate list
DEV	GHS - Japan	H362 - May cause harm to breast-fed children [Developmental Toxicity - May cause harm to breast-fed children]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

ETHENE, POLYMER WITH 1-PROPENE

ID: 9010-79-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-02 17:23:46		
%: 1.0400 - 2.0700	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-02 17:23:47		
%: 1.0400 - 2.0700	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

1-PENTENE, 4-METHYL-, POLYMER WITH ETHENE

ID: 25213-96-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-05-02 17:23:47

%: 1.0400 - 2.0700

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-05-02 17:23:47

%: 1.2500 - 1.3300

GreenScreen: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

UNDISCLOSED CHEMICAL

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-02 17:23:47		
%: 0.3500 - 0.4300	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	IARC	Group 2b - Possibly carcinogenic to humans
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-07-21 00:00:00	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Sweetwater, TN	EXPIRY DATE: 2024-07-20 00:00:00	Services
CERTIFICATE URL: https://cdn.scs-certified.com/products/cert_pdfs/Aeroflex_2023_SCS-IAQ-08085_s1.pdf		
CERTIFICATION AND COMPLIANCE NOTES: SCS-IAQ-08085 CDPH/EHLB Standard Method (CA 01350) v1.2-2017 TVOC = <= 0.5 mg/m3. Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom1 , private office1 and single-family residence1 parameters.		

LCA	Environmental Product Declaration (EPD) by SCS	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-06-15 00:00:00	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Sweetwater, TN	EXPIRY DATE: 2026-06-14 00:00:00	Services
CERTIFICATE URL: https://cdn.scs-certified.com/products/cert_pdfs/SCS-EPD-07137_Aeroflex-USA_102122.pdf		
CERTIFICATION AND COMPLIANCE NOTES: Certificate SCS-EPD-07137. This EPD conforms ISO 14025, 14040, 14044, ISO 21930.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Aeroflex worked with an HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

AEROFLEX Protape® is an EPDM-based, self-adhering rubber tape designed to adhere and seal adjoining AEROFLEX EPDM™ pipe, equipment and duct insulation tubes, sheets or rolls. Protape® offers a tenacious acrylic pressure-sensitive adhesive, passes ASTM E 84 25/50, is low-VOC, flexible, handles service temperatures ranging from -70°F to +257°F (-57°C to 125°C), is naturally UV-resistant, available in black and white and roll widths from 1" to 5". AEROFLEX® insulation products must always be installed with Aeroseal LVOC™ Black Adhesive to seal adjoining tubes, sheets or rolls with Protape® applied as a secondary double-closure system. Applicable CSI sections: 220716, 220719, 230713, 230716 and 230719. Protape® is naturally microbial-resistant and does not contain added antimicrobial ingredients.

MANUFACTURER INFORMATION

MANUFACTURER: **Aeroflex USA**
ADDRESS: **232 Industrial Park Road**
Sweetwater, TN 37874
COUNTRY: **USA**

WEBSITE: **<https://www.aeroflexusa.com>**
CONTACT NAME: **Mark Sylvester LEED AP BD+C**
TITLE: **Director of Marketing & Technical**
PHONE: **866.237.6235**
EMAIL: **technicalsupport@aeroflexusa.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

