



HPD UNIQUE IDENTIFIER: 59396802560

CLASSIFICATION: 06 06 00 Schedules for Wood, Plastics, and Composites

PRODUCT DESCRIPTION: Pura® NFC is a versatile solution for most siding projects and gives maximum design freedom and a long-lasting, beautiful finish. The sidings can be installed either vertically or horizontally. They can be easily handled and are simple to cut. Pura® NFC is the perfect answer for both innovative and traditional ventilated façade projects. More information and contact: trespa.com.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☒ Nested Materials Method	☒ 100 ppm	Completed in 2 of 2 Materials	Characterized ☐ Yes ☒ No
☐ Basic Method	☐ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Yes ☐ No	Screened ☐ Yes ☒ No
☐ Material	☐ Other		<i>Provided screening results using HPDC-approved methods.</i>
☒ Product			Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CORE MATERIAL [PULP, CELLULOSE NoGS, PHENOL-FORMALDEHYDE RESIN LT-P1, PHENOL LT-P1] CAN | END | MUL | MAM | REP | SKI | GEN | EYE | AQU] DECORATIVE LAYER [PULP, CELLULOSE NoGS, ACRYLATED URETHANE RESIN BASED ON HDI~LT-UNK, PHENOL-FORMALDEHYDE RESIN LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Polymers]

Residuals and Impurities were considered based on direct testing via VOC emissions testing by the 3rd party laboratory UL Environment, and supplier SDSs. No Residuals or Impurities are expected to be present at or above the Content Inventory Threshold that returns a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS. SDS may not identify all Residuals or Impurities present in this material that would require reporting on the HPD.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Sustainable forestry: FSC Certification - Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-03-08
☒ Yes	VERIFIER: Green Seal	PUBLISHED DATE: 2024-06-04
☐ No	VERIFICATION #: 572-18506	EXPIRY DATE: 2027-03-08

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CORE MATERIAL		%: 96.4000 - 97.2000
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residual monomers are tested on a quarterly basis by the 3rd party laboratory UL Environment and achieve Greenguard Gold.		
OTHER MATERIAL NOTES: The core material of the Pura® NFC siding. The content of this nested material, within the reported concentration range, varies depending on the product thickness.		

PULP, CELLULOSE				ID: 65996-61-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-08 7:17:24	
%: 58.5600 - 58.6300	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES: This item is used as a structural component of the Pura® NFC siding and it consists of 100% FSC wood fibers. The content of the substance, within the reported concentration range, varies depending on the product thickness.				

PHENOL-FORMALDEHYDE RESIN				ID: 9003-35-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-08 07:17:25	
%: 41.2400 - 41.2600	GreenScreen: LT-P1	RC: None	NANO: No	POLYMER ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023 Red List substances to avoid in Living Building Challenge V4.0 projects
POLYMER TYPE: Crosslinked thermoset		
AVERAGE MOLECULAR WEIGHT : >10,000 Da		
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: 0%		
ADDITIONAL SUBSTANCES CONSIDERED: Yes		
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.		
ADDITIONAL NOTES: This component acts as a binder. Exposure could only occur during the manufacturing process of the core material. Once the product is pressed, this substance will be converted into a fully crosslinked polymer with no hazards. The content of the substance, within the reported concentration range, varies depending on the product thickness.		

PHENOL

ID: 108-95-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-29 6:27:56	
%: 0.1000 - 0.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Residual
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]		
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
GEN	GHS - New Zealand	Germ cell mutagenicity category 1		

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
REP	GHS - New Zealand	Reproductive toxicity category 2
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
GEN	GHS - Korea	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
GEN	EU - Annex VI CMRs	Mutagen - Category 2
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]

MAM	GHS - Malaysia	H300 - Fatal if swallowed [Acute toxicity (oral) - Category 1 or 2]
MAM	GHS - Malaysia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
GEN	GHS - Malaysia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: This substance is a residual of PF-polymer. The content of the substance, within the reported concentration range, varies depending on the product thickness. The residual content is determined by using HPLC after extraction of the ground fraction of material in methanol.

DECORATIVE LAYER

%: 2.8000 - 3.6000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residual monomers are tested on a quarterly basis by the 3rd party laboratory UL Environment and achieve Greenguard Gold.

OTHER MATERIAL NOTES: The decorative surface of the Pura® NFC siding. The content of this nested material, within the reported concentration range, varies depending on the product thickness.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-08 7:17:25	
%: 42.7100 - 49.8100	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES: This item is used as a carrier of the decorative layer and it consists of 100% virgin pulp. The content of the substance, within the reported concentration range, varies depending on the product thickness.				

ACRYLATED URETHANE RESIN BASED ON HDI~

ID: 264888-31-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-08 07:17:25		
%: 34.0600 - 34.5100	GreenScreen: LT-UNK	RC: None	NANO: No	POLYMER ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
POLYMER TYPE: Crosslinked thermoset				
AVERAGE MOLECULAR WEIGHT : >10,000 Da				
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: 0%				
ADDITIONAL SUBSTANCES CONSIDERED: Yes				
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.				
ADDITIONAL NOTES: This product makes up the surface of the product. Upon EB-curing it becomes cured acrylated polyurethane polymer which possesses superior surface properties. Residuals were evaluated according to the requirements of EU 10/2011. No residual residuals capable of migrating into food simulants are present in concentrations exceeding 100 ppm or 10 mg/m2. The content of the substance, within the reported concentration range, varies depending on the product thickness.				

PHENOL-FORMALDEHYDE RESIN

ID: 9003-35-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-03-08 07:17:25	
%: 16.1200 - 22.7700	GreenScreen: LT-P1	RC: None	NANO: No	POLYMER ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023 Red List substances to avoid in Living Building Challenge V4.0 projects
POLYMER TYPE: Crosslinked thermoset		
AVERAGE MOLECULAR WEIGHT : >10,000 Da		
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: 0%		
ADDITIONAL SUBSTANCES CONSIDERED: Yes		
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.		
ADDITIONAL NOTES: This component acts as a binder. It enables binding the decorative layer to the core layer. Exposure could only occur during the paper impregnation process. Once the product is pressed, this substance will be converted into a fully crosslinked polymer with no hazards. The content of the substance, within the reported concentration range, varies depending on the product thickness.		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-10-12 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: Trespa International BV, Weert, the Netherlands	EXPIRY DATE: 2024-09-16 00:00:00	
CERTIFICATE URL: https://www.trespa.info/NAC/en/documents/Trespa-TopLab-VERTICAL/Panel-certificates-test-reports		
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment.		

SUSTAINABLE FORESTRY	FSC Certification - Chain of Custody (COC)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2013-01-24 00:00:00	CERTIFIER OR LAB: SGS
APPLICABLE FACILITIES: Trespa International BV Trespa North America LTD Trespa China CO. LTD	EXPIRY DATE: 2027-09-18 00:00:00	
CERTIFICATE URL: https://www.trespa.info/NAC/en/all-documents		
CERTIFICATION AND COMPLIANCE NOTES: FSC 100%. FSC Mix, FSC Controlled Wood FSC-STD-40-004 V3-1 - Chain of Custody Certification FSC-STD-40-003 V2-1 - Chain of Custody Certification of Multiple sites - November 2014 FSC-STD-50-001 Requirements for use of the FSC trademarks by Certificate Holders		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PROFACE® OUTER-CORNER PROFILE (3000 MM) MANUFACTURER (OR GENERIC): Ceves Vergeer B.V.
HPD URL: No HPD available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Variations: Aged Ash (PU17) / Mystic Cedar (PU24) Slate Ebony (PU22) Classic Oak (PU02) Romantic Walnut (PU08) Siberian Larch (PU28) Tropical Ipe (PU30) Western Red Cedar (PU31) French Walnut (PU14) Metropolis Black (PUL9000) New York Grey (PUL2581) Athens White (PUL0500)
PROFACE® FINISH PROFILE (3000 MM) MANUFACTURER (OR GENERIC): Ceves Vergeer B.V.
HPD URL: No HPD Available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Variations: Aged Ash (PU17) / Mystic Cedar (PU24) Slate Ebony (PU22) Classic Oak (PU02) Romantic Walnut (PU08) Siberian Larch (PU28) Tropical Ipe (PU30) Western Red Cedar (PU31) French Walnut (PU14) Metropolis Black (PUL9000) New York Grey (PUL2581) Athens White (PUL0500)
PROFACE® PROFACE SUPPORT PROFILE (3000 MM) MANUFACTURER (OR GENERIC): Ceves Vergeer B.V.
HPD URL: No HPD Available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Variation: Black core Brown core

PROFACE® VENTILATION PROFILE (3000 MM)
MANUFACTURER (OR GENERIC): **Ceves Vergeer B.V.**

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Only available in black color.

CLIPS AND SCREWS

MANUFACTURER (OR GENERIC): **SFS**

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Siding clip and screws to fix it into the frame.

UNIVERSAL STARTER RAIL SET

MANUFACTURER (OR GENERIC): **SFS**

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Rail that provides a starting guide for mounting PURA planks

COLOR MATCHING PROFILE FASTENERS

MANUFACTURER (OR GENERIC): **SFS**

HPD URL: No HPD Available

ACCESSORY TYPE: Fastner

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Color-matching fasteners to fix PURA planks during installation.

SFS RIVETS

MANUFACTURER (OR GENERIC): **SFS**

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Rivets as an alternative to color-matching fasteners.

SELF-FLEX ADHESIVE EPDM TAPE

MANUFACTURER (OR GENERIC): **SFS**

HPD URL: No HPD Available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: EPDM

Section 5: General Notes

Pura® NFC is a versatile solution for most siding projects and gives maximum design freedom and a long-lasting, beautiful finish. The sidings can be installed either vertically or horizontally. They can be easily handled and are simple to cut. Pura® NFC is the perfect answer for both innovative and traditional ventilated façade projects.

This HPD applies to c Pura® NFC Printed decors (PU) product range manufactured by Trespa International BV in Weert, the Netherlands and described in the standard delivery program available on <https://www.trespa.info/en/documents/Meteon/Delivery-programme?r=10>.

More information and contact: www.trespa.com.

MANUFACTURER INFORMATION

MANUFACTURER: **Trespa International BV**
ADDRESS: **Wetering 20**
Weert, Limburg 6002SM
COUNTRY: **Netherlands**

WEBSITE: **<https://www.trespa.info/>**
CONTACT NAME: **Yurii Kalashnykov**
TITLE: **Senior Product Compliance Specialist**
PHONE: **+31646818526**
EMAIL: **y.kalashnykov@trespa.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

