

HPD UNIQUE IDENTIFIER: 1333804032

CLASSIFICATION: 09 72 13 Cork Wall Coverings

PRODUCT DESCRIPTION: Composite cork rolls sourced from sustainably harvested cork oak trees.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

NATURAL CORK [CORK POLYURETHANE FOAMS LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

Special Conditions applied: [Polymers]

All substances at or above the threshold have been identified and screened by the manufacturer. Some percentage of substances which make up the product have been provided as a range to account for variations in product construction and to further protect proprietary formulation details. Substances that are considered proprietary by their manufacturers are not able to be disclosed by name and ID to the public on this current HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested

VOC content: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

Thermal Resistance Performance: R-value

Sustainable forestry: FSC Certification - Mixed Credit

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-02-07
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-04-15
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-02-07

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

NATURAL CORK

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: The manufacturer identified no unreported residuals or impurities contained in the product.	
OTHER PRODUCT NOTES: 95%-99% of this product is manufactured from rapidly renewable material and pre-consumer recycled material.	

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 95.0000 - 99.0000
 GreenScreen: Not Required
 RC: PreC
 NANO: No
 MATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Quercus suber

MATERIAL CONTENT NOTES: Cork is a rapidly renewable material, harvested every 9 years from the Cork Oak tree. The tree is not damaged and regrows cork after each harvest. This harvest-and-regrowth process occurs continuously every 9 years throughout the tree's 200-year lifespan.

The cork for this product is 100% pre-consumer recycled content from the manufacturing of cork stoppers.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: 2025-02-07 16:13:31

%: 1.0000 - 5.0000
 GreenScreen: LT-UNK
 RC: None
 NANO: No
 POLYMER ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None foundNo listings found on Additional Hazard Lists

POLYMER TYPE: Thermoset prepolymer (i.e. partially reacted)

AVERAGE MOLECULAR WEIGHT : <1,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers with disclosed CAS numbers.

ADDITIONAL NOTES: Binding agent for cork particles.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-09-11 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: Cork is a naturally occurring biological material that comprises 95%-99% (by volume) of this product. No known emission hazards exist.		
VOC CONTENT	REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-02-07 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Manufacturer
CERTIFICATION AND COMPLIANCE NOTES: This product contains no added substances that are deemed by the European Chemical Agency (ECHA) as being Substances of Very High Concern (SVHC), and the raw materials used do not contain any SVHC in a concentration above 0.1%w/w.		
THERMAL RESISTANCE PERFORMANCE	R-value	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-07-11 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Manufacturer
CERTIFICATION AND COMPLIANCE NOTES: This product has a measured R-value of 7.35 per inch of thickness. This test was performed in using a Heat Flow Meter (HFM-25) measuring the thermal resistance and thermal conductivity of small samples in accordance with the EN 12664 standard.		
SUSTAINABLE FORESTRY	FSC Certification - Mixed Credit	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2009-01-13 00:00:00 EXPIRY DATE: 2029-01-12 00:00:00	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: This wood product is FSC Certified (Mix Credit).		
RECYCLED CONTENT	FSC Certification - Recycled	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2008-06-24 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Manufacturer
CERTIFICATION AND COMPLIANCE NOTES: This product is approximately 95%-99% (by volume) pre-consumer recycled content sourced in accordance with the FSC-STD-40-007 standards.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVE MANUFACTURER (OR GENERIC): Generic
--

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Contact your supplier for adhesive recommendations. Apply adhesive to the substrate using the adhesive manufacturer's recommended method.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **SR Wood, Inc.**
ADDRESS: **1801 Progress Way**
Clarksville, IN 47129
COUNTRY: **United States**
LATITUDE: **38.3574000**
LONGITUDE: **-85.7357000**

WEBSITE: **www.srwoodinc.com**
CONTACT NAME: **Brian Heil**
TITLE: **President**
PHONE: **(812) 288-9500**
EMAIL: **info@srwoodinc.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

