

HPD UNIQUE IDENTIFIER: 177508090880

CLASSIFICATION: 09 96 00 High-Performance Coatings

PRODUCT DESCRIPTION: A low VOC epoxy primer for concrete and steel. It is used to increase adhesion and reduce the potential for outgassing on concrete substrates. It can also be used to prevent abrasive blasted steel from developing rust bloom prior to the application of a coating or lining system.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☒ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

PRIMER 67LV [BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1
MUL | SKI | EYE | AQU ALKYL (C12, C14) GLYCIDYL ETHER LT-P1
MUL | SKI BENZYL ALCOHOL BM-2 EYE | MAM | SKI | AQU PHENOL,
POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER BM-1 MUL
N,N-DIMETHYL-1,3-PROPANEDIAMINE LT-UNK SKI | MAM | EYE
2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL LT-UNK SKI | EYE
TRIETHYLENETETRAMINE LT-P1 SKI | MUL | MAM | EYE | AQU | REP
UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]- LT-P1 MUL
XYLENES BM-1 END | MUL | REP | SKI | EYE | MAM | AQU
METHOXYISOPROPYL ACETATE LT-UNK MAM | EYE 1,1,1-
TRIS(HYDROXYMETHYL)PROPANE BM-2 ETHYLBENZENE BM-1
END | SKI | CAN | REP | PHY | MAM | EYE | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-P1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was generated with basic inventory information.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 38 Regulatory (g/l): 38
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments
LCA: Environmental Product Declaration (EPD) by Smart EPD

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-07-23
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-10-04
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-07-23

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PRIMER 67LV

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: Primer 67LV has no known residuals or impurities.	
OTHER PRODUCT NOTES: N/A	

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: 25068-38-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-30 8:00:42	
%: 30.0000 - 50.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES:		

ALKYL (C12, C14) GLYCIDYL ETHER

ID: 68609-97-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-30 8:02:11	
%: 10.0000 - 25.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
SKI	GHS - New Zealand		Skin irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
SKI	GHS - New Zealand		Skin sensitisation category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Some Solvents	
SUBSTANCE NOTES:				

BENZYL ALCOHOL

ID: 100-51-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-09-30 8:06:05		
?: 5.0000 - 15.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
SUBSTANCE NOTES:		

PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER				ID: 28064-14-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-09-30 8:01:32		
%: 2.0000 - 10.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects		

SUBSTANCE NOTES:

N,N-DIMETHYL-1,3-PROPANEDIAMINE

ID: 109-55-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-30 8:08:21

%: 1.0000 - 10.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES:

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

ID: 90-72-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-30 8:09:21

%: 1.0000 - 10.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

TRIETHYLENETETRAMINE

ID: 112-24-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-30 8:10:06	
%: 1.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

UREA, N, N' -BIS[3-(DIMETHYLAMINO)PROPYL]-

ID: 52338-87-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-30 8:10:49	
%: 1.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

XYLENES

ID: 1330-20-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-09-30 8:03:12		
%: 0.0100 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Korea	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES:

METHOXYISOPROPYL ACETATE

ID: 108-65-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-30 8:04:15

%, 0.0100 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		

SUBSTANCE NOTES:

1,1,1-TRIS(HYDROXYMETHYL)PROPANE

ID: 77-99-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-30 8:04:47

%, 0.0100 - 1.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		

SUBSTANCE NOTES:

ETHYLBENZENE

ID: 100-41-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-09-30 8:05:23

%, 0.0100 - 0.1000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
--------------------	-------------------	----------	----------	-------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-05-17 00:00:00	CERTIFIER OR LAB: Berkeley
APPLICABLE FACILITIES: All	EXPIRY DATE:	Analytical
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-10-01 00:00:00	CERTIFIER OR LAB: Dudick
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		
LCA	Environmental Product Declaration (EPD) by Smart EPD	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-12-23 00:00:00	CERTIFIER OR LAB: Smart EPD
APPLICABLE FACILITIES: All	EXPIRY DATE: 2027-12-23 00:00:00	
CERTIFICATE URL: https://smartepd.com/epd-library/658059322f2d8d9dc3d32867		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Based on raw material supplier information, the product is estimated to have no residuals/impurities over 100 ppm.

MANUFACTURER INFORMATION

MANUFACTURER: **Carboline**
ADDRESS: **Dudick, Inc.**
1818 Miller Parkway
Streetsboro, OH 44241
COUNTRY: **United States**

WEBSITE: **www.dudick.com**
CONTACT NAME: **Jamie Valdez**
TITLE: **Global Product Support Specialist**
PHONE: **3146441000**
EMAIL: **sustainability@carboline.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

