

HPD UNIQUE IDENTIFIER: 5893372533760
CLASSIFICATION: 09 74 13 Wood Wall Coverings
PRODUCT TYPE: Reclaimed (Wood Flooring)
PRODUCT DESCRIPTION: Good Neighbor-Driftwood is a coastal-inspired wood paneling that brings the soothing hues of nature into your commercial and residential spaces. FSC Certified Reclaimed, this paneling captures the rustic elegance of driftwood, creating a tranquil ambiance reminiscent of coastal beach communities. The silver-grey tones of the Driftwood paneling echo the calming shades found along the coastline, adding a serene and sophisticated touch to any room. The natural, weathered look of the wood enhances the feeling of being by the sea, making it perfect for those who want to bring a bit of the coast into their home.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	Screened ☐ Yes ☒ No
☐ Material	☒ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

GOOD NEIGHBOR DRIFTWOOD [**REDWOOD UNDISCLOSED** **Not Screened**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

Special Conditions applied: [BiologicalMaterial]

No inventory or screening notes

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

Recycled content: FSC Certification - Recycled

Testing using European Standards: Danish Indoor Climate Label

Emissions: EMICODE EC1 PLUS

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-10-10
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-10-10
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-10-10

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.*
- Nested Material Inventory method with Product-level threshold*
- Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GOOD NEIGHBOR DRIFTWOOD

PRODUCT THRESHOLD: OtherRESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Evaluation done

OTHER PRODUCT NOTES: No other product notes

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 99.0000 - 99.0000 GreenScreen: Not Required RC: PostC NANO: No MATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Reclaimed Redwood

MATERIAL CONTENT NOTES: Post Consumer FSC Certified Reclaimed Redwood

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

%: 1.0000 - 1.0000 GreenScreen: Not Screened RC: None NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazard Screening not performed		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
Additional Hazard Screening not performed		

SUBSTANCE NOTES: WOCA Danish Plant Based Oil Finish.
Indoor Climate Label Certified
VOC Directive Certified for safe indoor air quality.
Safe for food contact.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Self-declared		ISSUE DATE: 2024-01-01 00:00:00	CERTIFIER OR LAB: European Standards
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2026-01-01 00:00:00	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Meets more stringent European Standards.			
RECYCLED CONTENT		FSC Certification - Recycled	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2023-01-01 00:00:00	CERTIFIER OR LAB: Sustainable Northwest
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2025-01-01 00:00:00	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: FSC Certified Reclaimed 100% C041262			
TESTING USING EUROPEAN STANDARDS		Danish Indoor Climate Label	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2022-01-01 00:00:00	CERTIFIER OR LAB: Danish Indoor Climate Label
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2025-01-01 00:00:00	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Danish Indoor Climate Label is a voluntary labeling system for products and materials which can document the effect of off gassing. Indoor climate labeled materials are a natural component in sustainable construction, where a good indoor air quality contributes to social sustainability.			
EMISSIONS		EMICODE EC1 PLUS	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2021-01-01 00:00:00	CERTIFIER OR LAB: EMICODE EC1 PLUS
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2026-01-01 00:00:00	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: EMICODE®EC1PLUS is the premium class defined by very low emission. Based on scientifically determined test results, EMICODE® categorizes flooring installation materials, adhesives and construction products into three emission classes. Only products complying with the most stringent emission limits are awarded the EMICODE® label.			
METAL MIGRATION		EN 71-3	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2020-01-01 00:00:00	CERTIFIER OR LAB: EN 71-3
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2026-01-01 00:00:00	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: The migration of metals (As, Hg, Se, Cr, Sb, Cd, Pb, Ba) of the sample was tested according EN 71 Part 3 1995. There was no evidence for migration of the named metals above the limit of detection (10-50 ppm). All interior WOCA products are correspondingly suitable for toys.			
HUMAN HEALTH IMPACT		IBR (Institute of Biological Building Materials in Rosenheim)	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2020-01-01 00:00:00	CERTIFIER OR LAB: IBR (Institute of Biological Building Materials in Rosenheim)
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2027-01-01 00:00:00	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: WOCA Denmark’s products are tested in neutral laboratories, e.g. by the Institute of Biological Building Materials in Rosenheim and are approved and certified. The impact on the health of people and environment of the methods of production and the products that are used for building, furnishing and living is examined.			
VOC EMISSION TESTING- EUROPEAN STANDARDS		VOC Directive	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2024-10-01 00:00:00	CERTIFIER OR LAB: VOC Directive
APPLICABLE FACILITIES: All Facilities		EXPIRY DATE: 2026-01-01 00:00:00	
CERTIFICATE URL:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No general Notes to report for this section

MANUFACTURER INFORMATION

MANUFACTURER: **WD Walls**
ADDRESS: **PO Box 2222**
Lake Oswego, Oregon 97035
COUNTRY: **United States**
LATITUDE: **45.4193000**
LONGITUDE: **122.6630000**

WEBSITE: **www.WdWalls.com**
CONTACT NAME: **Pierce Henley**
TITLE: **Owner**
PHONE: **5034683539**
EMAIL: **Pierce@WDwalls.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.