

HPD UNIQUE IDENTIFIER: 1685666816

CLASSIFICATION: 06 41 16 Plastic-Laminate-Clad Architectural Cabinets

PRODUCT DESCRIPTION: Panolam’s manufacturing process provides a second-generation color-through laminate that is more flexible and much less likely to chip than other color-through laminates. Solid color ThruColor laminate is also ideal for high-wear applications since gouges and cuts will not readily show. Due to its unique composition, ThruColor HPL will vary in color from corresponding colors of Standard HPL.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☒ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

PANOLAM THRUCOLOR HPL [**PULP, CELLULOSE** **NoGS**

UNDISCLOSED **NoGS** **MELAMINE/FORMALDEHYDE RESIN** **LT-UNK**

ALUMINUM OXIDE **BM-2** **MAM**]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials.

Based on process knowledge and third party emission testing

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: GreenGuard - Gold (previously Children & Schools)

Sustainable forestry: FSC Certification - Mixed Credit

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-10-22
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-10-22
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-10-22

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PANOLAM THRUCOLOR HPL

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: Product is tested on a quarterly basis for it's UL Greenguard Gold certification	
OTHER PRODUCT NOTES: UL Environment is an organization that oversees the GREENGUARD certification program for indoor air quality. The goal of the program is to improve public health and quality of life by helping manufacturers build better and safer products. Panolam Surface Systems® is proud to be recognized by this organization with GREENGUARD and GREENGUARD GOLD certification on many of our products. Pionite	

PULP, CELLULOSEID: 65996-61-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-22 14:52:34	
?: 55.0000 - 75.0000	GreenScreen: NoGS	RC: PreC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES: Primary component of HPL is paper				

UNDISCLOSEDID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-22 14:52:35	
%: 15.0000 - 35.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Resin used to bind core paper sheets together. The resin is polymerized in the final product and is no longer in the resin form.

MELAMINE/FORMALDEHYDE RESIN

ID: 9003-08-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-10-22 14:52:35

%: 4.0000 - 15.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Resin used with decorative surface of laminate. The resin is reacted in the process to form the cured polymer and is not present in resin form in the final product

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-10-22 14:52:36

%: 0.0000 - 1.0000

GreenScreen: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Combined with resin or in decorative paper to improve scratch resistance of product

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		GreenGuard - Gold (previously Children & Schools)	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2020-01-10 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All facilities		EXPIRY DATE: 2025-04-06 00:00:00	
CERTIFICATE URL: https://panolam.com/wp-content/uploads/2024/07/GREENGUARD-Gold-Certification-ThruColor-2024-2025.pdf			
CERTIFICATION AND COMPLIANCE NOTES: Based on process knowledge and third party emission testing			
SUSTAINABLE FORESTRY		FSC Certification - Mixed Credit	
CERTIFYING PARTY: Third Party		ISSUE DATE: 2024-04-28 00:00:00	CERTIFIER OR LAB: Preferred by
APPLICABLE FACILITIES: All facilities		EXPIRY DATE: 2029-04-27 00:00:00	Nature
CERTIFICATE URL: https://panolam.com/wp-content/uploads/2024/04/FSC-Certificate-2024-2029.pdf			
CERTIFICATION AND COMPLIANCE NOTES: FSC certification available upon request			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

UL Environment is an organization that oversees the GREENGUARD certification program for indoor air quality. The goal of the program is to improve public health and quality of life by helping manufacturers build better and safer products. Panolam Surface Systems® is proud to be recognized by this organization with GREENGUARD and GREENGUARD GOLD certification on many of our products.

MANUFACTURER INFORMATION

MANUFACTURER: **Panolam Industries International Inc**
ADDRESS: **1 Pionite Road**
Auburn, ME 04210
COUNTRY: **United States**
LATITUDE: **44.0681000**
LONGITUDE: **-70.2583000**

WEBSITE: **www.panolam.com**
CONTACT NAME: **Jeffrey O'Hearn**
TITLE: **Sr. Director of Environmental Engineer**
PHONE: **203-225-0029**
EMAIL: **jeffrey_ohearn@panolam.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

