

HPD UNIQUE IDENTIFIER: 1681278976
CLASSIFICATION: 09 25 23 Lime Based Plastering
PRODUCT TYPE: Lime (Plaster)
PRODUCT DESCRIPTION: Earthaus Tadelakt is inspired by traditional Moroccan Tadelakt, a burnished-smooth water-repellent finish created naturally from the chemistry of olive oil soap being rubbed into lime plaster ("Tadelakt" is Arabic for that process). Earthaus Tadelakt beautifully transforms showers and bathrooms, kitchens, and fireplaces with its organic elegance and elevated yet grounding feel.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☒ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
TADELAKT PLASTER [PUMICE LT-UNK CALCIUM HYDROXIDE
HYDRATE NoGS UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
None
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product declaration (HPD) was completed in accordance with the HPD Standard Version 2.2 and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product along with the role and percentage weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Not Tested Regulatory (g/l): Not Tested
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested
VOC content: VOC Content - Not Tested

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-10-18
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-11-12
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-10-18

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

TADELAKT PLASTER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Earthaus Plaster is composed of three basic materials: hydrated lime, pumice, and methylcellulose. Based on the evaluation of these ingredients, no significant residuals or impurities are expected to be present in the final product.

OTHER PRODUCT NOTES:

PUMICE

ID: 1332-09-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-10-18 12:40:12

%: 30.0000 - 70.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Pumice is a natural volcanic material primarily composed of amorphous silica, which, unlike crystalline silica, does not pose a risk of silicosis. This makes pumice a safer alternative to other silica-containing materials

CALCIUM HYDROXIDE HYDRATE

ID: 1332-69-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-18 12:41:23		
%: 30.0000 - 70.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Hydrated lime is classified as LT-P1 under the GreenScreen® for Safer Chemicals due to its high alkalinity, which presents potential risks such as skin and eye irritation, and respiratory issues during handling and use. Based on GreenScreen® criteria, it would typically be rated as Benchmark 1 (BM-1) for these hazards. However, when proper safety precautions, such as using gloves, masks, and eye protection, are followed by applicators, these risks are effectively mitigated. Once fully cured in plaster products, hydrated lime transforms into calcium carbonate, a stable, inert, and non-toxic substance. As a result, the finished material poses no health risks, ensuring a safe and healthy indoor environment.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-10-18 12:42:42

%: 0.0100 - 5.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Derived from cellulose, a natural polymer found in plant cell walls, this proprietary ingredient is produced through a process that modifies cellulose to create a water-soluble, non-toxic material.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-10-18 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Earthaush Plasters are made from 99% mineral ingredients with 1% plant based modifiers. Based on the ingredients used, there are no VOCs in the product.		

VOC CONTENT	VOC Content - Not Tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-10-18 00:00:00	CERTIFIER OR LAB: Self Declared
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Earthaush Plasters are made from 99% mineral ingredients with 1% plant based modifiers. Based on the ingredients used, there are no VOCs in the product.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EARTHAUS OLIVE OIL SOAP SEALER MANUFACTURER (OR GENERIC): Earthaush Plaster
HPD URL: https://earthaushplaster.com/products/olive-oil-soap-sealer ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Earthaush Olive Oil Soap Sealer is a concentrated castile soap used to seal Earthaush Tadelakt, Marble, and Stone Finishes

EARTHAUS BEESWAX PROTECTIVE SEALER MANUFACTURER (OR GENERIC): Earthaush Plaster
HPD URL: https://earthaushplaster.com/products/beeswax-protective-sealer ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Earthaush Beeswax Protective Sealer is a versatile water-based beeswax emulsion for use over Olive Oil Soap sealed Tadelakt, Marble, and Stone Finishes. Beeswax Sealer provides a silky, glossy look and feel and will increase stain-resistance and wipe-ability.

EARTHAUS PRIMER GRIT MANUFACTURER (OR GENERIC): Earthaush Plaster
HPD URL: https://earthaushplaster.com/products/primer-grit ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Earthaush Primer Grit is a fine-grained pumice aggregate formulated as an additive to mix into interior water-based latex primer.

EARTHAUS MINERAL PIGMENT MANUFACTURER (OR GENERIC): Earthaush Plaster

Section 5: General Notes

Earthaus Tadelakt Plaster is a natural, eco-friendly finish that promotes healthier indoor environments. Made from 100% natural ingredients, including lime and pumice, it is free from harmful chemicals, VOCs, and synthetic additives. This non-toxic formulation ensures that no harmful off-gassing occurs, contributing to improved indoor air quality. Additionally, its high alkalinity provides a natural resistance to mold and mildew, creating a safer, more hygienic living space. The breathable nature of the plaster regulates moisture, reducing the risk of condensation and fostering a balanced, healthy indoor environment.

MANUFACTURER INFORMATION

MANUFACTURER: **Earthaus Plaster**
ADDRESS: **3931 w 1st street**
Duluth, MN 55807
COUNTRY: **United States**

WEBSITE: **www.earthausplaster.com**
CONTACT NAME: **Ryan Chivers**
TITLE: **Mr**
PHONE: **3037184932**
EMAIL: **info@earthausplaster.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

