

HPD UNIQUE IDENTIFIER: 1064153901056

CLASSIFICATION: 09 22 16 Non-Structural Metal Framing

PRODUCT DESCRIPTION: ProX Header® is a superior header system that provides a winning combination of simple code compliance, easy member selection, and fast installation. ProX Header is a light gauge steel header that provides horizontal and vertical load support. This pre-engineered metal framing component is designed as a 1- or 2-piece steel header that can be used in lieu of 4- or 5-piece built-up (stud and track) headers in both interior and exterior applications, including door and window openings. It also works at any framed opening in the wall, such as HVAC openings and other wall penetrations. ProX Header Clips are internal and connect horizontal to vertical members, which leaves a smooth framing substrate for the drywall and finishing trades. The ProX Header is made of 33 to 68 mil galvanized steel with a standard G60 coating, and complies with industry standard ASTM performance criteria for metal stud framing: AISI S220-20 North American Standard for Cold-Formed Nonstructural Framing, Material Specification (ASTM) A1003/A653/A924; Product Specification (ASTM) C645; Coating Specification (ASTM) A1003/A653/A924; Installation (ASTM) C754; IAPMO-UES 286; IBC 2021/2024 and CBC 2022 Code Compliant. ProX Header® is a registered trademark of Brady Innovations, LLC. This HPD covers ProX Header (Outer), ProX Header (Insert), and ProX Header Clips.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☒ Nested Materials Method	☒ 100 ppm	Completed in 3 of 3 Materials	Characterized ☒ Yes ☐ No
☐ Basic Method	☐ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Yes ☐ No	Screened ☒ Yes ☐ No
☐ Material	☐ Other		<i>Provided screening results using HPDC-approved methods.</i>
☒ Product			Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BASE STEEL [IRON, ELEMENTAL LT-P1] END MANGANESE LT-P1] END | MUL | REP | MAM | AQU CARBON LT-UNK COPPER LT-P1] MUL | AQU | MAM ALUMINUM BM-1] END | MAM | PHY NICKEL LT-1] CAN | MUL | RES | MAM | SKI | AQU CHROMIUM LT-P1] END | SKI | MAM | REP | RES SILICON, ELEMENTAL LT-UNK PHOSPHORUS BM-2] MAM | PHY | EYE | AQU | SKI MOLYBDENUM LT-UNK] MAM | SKI | REP TITANIUM LT-UNK] PHY] ZINC COATING [ZINC, ELEMENTAL LT-P1] | MUL | AQU ALUMINUM BM-1] END | MAM | PHY] PASSIVATION COATING []

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED Evaluation Report: UES Evaluation Report

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-12-05
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-12-05

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BASE STEEL		%: 97.4000 - 98.7000	
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).			
OTHER MATERIAL NOTES: ProX Headers are cold-formed from steel coils complying with ASTM A1003.			

IRON, ELEMENTAL				ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:16	
%: 98.2000 - 99.8000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: CEMCO cold-formed steel framing products contain 30% to 37% recycled steel sourced from several domestic (USA) suppliers. Please contact manufacturer if more information is required.				

MANGANESE			ID: 7439-96-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:17	
%: 0.0600 - 1.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

SUBSTANCE NOTES:

CARBON

ID: 7440-44-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:17	
%: 0.0300 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
SUBSTANCE NOTES:		

COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-05 12:34:18		
%: 0.0100 - 0.0900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautionary List	
			Precautionary list of substances recommended for avoidance	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024	
			Children's Toy Products	
SUBSTANCE NOTES:				

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:18	
%: 0.0300 - 0.0700	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
PHY	GHS - Japan		H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]	
PHY	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - New Zealand		Pyrophoric solids category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Children's Toy Products		

NICKEL

ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:16	
%: 0.0100 - 0.0600	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-12-05 12:34:17

%: 0.0200 - 0.0400

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

SILICON, ELEMENTAL				ID: 7440-21-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:17	
%: 0.0100 - 0.0300	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

PHOSPHORUS				ID: 7723-14-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-12-05 12:34:18		
%: 0.0100 - 0.0200	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
PHY	GHS - New Zealand	Pyrophoric solids category 1
EYE	GHS - New Zealand	Serious eye damage category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - New Zealand	Skin corrosion category 1A
MAM	GHS - New Zealand	Acute dermal toxicity category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
MAM	GHS - New Zealand	Acute oral toxicity category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

MOLYBDENUM

ID: 7439-98-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:18	
%: 0.0000 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
REP	GHS - New Zealand	Reproductive toxicity category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

TITANIUM

ID: 7440-32-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:19	
%: 0.0000 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable solids - Category 1]		
PHY	GHS - Japan	H250 - Catches fire spontaneously if exposed to air [Pyrophoric solids - Category 1]		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

ZINC COATING

%: 1.3000 - 2.6000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).		
OTHER MATERIAL NOTES: Standard G60 hot dipped galvanized steel manufactured per ASTM A653.		

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:20	
%: 99.2000 - 99.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
SUBSTANCE NOTES:		

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-12-05 12:34:20	
%: 0.1000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]		
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY	GHS - New Zealand	Pyrophoric solids category 1		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

PASSIVATION COATING %: 0.0000 - 0.0010

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Corrosion Inhibitor
----------------------------	--	---

RESIDUALS AND IMPURITIES NOTES: As all substances in this material are below the reportable threshold, no residuals or impurities are possible at or above the Content Inventory Threshold indicated.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold. Passivation coatings for corrosion resistance are an industry standard for this type of material.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: City of Industry, CA 91746; Pittsburg, CA 94565; Denver, CO 80204; Fort Worth, TX 76140 CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2024-09-19 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None

EVALUATION REPORT	UES Evaluation Report	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: City of Industry, CA 91746; Pittsburg, CA 94565; Denver, CO 80204; Fort Worth, TX 76140 CERTIFICATE URL: https://tinyurl.com/2z22c3ec CERTIFICATION AND COMPLIANCE NOTES: IAPMO-UES 286. Scope of Evaluation includes compliance to the following codes & regulations: 2021 and 2024 International Building Code® (IBC); 2022 California Building Code® (CBC). Evaluated for use as header assemblies in cold-formed steel light-frame construction; structural performance.	ISSUE DATE: 2013-05-20 00:00:00 EXPIRY DATE: 2025-05-31 00:00:00	CERTIFIER OR LAB: Uniform Evaluation Services

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STEEL STUD SUPPORTS (JAMB STUDS)
MANUFACTURER (OR GENERIC): Generic
HPD URL: No HPD available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: IAPMO-UES 286: The ProX Header shall be supported by steel jamb studs located on both ends of the header, on each side of the wall opening. The steel jamb stud thickness and grade of steel shall equal or exceed the ProX Header member properties, except for jamb studs supporting 68-mil-thick (1.73 mm) ProX Headers, which may be a minimum 54-mil-thick (1.37 mm) thick. The vertical jamb stud may be installed as a single (wide flange) jamb stud, double jamb stud, or triple jamb stud system. The load capacity and jamb stud system used shall be designed, and installation shall be in accordance with the IBC.
FASTENERS
MANUFACTURER (OR GENERIC): Generic
HPD URL: No HPD available ACCESSORY TYPE: Fastner CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: IAPMO-UES 286: Fasteners used in this system shall be self-drilling sheet metal screws complying with ASTM C1513 or listed in an evaluation report issued by an approved and accredited evaluation service agency. The No. 8 screws shall have minimum shear and tensile allowable loads of 344 pounds (1.53 kN) and 118 pounds (0.52 kN), respectively. The No. 10 screws shall have minimum shear and tensile allowable loads of 370 pounds (1.64 kN) and 137 pounds (0.61 kN), respectively.

Section 5: General Notes

IAPMO-UES 286 for ProX Header confirms compliance with the following codes: 2024 and 2021 International Building Code® (IBC); 2022 California Building Code (CBC).

MANUFACTURER INFORMATION

MANUFACTURER: **CEMCO**
ADDRESS: **13191 Crossroads Pkwy. North**
Suite 325
City of Industry, CA 91746
COUNTRY: **USA**

WEBSITE: **www.cemcosteel.com**
CONTACT NAME: **Fernando Sesma**
TITLE: **Director of Technical Services**
PHONE: **800.416.2278**
EMAIL: **fsesma@cemcosteel.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

