

HPD UNIQUE IDENTIFIER: 9218565579776

CLASSIFICATION: 09 64 29 Wood Strip and Plank Flooring

PRODUCT DESCRIPTION: Prefinished hardwood flooring - solid construction. Wood species used as baseline scenario for this product is Maple. Both natural and stained flooring have been considered in the scope of this HPD: Industry standard aluminium oxide with stain, Industry standard aluminium oxide without stain, Titanium finish system with stain and Titanium finish system without stain. The optional layer of Pure Genius has been considered. Pure Genius is a light-activated, air-purifying agent made of titanium dioxide, which is integrated into Lauzon's Titanium floor finish.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☒ Nested Materials Method	☐ 100 ppm	Completed in 5 of 5 Materials	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Basic Method	☒ 1,000 ppm		Characterized ☒ Yes ☐ No
Threshold Disclosed Per		Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
☐ Material	☐ Per GHS SDS		Screened ☒ Yes ☐ No
☒ Product	☐ Other	☒ Yes ☐ No	<i>Provided screening results using HPDC-approved methods.</i>
			Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

HARDWOOD [**HARDWOOD**] **FINISH SYSTEM #1** [**BISPHENOL A-EPICHLOROHYDRIN ACRYLATE** **BM-1**] **MUL UNDISCLOSED** **NoGS UNDISCLOSED** **LT-UNK** **TRIPROPYLENE GLYCOL DIACRYLATE** **LT-P1**] SKI | MUL | EYE | AQU]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

Special Conditions applied: [BiologicalMaterial]

Ingredients have been reported with a Nested Material Method. The disclosure threshold is 1,000 ppm for the product. Residuals and impurities have been addressed in the appropriate sections. Multiple finish systems are available for Lauzon Flooring's products and 4 alternatives (most representative) have been presented in this HPD. As a result, ranges are introduced due to the integration of multiple suppliers and variations among ingredients per layers in the different finish systems. Lauzon Flooring's products contain special condition materials (biological, reaction products). Some guidelines for reporting Special Conditions materials are still under development by HPDC, therefore the manufacturer will update the HPD accordingly once these guidelines get published.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

☐ Yes
☒ No

PREPARER: Vertima
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2025-04-14
PUBLISHED DATE: 2025-04-14
EXPIRY DATE: 2028-04-14

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

HARDWOOD		%: 99.4000	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Wood or Lumber
RESIDUALS AND IMPURITIES NOTES: Based on the SDS sheets from the suppliers, hardwood used are virgin wood with no residuals and impurities			
OTHER MATERIAL NOTES: Hardwood plank			

HARDWOOD		ID: Biological Material	
HAZARD DATA SOURCE: HPDC Special Conditions Policy			
%: 100.0000	GreenScreen: Not Required	RC: None	NANO: No MATERIAL ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
Hazard Screening is not applicable to this Special Condition			
BIOLOGICAL MATERIALS CATEGORY: Tree-based materials			
INGREDIENT DESCRIPTION: Acer sp.			
MATERIAL CONTENT NOTES: Wood. Alternate wood species: Prunus - Cherry tree Acer spp - maple Prunus avium - cherrywood Myroxylon balsamum - Santos Mahogany Eugenia uniflora - Brazilian Cherry tree Quercus alba - White oak Fraxinus - Ash Carya- Hickory Juglans nigra - black walnut Sapele - Sapeli Astronium spp -Tigerwood			
This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.			

FINISH SYSTEM #1		%: 0.0000 - 0.6000	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: According to the SDS sheets of suppliers, residuals and impurities are below the threshold.			

OTHER MATERIAL NOTES: Industry standard aluminium oxide finish system with stain.
The industry standard aluminium oxide finish is a polyurethane varnish with aluminum oxide filler.
Alternative finish system. Composition protected in part by NDAs signed with suppliers. Some substances are not disclosed to protect the industrial property of Lauzon Floor's suppliers.
The substances are presented at intervals because they come from different possible combinations of suppliers and layers in the system: stains, sealants and varnishes.
Contains nanoparticles: aluminium oxide.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:01

%: 35.0000 - 40.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

MUL

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

RESTRICTED LIST

Cradle to Cradle Products Innovation Institute (C2CPII)

C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022

Core Restrictions

RESTRICTED LIST

International Living Future Institute (ILFI)

Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025

Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:02

%: 35.0000 - 40.0000 ALT

GreenScreen: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

DEV

CA EPA - Prop 65

Developmental toxicity

MAM

US EPA - EPCRA Extremely Hazardous Substances

Extremely Hazardous Substances

REP

CA EPA - Prop 65

Reproductive Toxicity - Female

REP

GHS - Japan

H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]

SKI

EU - GHS (H-Statements) Annex 6 Table 3-1

H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

PHY

EU - GHS (H-Statements) Annex 6 Table 3-1

H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

DEV

EU - GHS (H-Statements) Annex 6 Table 3-1

H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]

MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
DEV	GHS - Malaysia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H300 - Fatal if swallowed [Acute toxicity (oral) - Category 1 or 2]
MAM	GHS - Malaysia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]

MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	GHS - Malaysia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

ALTERNATE: This substance is an alternate substance to Bisphenol A-epichlorohydrin acrylate.

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:02	
%: 30.0000 - 35.0000 ALT	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:03		
?: 25.0000 - 30.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.					

UNDISCLOSED			ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:03	
?: 15.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.				

1,6-HEXANEDIOL DIACRYLATE				ID: 13048-33-4	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:02		
?: 15.0000 - 20.0000 ALT	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Initiator	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.

TRIPROPYLENE GLYCOL DIACRYLATE ID: 42978-66-5			
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-14 13:52:04	
%: 15.0000 - 20.0000	GreenScreen: LT-P1	RC: None	NANO: No
SUBSTANCE ROLE: Initiator			

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

FINISH SYSTEM #2		%: 0.0000 - 0.6000 ALTERNATE	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: According to the SDS sheets of suppliers, some substances of this system presents residuals above the threshold. These will be mentioned in the appropriate substance.			

OTHER MATERIAL NOTES: Industry standard aluminium oxide finish system without stain.
The industry standard aluminium oxide finish is a polyurethane varnish with aluminum oxide filler.
Alternative finish system. Composition protected in part by NDAs signed with suppliers. Some substances are not disclosed to protect the industrial property of Lauzon Floor's suppliers.
The substances are presented at intervals because they come from different possible combinations of suppliers and layers in the system: sealants and varnishes.
Contains nanoparticles: aluminium oxide.

ALTERNATE: This nested material is an alternate nested material to Finish system #1.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:04

%: 40.0000 - 45.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

MUL

German FEA - Substances Hazardous to Waters

Class 3 - Severe Hazard to Waters

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

RESTRICTED LIST

Cradle to Cradle Products Innovation Institute (C2CPII)

C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022

Core Restrictions

RESTRICTED LIST

International Living Future Institute (ILFI)

Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025

Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:05

%: 35.0000 - 40.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Initiator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.

DIPROPYLENE GLYCOL DIACRYLATE ID: 57472-68-1			
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-14 13:52:05	
%: 30.0000 - 35.0000 ALT	GreenScreen: LT-UNK	RC: None	NANO: No
SUBSTANCE ROLE: Initiator			

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.		
ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.		

FATTY ACIDS, CASTOR-OIL, CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH 1,3-BUTANEDIOL

ID: 113669-95-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:06		
%: 25.0000 - 30.0000 ALT	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.					
ALTERNATE: This substance is an alternate substance to Bisphenol A-epichlorohydrin acrylate.					

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:05		
%: 25.0000 - 30.0000 ALT		GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Initiator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold.		
ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.		

FINISH SYSTEM #3		%: 0.0000 - 0.6000 ALTERNATE		
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: According to the SDS sheets of suppliers, residuals and impurities are below the threshold.				
OTHER MATERIAL NOTES: Titanium finish system with stain. Titanium is a high-performance polyurethane varnish that is more resistant to abrasion thanks to its titanium oxide filler. Alternative finish system. Composition protected in part by NDAs signed with suppliers. Some substances are not disclosed to protect the industrial property of Lauzon Floor's suppliers. The substances are presented at intervals because they come from different possible combinations of suppliers and layers in the system: stains, sealants and varnishes.				
ALTERNATE: This nested material is an alternate nested material to Finish system #1.				
UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-14 13:52:07		
%: 40.0000 - 45.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-14 13:52:08		
%: 0.0000 - 44.8000 ALT	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety		
SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold				
ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.				

POLYURETHANE FOAMS

ID: **9009-54-5**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-14 13:52:09		
%: 35.0000 - 40.0000 ALT	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Weight percentage varies as this covers different solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

ALTERNATE: This substance is an alternate substance to Ingredient 2.

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:06

%: 30.0000 - 35.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2		
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Weight percentage varies as this covers different solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-04-14 13:52:07

%: 25.0000 - 30.0000 ALT GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Initiator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Weight percentage varies as this covers different solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH TRICYCLODECANEDIMETHANOL, MIXED BIS(ACRYLATES AND METHACRYLATES)

ID: 921213-39-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-04-14 13:52:07

%: 25.0000 - 30.0000 ALT

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

ALTERNATE: This substance is an alternate substance to Dipentaerythritol pentaacrylate.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:09

%: 25.0000 - 30.0000 ALT

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

ALTERNATE: This substance is an alternate substance to Ingredient 2.
**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:09		
%: 15.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold					

DIPENTAERYTHRITOL PENTAACRYLATE				ID: 60506-81-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:07	

%: 15.0000 - 20.0000		GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found		No listings found on Additional Hazard Lists			
SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold					

FINISH SYSTEM #4		%: 0.0000 - 0.6000 ALTERNATE	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: According to the SDS sheets of suppliers, some substances of this system presents residuals above the threshold. These will be mentioned in the appropriate substance.			
OTHER MATERIAL NOTES: Titanium finish system without stain. Titanium is a high-performance polyurethane varnish that is more resistant to abrasion thanks to its titanium oxide filler. Alternative finish system. Composition protected in part by NDAs signed with suppliers. Some substances are not disclosed to protect the industrial property of Lauzon Floor's suppliers. The substances are presented at intervals because they come from different possible combinations of suppliers and layers in the system: sealants and varnishes.			
ALTERNATE: This nested material is an alternate nested material to Finish system #1.			

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:08	
%: 40.0000 - 45.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Core Restrictions	
RESTRICTED LIST	International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025	
			Red List substances to avoid in Living Building Challenge V4.0 projects	
SUBSTANCE NOTES: Substance name is UnDisclosed because it is proprietary. Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:09

%: 35.0000 - 40.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2		
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 13:52:10

%: 30.0000 - 35.0000 ALT	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
--------------------------	---------------------	----------	----------	---------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.

1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:10	
%: 25.0000 - 30.0000 ALT	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Initiator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

ALTERNATE: This substance is an alternate substance to Tripropylene glycol diacrylate.

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH TRICYCLODECANEDIMETHANOL, MIXED BIS(ACRYLATES AND METHACRYLATES)

ID: 921213-39-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 13:52:08	
%: 25.0000 - 30.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Weight percentage varies as this covers differents solid hardwood flooring. According to the SDS sheets of suppliers, residual and impurity are below the threshold

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Lauzon Distinctive Hardwood Flooring: Maniwaki and St-Norbert, QC Canada CERTIFICATE URL:	ISSUE DATE: 2024-11-19 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: BERKELEY ANALYTICAL
CERTIFICATION AND COMPLIANCE NOTES: Lauzon Distinctive Hardwood Flooring selected a sample representative of its hardwood flooring - solid construction product and submitted it on 2/22/2019 for testing. Berkeley Analytical measured and evaluated the emissions of VOCs from this sample following CDPH/EHLB/Standard Method V1.2-2017. TVOC ≤ 0.5 mg/m³ for both scenarios.		
SUSTAINABLE FORESTRY	FSC	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-11-19 00:00:00 EXPIRY DATE: 2026-05-08 00:00:00	CERTIFIER OR LAB: SAI Global Certification Services Pty Ltd
CERTIFICATION AND COMPLIANCE NOTES: complies with the requirements of Forest Stewardship Council® - Standard for Chain of Custody Certification Tracking of wood based material Product types: W11.5 Flooring Claim: FSC MIX System(s) used: Transfer Certificate Type: Multisite Standard(s) version: FSC-STD-40-003-v2-1; FSC-STD 40-004 V3-0; FSC-STD-50-001 V2-0		
LCA	Environmental Product Declaration (ISO 14025:2006)	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: N/A CERTIFICATE URL: https://www.csaregistries.ca/GHG_VR_Listing/EPD_ProjectDetail?ProjectId=455	ISSUE DATE: 2022-03-31 00:00:00 EXPIRY DATE: 2027-03-31 00:00:00	CERTIFIER OR LAB: CSA
CERTIFICATION AND COMPLIANCE NOTES: Specific EPD: Hardwood Flooring: Solid Construction; Hardwood Flooring: 7/16 Engineered Construction; and Hardwood Flooring: Solid 2-Ply Engineered Construction		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

GLUE
MANUFACTURER (OR GENERIC): Lauzon Hardwood Flooring
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Glue is used for installation
FASTNER
MANUFACTURER (OR GENERIC): Lauzon Hardwood Flooring
HPD URL: NO HPD available ACCESSORY TYPE: Fastener CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Fastner for installation

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Lauzon Flooring**
ADDRESS: **2101 côte des Cascades**
Papineauville, QC J0V 1R0
COUNTRY: **Canada**

WEBSITE: **lauzonflooring.com**
CONTACT NAME: **Jean-Martin Lortie**
TITLE: **Director of Business Development and go to Market Strategies**
PHONE: **819.427.8367**
EMAIL: **jean-martin.lortie@lauzonltd.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

