

**HPD UNIQUE IDENTIFIER:** 1362977792

**CLASSIFICATION:** 10 21 13 Toilet Compartments

**PRODUCT DESCRIPTION:** Offering a wide selection of the most innovative product materials available, Bradley Stainless Steel Partitions are suited for a variety of applications and environments. The quality materials used provide key features to architects and specifiers, such as aesthetic appeal, vandal resistance, low cost and warranties. From high-performance material options to creative style solutions, Bradley Stainless Steel Partitions provide architects smart, economical choices. This HPD covers Stainless Steel Partitions with standard hardware for all mounting styles.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

| Inventory Reporting Format                               | Threshold Level                            | Residuals/Impurities Evaluation                               |                                                                                    |
|----------------------------------------------------------|--------------------------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------|
| <input checked="" type="radio"/> Nested Materials Method | <input type="radio"/> 100 ppm              | Completed in 4 of 4 Materials                                 | <i>For all contents above the threshold, the manufacturer has:</i>                 |
| <input type="radio"/> Basic Method                       | <input checked="" type="radio"/> 1,000 ppm |                                                               | <b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No |
| Threshold Disclosed Per                                  |                                            | Explanation(s) provided for Residuals/Impurities?             |                                                                                    |
| <input type="radio"/> Material                           | <input type="radio"/> Per GHS SDS          |                                                               | <i>Provided weight and role.</i>                                                   |
| <input checked="" type="radio"/> Product                 | <input type="radio"/> Other                | <input checked="" type="radio"/> Yes <input type="radio"/> No | <b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No      |
|                                                          |                                            |                                                               | <i>Provided screening results using HPDC-approved methods.</i>                     |
|                                                          |                                            |                                                               | <b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No    |
|                                                          |                                            |                                                               | <i>Provided name and CAS RN or other identifier.</i>                               |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**NESTED MATERIAL** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

**GREENSCREEN SCORE** | HAZARD TYPE

**STAINLESS STEEL ALLOY** [ **STAINLESS STEEL ALLOY** ]

**HONEYCOMB CORE** [ **KRAFT PAPER POLYVINYL ACETATE** **LT-UNK**

**LIMESTONE** **BM-3dg** ] **ALUMINUM ALLOY** [ **ALUMINUM** **LT-P1** ] END |

MAM | PHY **IRON, ELEMENTAL** **LT-P1** ] END ] **ZAMAK ALLOY** [ **ZINC, ELEMENTAL** **LT-P1** ] MUL | AQU **ALUMINUM** **LT-P1** ] END | MAM | PHY ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

Special Conditions applied: [MetalAlloy]

Special Conditions applied: [BiologicalMaterial]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

|                                     |                         |                            |
|-------------------------------------|-------------------------|----------------------------|
| Third Party Verified?               | PREPARER: Self-Prepared | SCREENING DATE: 2025-04-18 |
| <input type="radio"/> Yes           | VERIFIER:               | PUBLISHED DATE: 2025-04-18 |
| <input checked="" type="radio"/> No | VERIFICATION #:         | EXPIRY DATE: 2028-04-18    |

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

STAINLESS STEEL ALLOY %: 92.5000 - 95.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Facers of doors, panels, and pilasters; shoes; hardware. Test Report confirms material is free of Mercury and radioactive contamination. EN 10204:2004 3.1; RoHS 1 & 2 Compliant; DFARs Compliant. Melted and manufactured in the USA.

STAINLESS STEEL ALLOY ID: UNS S30100

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

%: 100.0000      GreenScreen: See notes      RC: Both      NANO: No      MATERIAL ROLE: Structure component

| HAZARD TYPE                                                  | AGENCY AND LIST TITLES | WARNINGS |
|--------------------------------------------------------------|------------------------|----------|
| Hazard Screening is not applicable to this Special Condition |                        |          |

METAL ALLOY HPD: See alloy HPD for alloying content inventory, GreenScreen scores, and hazards: [ UNS S30100 ]

METAL ALLOY NOTES: In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. An alloy HPD with alloying element content inventory, their GreenScreen scores, and hazards is available at the link above.

GREENSCREEN BM-1 & LT-1 ALLOYING ELEMENTS: Nickel (LT-1)

LISTING NOTES: Alloying elements with Additional Listings include: Chromium (C2CPII); Nickel (GSPI, C2CPII); Manganese (C2CPII); Copper (P+W, C2CPII).

MATERIAL CONTENT NOTES: Supplier has confirmed Stainless Steel consists of 40% Pre-Consumer, and 25% Post-Consumer recycled content from commodity materials.

HONEYCOMB CORE %: 3.5000 - 4.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Doors, panels and pilasters consist of two sheet metal faces insulated with a honeycomb core that is adhered to the inner surface and set under pressure to cure. Percent by weight of material and substances reported as range to account for the various sizes and configurations available.

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 75.0000 - 80.0000      GreenScreen: Not Required      RC: None      NANO: No      MATERIAL ROLE: Structure component

|             |                        |          |
|-------------|------------------------|----------|
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|----------|

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: 65996-61-4

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2025-04-18 10:46:03

%: 15.0000 - 20.0000      GreenScreen: LT-UNK      RC: None      NANO: No      SUBSTANCE ROLE: Adhesive

|             |                      |          |
|-------------|----------------------|----------|
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|

|            |                                                |
|------------|------------------------------------------------|
| None found | No warnings found on HPD Priority Hazard Lists |
|------------|------------------------------------------------|

|                     |                      |              |
|---------------------|----------------------|--------------|
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|

|            |                                              |
|------------|----------------------------------------------|
| None found | No listings found on Additional Hazard Lists |
|------------|----------------------------------------------|

SUBSTANCE NOTES:

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2025-04-18 10:46:04

%: 1.0000 - 5.0000      GreenScreen: BM-3dg      RC: None      NANO: No      SUBSTANCE ROLE: Filler

|             |                      |          |
|-------------|----------------------|----------|
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|

|            |                                                |
|------------|------------------------------------------------|
| None found | No warnings found on HPD Priority Hazard Lists |
|------------|------------------------------------------------|

|                     |                      |              |
|---------------------|----------------------|--------------|
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|

|            |                                              |
|------------|----------------------------------------------|
| None found | No listings found on Additional Hazard Lists |
|------------|----------------------------------------------|

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool.

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Aluminum Alloy 6061 used for headrails. Metal alloys have different intrinsic characteristics than their alloying elements encapsulated therein, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements.

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-18 10:46:04

%: 95.8000 - 98.6000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS                                                                                                                                                  |
|---------------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| END                 | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor                                                                                                                             |
| MAM                 | GHS - Japan                                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Japan                                             | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                          |
| PHY                 | GHS - Japan                                             | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]             |
| PHY                 | GHS - Malaysia                                          | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]                                                  |
| PHY                 | GHS - Australia                                         | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]                                                  |
| PHY                 | GHS - New Zealand                                       | Pyrophoric solids category 1                                                                                                                              |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION                                                                                                                                              |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials    |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products                                         |

SUBSTANCE NOTES:

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-18 10:46:05

%: 0.1000 - 0.7000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                     |
|---------------------|---------------------------------------|----------------------------------------------|
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                 |
| None found          |                                       | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES:    |                                       |                                              |

ZAMAK ALLOY

%: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Zamak 3 used for brackets, hinges, strike keeper, door pull, and wall bumper. Metal alloys have different intrinsic characteristics than their alloying elements encapsulated therein, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements.

ZINC, ELEMENTAL

ID: 7440-66-6

|                                                                  |                                                         |                 |                                                                                               |                                            |
|------------------------------------------------------------------|---------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------|--------------------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                                         |                 | HAZARD SCREENING DATE: <b>2025-04-18 10:46:05</b>                                             |                                            |
| %: <b>95.2000 - 96.0000</b>                                      | GreenScreen: <b>LT-P1</b>                               | RC: <b>None</b> | NANO: <b>No</b>                                                                               | SUBSTANCE ROLE: <b>Structure component</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE                                    |                 | WARNINGS                                                                                      |                                            |
| MUL                                                              | German FEA - Substances Hazardous to Waters             |                 | Class 3 - Severe Hazard to Waters                                                             |                                            |
| AQU                                                              | GHS - New Zealand                                       |                 | Hazardous to the aquatic environment - acute category 1                                       |                                            |
| AQU                                                              | GHS - New Zealand                                       |                 | Hazardous to the aquatic environment - chronic category 1                                     |                                            |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE                                    |                 | NOTIFICATION                                                                                  |                                            |
| RESTRICTED LIST                                                  | Green Science Policy Institute (GSPI)                   |                 | GSPI - Six Classes Precautionary List                                                         |                                            |
|                                                                  |                                                         |                 | Antimicrobials                                                                                |                                            |
| RESTRICTED LIST                                                  | Cradle to Cradle Products Innovation Institute (C2CPII) |                 | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |                                            |
|                                                                  |                                                         |                 | Biological and Environmentally Released Materials                                             |                                            |
| RESTRICTED LIST                                                  | Cradle to Cradle Products Innovation Institute (C2CPII) |                 | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |                                            |
|                                                                  |                                                         |                 | Children's Products                                                                           |                                            |
| RESTRICTED LIST                                                  | Cradle to Cradle Products Innovation Institute (C2CPII) |                 | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024            |                                            |
|                                                                  |                                                         |                 | Children's Toy Products                                                                       |                                            |

SUBSTANCE NOTES:

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-04-18 10:46:04**

%: **3.8000 - 4.3000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS                                                                                                                                                  |
|---------------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| END                 | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor                                                                                                                             |
| MAM                 | GHS - Japan                                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Japan                                             | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                          |
| PHY                 | GHS - Japan                                             | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]             |
| PHY                 | GHS - Malaysia                                          | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]                                                  |
| PHY                 | GHS - Australia                                         | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]                                                  |
| PHY                 | GHS - New Zealand                                       | Pyrophoric solids category 1                                                                                                                              |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION                                                                                                                                              |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials    |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products                                         |

SUBSTANCE NOTES:

### Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | UL/GreenGuard Gold Certified     |                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------|
| CERTIFYING PARTY: Third Party                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ISSUE DATE: 2011-10-05 00:00:00  | CERTIFIER OR LAB: UL |
| APPLICABLE FACILITIES: Marion, Ohio USA                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EXPIRY DATE: 2025-10-28 00:00:00 | Environment          |
| CERTIFICATE URL: <a href="https://tinyurl.com/bdex5fhb">https://tinyurl.com/bdex5fhb</a>                                                                                                                                                                                                                                                                                                                                                                                                        |                                  |                      |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 19561-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Bathroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2. |                                  |                      |

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

## MANUFACTURER INFORMATION

MANUFACTURER: **Bradley Corp**  
ADDRESS: **W142N9101 Fountain Blvd**  
**Menomonee Falls, WI 53051**  
COUNTRY: **USA**

WEBSITE: **<https://www.bradleycorp.com>**  
CONTACT NAME: **Kris Alderson**  
TITLE: **Senior Marketing Manager**  
PHONE: **262.532.1096**  
EMAIL: **[kris.alderson@bradleycorp.com](mailto:kris.alderson@bradleycorp.com)**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                           |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> | Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b>  | Substances listed within each material per threshold indicated per product  |
| <b>Basic Method / Product Threshold</b>   | Substances listed individually per threshold indicated per product          |

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Nano</b>                  | Composed of nano scale particles or nanotechnology         |
| <b>Third Party Verified</b>  | Verification by independent certifier approved by HPDC     |
| <b>Preparer</b>              | Third party preparer, if not self-prepared by manufacturer |
| <b>Applicable facilities</b> | Manufacturing sites to which testing applies               |

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

