

HPD UNIQUE IDENTIFIER: 1896136704

CLASSIFICATION: 07 72 33 Roof Hatches

PRODUCT DESCRIPTION: Roof Hatches provide safe and convenient access to roof areas using interior ladders, alternating tread device and stairs. Nystrom's Retrofit Roof Hatches are designed and built for yeas of safe, convenient access to roof top areas on commercial buildings. This HPD covers Nystrom's Thermally Broken Retrofit Roof Hatch (RHRT). Steel and Aluminum Retrofit Roof Hatches also available.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
☒ Nested Materials Method	☐ 100 ppm	Completed in 8 of 8 Materials	For all contents above the threshold, the manufacturer has:
☐ Basic Method	☒ 1,000 ppm		Characterized ☒ Yes ☐ No
Threshold Disclosed Per		Explanation(s) provided for Residuals/Impurities?	
☐ Material	☐ Per GHS SDS		Provided weight and role.
☒ Product	☐ Other	☒ Yes ☐ No	Screened ☒ Yes ☐ No
			Provided screening results using HPDC-approved methods.
			Identified ☒ Yes ☐ No
			Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM ALLOY [**ALUMINUM** **LT-P1**] END | MAM | PHY
MAGNESIUM **LT-UNK** | PHY | MAM | SKI | EYE **SILICON, ELEMENTAL** **LT-UNK** **IRON, ELEMENTAL** **LT-P1**] END] **STEEL ALLOY** [**IRON, ELEMENTAL** **LT-P1**] END **MANGANESE** **LT-P1**] END | MUL | REP | MAM | AQU **SILICON, ELEMENTAL** **LT-UNK** **CHROMIUM** **LT-P1**] END | SKI | MAM | REP | RES] **INSULATION** [**POLYISOCYANURATE FOAM** **LT-P1**] SKI | EYE | MAM **ALUMINUM** **LT-P1**] END | MAM | PHY **PENTANE** **LT-P1**] MUL | PHY | AQU | MAM | EYE] **STAINLESS STEEL ALLOY** [**IRON, ELEMENTAL** **LT-P1**] END **CHROMIUM** **LT-P1**] END | SKI | MAM | REP | RES **NICKEL** **LT-1**] CAN | MUL | RES | MAM | SKI | AQU **MOLYBDENUM** **LT-UNK** | MAM | SKI | REP] **EPDM RUBBER** [**CARBON BLACK** **BM-1 ***] CAN | EYE | MAM | PHY **EPDM** **LT-UNK** **DISTILLATE AROMATIC EXTRACT** **LT-1**] CAN | MUL | DEV **KAOLIN** **LT-UNK**] CAN **LIMESTONE** **BM-3dg**] **SEALANT TAPE** [**LIMESTONE** **BM-3dg** **KAOLIN** **LT-UNK**] CAN **BUTYL RUBBER** **LT-UNK** **CARBON BLACK** **BM-1 ***] CAN | EYE | MAM | PHY **IRGANOX 1010** **LT-UNK**] **ZINC COATING** [**ZINC, ELEMENTAL** **LT-P1**] MUL | AQU **IRON, ELEMENTAL** **LT-P1**] END] **GRIP HANDLE** [**ETHENE, POLYMER WITH 1-PROPENE** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2025-04-23

PUBLISHED DATE: 2025-04-23

EXPIRY DATE: 2028-04-23

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ALUMINUM ALLOY		%: 69.0000 - 72.0000	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).			
OTHER MATERIAL NOTES: Percent by weight of material reported as range to account for possible variations in manufacturing.			

ALUMINUM			ID: 7429-90-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:06	
%: 98.8000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
PHY	GHS - Japan		H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]	
PHY	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - New Zealand		Pyrophoric solids category 1	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
SUBSTANCE NOTES: Recycled content estimated by suppliers to be about 80% (Pre-Consumer Content: 40-80%; Post-Consumer Content: 10-30%).		

MAGNESIUM

ID: 7439-95-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:06	
%: 0.4600	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]	
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
PHY	GHS - Australia		H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]	
EYE	GHS - Japan		H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

SILICON, ELEMENTAL				ID: 7440-21-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:07		
%: 0.4300	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

IRON, ELEMENTAL			ID: 7439-89-6		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:07		
%: 0.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
None found		No listings found on Additional Hazard Lists			
SUBSTANCE NOTES:					

STEEL ALLOY		%: 12.5000 - 15.0000	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).			
OTHER MATERIAL NOTES: Percent by weight of material reported as range to account for possible variations in manufacturing.			

IRON, ELEMENTAL					ID: 7439-89-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:08		
%: 95.5000 - 99.0000	GreenScreen: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: LEED® allows a default value of 25% post-consumer recycled content for steel. Most steel used by Nystrom has a much higher recycled content, and may also include pre-consumer content. However, we have chosen to report this default value due to the variability of recycled content between orders.		

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-23 13:32:07		
%: 0.1000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
AQU	GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Children's Toy Products		
SUBSTANCE NOTES:				

SILICON, ELEMENTAL				ID: 7440-21-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:08		
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:08		
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
REP	GHS - New Zealand		Reproductive toxicity category 2		
RES	GHS - Japan		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

INSULATION

%: 6.0000 - 6.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range to account for possible variations in manufacturing.

POLYISOCYANURATE FOAM

ID: 9063-78-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-04-23 13:32:08

%: 75.0000 - 85.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Insulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:09	
%: 5.0000 - 15.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
PHY	GHS - Japan		H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]	
PHY	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - New Zealand		Pyrophoric solids category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Children's Toy Products		

PENTANE

ID: 109-66-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2025-04-23 13:32:09
---	--

%: 0.0000 - 10.0000		GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
MUL		German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
PHY		EU - GHS (H-Statements) Annex 6 Table 3-1		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
AQU		EU - GHS (H-Statements) Annex 6 Table 3-1		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
MAM		GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
EYE		GHS - New Zealand		Eye irritation category 2	
AQU		GHS - Australia		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
AQU		GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
PHY		GHS - New Zealand		Flammable liquids category 2	
PHY		GHS - Japan		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
PHY		GHS - Malaysia		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
PHY		GHS - Australia		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
AQU		GHS - Malaysia		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
MAM		EU - GHS (H-Statements) Annex 6 Table 3-1		H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]	
MAM		GHS - Malaysia		H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]	
MAM		GHS - Australia		H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]	
ADDITIONAL LISTINGS		LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST		Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
				Some Solvents	
SUBSTANCE NOTES:					

STAINLESS STEEL ALLOY		%: 5.0000 - 5.5000			
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Metal	
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).					

IRON, ELEMENTAL				ID: 7439-89-6	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:09		
%: 62.0000 - 72.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

CHROMIUM				ID: 7440-47-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:10		
%: 16.0000 - 18.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
REP	GHS - New Zealand		Reproductive toxicity category 2		
RES	GHS - Japan		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

NICKEL				ID: 7440-02-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-23 13:32:11		
%: 10.0000 - 14.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

MOLYBDENUM

ID: 7439-98-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-04-23 13:32:11		
%: 2.0000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
REP	GHS - New Zealand		Reproductive toxicity category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

EPDM RUBBER

%: 2.0000 - 3.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Rubber gasket and curb. Percent by weight of material reported as range to account for possible variations in manufacturing.

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:11	
%: 30.0000 - 40.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen**	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**	
CAN	IARC		Group 2b - Possibly carcinogenic to humans**	
EYE	GHS - New Zealand		Eye irritation category 2**	
CAN	GHS - New Zealand		Carcinogenicity category 2**	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**	
PHY	GHS - Japan		H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

EPDM

ID: 25038-36-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:10	
%: 30.0000 - 40.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

DISTILLATE AROMATIC EXTRACT

ID: 64742-04-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:11	
%: 10.0000 - 20.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
MUL	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
DEV	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]	
CAN	EU - REACH Annex XVII CMRs		Carcinogens: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Formulated Consumer Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		All Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Cosmetics and Personal Care Products		

KAOLIN

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2025-04-23 13:32:12
--	---

%: 1.0000 - 10.0000		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found		No listings found on Additional Hazard Lists			
SUBSTANCE NOTES:					

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:13		
%: 1.0000 - 10.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool.					

SEALANT TAPE

%: 0.1000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).		
OTHER MATERIAL NOTES: Percent by weight of material reported as range to account for possible variations in manufacturing.		

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:10		
%: 24.0000 - 45.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool.

KAOLIN

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:11	
%: 10.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

BUTYL RUBBER

ID: 9010-85-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:11	
%: 10.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Sealant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:12	
%: 5.0000 - 15.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
EYE	GHS - New Zealand	Eye irritation category 2**
CAN	GHS - New Zealand	Carcinogenicity category 2**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

IRGANOX 1010

ID: 6683-19-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:12	
?: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Preservatives-Antioxidants - Green Circle (Verified Low Concern)		

SUBSTANCE NOTES:

ZINC COATING

?: 0.0500 - 0.2000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
-----------------------------	--	----------------------

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:13	
%: 90.0000 - 99.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Children's Toy Products		

SUBSTANCE NOTES:

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-23 13:32:13	
%: 1.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

ETHENE, POLYMER WITH 1-PROPENE

ID: 9010-79-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-23 13:32:14

%: 99.5000 - 100.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2025-02-13 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: Minneapolis, MN 55428	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Product is constructed of more than 88% powder-coated, plated or anodized metals, which LEED considers inherently non-emitting sources of VOCs.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SAFETY RAILING
MANUFACTURER (OR GENERIC): Nystrom
HPD URL: https://hpdrepository.hpd-collaborative.org/Pages/Results.aspx
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: OSHA compliant fall protection safety railings and posts specifically designed for Roof Hatches, Smoke Vents and Floor Doors.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Nystrom**
ADDRESS: **9300 73rd Avenue North**
Minneapolis, MN 55428
COUNTRY: **USA**

WEBSITE: **www.nystrom.com**
CONTACT NAME: **Dave Alfveby**
TITLE: **Product Manager**
PHONE: **763.488.2862**
EMAIL: **dalfveby@nystrom.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

