

HPD UNIQUE IDENTIFIER: 6644053628928

CLASSIFICATION: 09 72 13 Cork Wall Coverings

PRODUCT DESCRIPTION: Composite cork rolls sourced from sustainably harvested cork oak trees.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

BULLETIN BOARD CORK | **CORK POLYURETHANE FOAMS** **LT-UNK**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

Special Conditions applied: [BiologicalMaterial]

Special Conditions applied: [Polymers]

All substances at or above the threshold have been identified and screened by the manufacturer. Some percentage of substances which make up the product have been provided as a range to account for variations in product construction and to further protect proprietary formulation details. Substances that are considered proprietary by their manufacturers are not able to be disclosed by name and ID to the public on this current HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested

VOC content: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

Thermal Resistance Performance: R-value

Sustainable forestry: FSC Certification - Mixed Credit

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-04-29
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-05-08
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-04-29

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BULLETIN BOARD CORK

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: The manufacturer identified no unreported residuals or impurities contained in the product.	
OTHER PRODUCT NOTES: 95%-99% of this product is manufactured from rapidly renewable material and pre-consumer recycled material.	

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 95.0000 - 99.0000
 GreenScreen: Not Required
 RC: PreC
 NANO: No
 MATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Quercus suber

MATERIAL CONTENT NOTES: Cork is a rapidly renewable material, harvested every 9 years from the Cork Oak tree. The tree is not damaged and regrows cork after each harvest. This harvest-and-regrowth process occurs continuously every 9 years throughout the tree's 200-year lifespan.

The cork for this product is 100% pre-consumer recycled content from the manufacturing of cork stoppers.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: 2025-04-29 14:37:53

%: 1.0000 - 5.0000
 GreenScreen: LT-UNK
 RC: None
 NANO: No
 POLYMER ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None foundNo listings found on Additional Hazard Lists

POLYMER TYPE: Thermoset prepolymer (i.e. partially reacted)

AVERAGE MOLECULAR WEIGHT : <1,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers with disclosed CAS numbers.

ADDITIONAL NOTES: Binding agent for cork particles.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-09-11 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: Cork is a naturally occurring biological material that comprises 95%-99% (by volume) of this product. No known emission hazards exist.		
VOC CONTENT	REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-02-07 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Manufacturer
CERTIFICATION AND COMPLIANCE NOTES: This product contains no added substances that are deemed by the European Chemical Agency (ECHA) as being Substances of Very High Concern (SVHC), and the raw materials used do not contain any SVHC in a concentration above 0.1%w/w.		
THERMAL RESISTANCE PERFORMANCE	R-value	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2024-07-11 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Manufacturer
CERTIFICATION AND COMPLIANCE NOTES: This product has a measured R-value of 7.35 per inch of thickness. This test was performed in using a Heat Flow Meter (HFM-25) measuring the thermal resistance and thermal conductivity of small samples in accordance with the EN 12664 standard.		
SUSTAINABLE FORESTRY	FSC Certification - Mixed Credit	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2009-01-13 00:00:00 EXPIRY DATE: 2029-01-12 00:00:00	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: This wood product is FSC Certified (Mix Credit).		
RECYCLED CONTENT	FSC Certification - Recycled	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2008-06-24 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Manufacturer
CERTIFICATION AND COMPLIANCE NOTES: This product is approximately 95%-99% (by volume) pre-consumer recycled content sourced in accordance with the FSC-STD-40-007 standards.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVE
MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available
ACCESSORY TYPE: Adhesive
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Contact your supplier for adhesive recommendations. Apply adhesive to the substrate using the adhesive manufacturer's recommended method.

 Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **Wolf-Gordon**
ADDRESS: **333 7th Ave Fl 6**
New York, NY 10001
COUNTRY: **United States**
LATITUDE: **38.3574000**
LONGITUDE: **-85.7357000**

WEBSITE: **www.wolfgordon.com**
CONTACT NAME: **Shashi Sirsi**
TITLE: **Technical Prodcuts Director**
PHONE: **2122553300**
EMAIL: **sustainability@wolfgordon.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.