

HPD UNIQUE IDENTIFIER: 4047243025408

CLASSIFICATION: 10 21 13 Toilet Compartments

PRODUCT DESCRIPTION: PRIVADA® Cubicles are European inspired toilet compartments that are 1” thick, consisting of particle board core surfaced with High Pressure Laminate (HPL) or Wood Veneer Laminate comprising doors, facias and panels, with stainless steel hardware and aluminum pedestals. They have a signature floating effect enabled by recessed foot pedestals, appearing suspended without compromising stability. With elevated design and privacy, PRIVADA® is ideal for prestige projects, such as Class A offices and high-end hospitality.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☒ Nested Materials Method	☐ 100 ppm	Completed in 9 of 9 Materials	Characterized ☒ Yes ☐ No
☐ Basic Method	☒ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Yes ☐ No	Screened ☒ Yes ☐ No
☐ Material	☐ Other		<i>Provided screening results using HPDC-approved methods.</i>
☒ Product			Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PARTICLE BOARD [WOOD (HARDWOOD AND SOFTWOOD OF VARIOUS SPECIES) NoGS] ALUMINUM 6063 [ALUMINUM ALLOY, BASE NoGS] WILSONART HIGH PRESSURE LAMINATE [PULP, CELLULOSE NoGS] MELAMINE RESIN [LT-UNK] PHENOLIC RESIN [LT-P1] GRIT [BM-2] MAM COLORANT [NoGS] 304 STAINLESS STEEL [STAINLESS STEEL ALLOY NoGS] HOT MELT EDGE BANDER GLUE [ETHYLENEVINYLACETATE (EVA) POLYMER [LT-UNK] CALCIUM CARBONATE [BM-3] EYE] PVA SURFACE GLUE [VINYL ACETATE POLYMER [LT-UNK] WATER [BM-4] ALUMINUM CHLORIDE [LT-P1] SKI | GEN | EYE | AQU | REP POLYVINYL ALCOHOL [LT-UNK] 18-8 STAINLESS STEEL [STAINLESS STEEL ALLOY NoGS] EXTRUDED RUBBER STOPPER []

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Material composition of each material is developed using the safety data sheets. Composition of each material is evaluated and final inventory is built to meet 1000 ppm of the final product.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-05-02
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-05-02
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-05-02

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PARTICLE BOARD

%: 68.3900

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on supplier safety data sheet (SDS). While SDS may not identify all residuals or impurities present in this material that would require reporting on the HPD, none are expected to be present at or above the product inventory threshold of 1000 ppm.

OTHER MATERIAL NOTES: Bobrick Washroom Equipment’s particle board for the Privada Cubicle series comes from Kronospan Ltd, they are currently FSC Certified. This particle board is purchased from a supplier called, Blue Linx and this company is also FSC certified.

WOOD (HARDWOOD AND SOFTWOOD OF VARIOUS SPECIES)

ID: 65996-61-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-05-02 6:18:19

%: 90.0000 - 100.0000

GreenScreen: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

ALUMINUM 6063		%: 13.9900			
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Metal	
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on supplier safety data sheet (SDS). While SDS may not identify all residuals or impurities present in this material that would require reporting on the HPD, none are expected to be present at or above the product inventory threshold of 1000 ppm.					
OTHER MATERIAL NOTES: Two aluminum types are used in the product: 6063 T6 and 6063 T5. Since both have same material composition, these have been merged together for the purposes of this HPD. Aluminum 6063 is used in screw covers, channels, panels, angle brackets, panel sight blockers, and extrusions.					

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:19	
%: 100.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

WILSONART HIGH PRESSURE LAMINATE

%: 0.0000 - 6.4300

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on HPD supplied by the manufacturer, none are expected to be present at or above the product inventory threshold of 1000 ppm.		
OTHER MATERIAL NOTES: High Pressure Decorative Laminates (HPL) are made from paper, thermoset resins, pigments and various fillers which are consolidated under high pressure and heat into a sheet. HPL is suitable for horizontal and vertical applications including but not limited to countertops, table tops, furniture, case goods, wall panels, interior architectural doors and partitions. It covers: Chalkboard, High Wear, Markerboard, Wilsonart® HD® & Premium HPL, Wilsonart® HPL STANDARD.		
PRIVADA can be fabricated with any finish offered by Wilsonart®, Formica® or by other HPL manufacturers upon request.		

PULP, CELLULOSE

ID: 65996-61-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:20	
%: 40.0000 - 80.0000	GreenScreen: NoGS	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES: The mass share of fibers vary depending on the strength and durability. Post-consumer recycled content varies by product type.				

MELAMINE RESIN

ID: 9003-08-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:20	
--	--	--	--	--

%		2.3000 - 35.0000		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE		LIST NAME AND SOURCE			WARNINGS		
None found					No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS		LIST NAME AND SOURCE			NOTIFICATION		
RESTRICTED LIST		Cradle to Cradle Products Innovation Institute (C2CPII)			C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
					All Products		
RESTRICTED LIST		International Living Future Institute (ILFI)			Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
					Red List substances to avoid in Living Building Challenge V4.0 projects		
SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.							

PHENOLIC RESIN					ID: 9003-35-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:21		
%: 0.0000 - 34.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
			Red List substances to avoid in Living Building Challenge V4.0 projects		
SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.					

GRIT					ID: 1344-28-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:20		
%: 0.0000 - 0.7000		GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

SUBSTANCE NOTES: This substance is used to improve abrasion.

COLORANT

ID: 8005-02-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:21	
%: 0.0000 - 0.4700	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: This colorant is used in some HPL products.

304 STAINLESS STEEL

%: 3.7500

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on supplier safety data sheet (SDS). While SDS may not identify all residuals or impurities present in this material that would require reporting on the HPD, none are expected to be present at or above the product inventory threshold of 1000 ppm.		
OTHER MATERIAL NOTES: 304 stainless steel is used in pedestal kits, door handle kits, hinge assemblies, lock and keeper assemblies.		
Only the substances above the threshold have been reported.		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:21		
%: 100.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

HOT MELT EDGE BANDER GLUE

%: 3.2900

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: No assessment of residuals and impurities has been performed.		
OTHER MATERIAL NOTES:		

ETHYLENEVINYLACETATE (EVA) POLYMER				ID: 24937-78-8	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:22		
%: 65.0000 - 75.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

CALCIUM CARBONATE				ID: 471-34-1	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:22		
%: 25.0000 - 35.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand		Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

PVA SURFACE GLUE		%: 2.8500
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on supplier safety data sheet (SDS). While SDS may not identify all residuals or impurities present in this material that would require reporting on the HPD, none are expected to be present at or above the product inventory threshold of 1000 ppm.		
OTHER MATERIAL NOTES:		

VINYL ACETATE POLYMER					ID: 9003-20-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:21		
%: 35.0000 - 55.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-05-02 6:18:22		
%: 35.0000 - 55.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES:				

ALUMINUM CHLORIDE

ID: 7446-70-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-05-02 6:18:22		
%: 0.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

SUBSTANCE NOTES: Once the Privada Cubicles are finished and installed, minimal to no exposure is expected during the normal, daily use of the product.

POLYVINYL ALCOHOL

ID: 25213-24-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:23	
%: 1.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

18-8 STAINLESS STEEL %: 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on supplier safety data sheet (SDS). While SDS may not identify all residuals or impurities present in this material that would require reporting on the HPD, none are expected to be present at or above the product inventory threshold of 1000 ppm.

OTHER MATERIAL NOTES: 18-8 stainless steel is used in screws and floor anchors.

Only the substances above the threshold have been reported.

STAINLESS STEEL ALLOY ID: 12597-68-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:23	
%: 100.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

EXTRUDED RUBBER STOPPER %: 0.2600

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on supplier safety data sheet (SDS). While SDS may not identify all residuals or impurities present in this material that would require reporting on the HPD, none are expected to be present at or above the product inventory threshold of 1000 ppm.

OTHER MATERIAL NOTES:

FORMICA HIGH PRESSURE LAMINATE %: 0.0000 - 6.4300 ALTERNATE

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
-----------------------------	--	-----------------------------------

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on HPD supplied by the manufacturer, none are expected to be present at or above the product inventory threshold of 1000 ppm.

OTHER MATERIAL NOTES: High pressure decorative laminates in Grades 10, 12, 20, D4, D5, V4, V5 consist of multiple ply's of kraft paper saturated with phenolic resin solids to form the core base Laminate surfaces consist of papers saturated with melamine resin solids. Formica laminate can fabricated as an applied surface to countertops, table tops, casework, wall panels and other decorative surfaces where design, ease of maintenance and lasting durability are required.

PRIVADA can be fabricated with any finish offered by Formica®, Wilsonart®, or by other HPL manufacturers upon request.

ALTERNATE: This nested material is an alternate nested material to Wilsonart High Pressure Laminate.

KRAFT PAPER

ID: 65996-61-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:23	
?: 56.0000 - 63.0000	GreenScreen: NoGS	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety		
SUBSTANCE NOTES: Post consumer content is 8-14%.				

PHENOLIC RESIN

ID: 9003-35-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:24	
?: 14.0000 - 19.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
		Red List substances to avoid in Living Building Challenge V4.0 projects		
SUBSTANCE NOTES: Used to saturate kraft paper prior to pressing and curing operation. Exposure would occur only during paper treating operations in manufacturing.				

MELAMINE RESIN

ID: 9003-08-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:24	
?: 8.0000 - 12.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Sealant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES: Used to saturate decorative and protective surface sheets prior to pressing and curing operation. Exposure would occur only during paper treating operations in manufacturing.		

PULP, CELLULOSE

ID: 65996-61-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-02 6:18:24		
%: 6.0000 - 11.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions		
			Exempted from REACH Annex IV listing due to intrinsic safety		
SUBSTANCE NOTES: This substance imparts product design.					

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
CERTIFYING PARTY: Third Party	ISSUE DATE: 2025-04-01 00:00:00	CERTIFIER OR LAB: Intertek
APPLICABLE FACILITIES: All	EXPIRY DATE: 2026-03-17 00:00:00	Testing Services NA, Inc.
CERTIFICATE URL: https://sustainabilitydirectory.intertek.com/images/certificates/78125e3f-b408-4e2a-8038-a06a41beaaa6_CA-21637-2025a.pdf		
CERTIFICATION AND COMPLIANCE NOTES: Certificate number: CA-21637-2025a		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

PRIVADA®'s minimalist hardware makes a sophisticated design statement. Stainless steel door hardware with concealed fasteners and connection points come standard. With elevated design and privacy, PRIVADA is ideal for prestige projects, such as Class A offices and high-end hospitality.

MANUFACTURER INFORMATION

MANUFACTURER: **Bobrick Washroom Equipment, Inc.**
ADDRESS: **6901 Tujunga Ave**
North Hollywood, CA 91605
COUNTRY: **USA**

WEBSITE: **<https://www.bobrick.com>**
CONTACT NAME: **Customer Service**
TITLE: **Customer Service**
PHONE: **818-764-1000**
EMAIL: **customerservice@bobrick.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

